Œ

Page 1 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Skirt marker with plastic rod 15 g

Art.: 611759

Chalk powder for skirt marker 50 g

Art.: 611886

Skirt marker with aluminum rod 15 g

Art.: 611767

Talc

Registration number (ECHA): --

Index: --

EINECS, ELINCS, NLP, REACH-IT List-No.: 238-877-9

CAS: 14807-96-6

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Sector of use [SU]:

SU 4 - Manufacture of food products

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against:

The uses:

1.3 Details of the supplier of the safety data sheet

PRYM CONSUMER Europe GmbH

Zweifaller Str. 130 52224 Stolberg Deutschland

Tel.: +49 (0)2402 - 14 04 Fax: +49 (0)2402 - 14 29 19

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0)2402 - 14 04

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP)

Not applicable

2.2 Label elements



Page 2 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable

2.3 Other hazards

No vPvB substance No PBT substance

SECTION 3: Composition/information on ingredients

3.1 Substances

Talc	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	238-877-9
CAS	14807-96-6
content %	
Classification according to Regulation (EC) 1272/2008 (CLP), M-	
factors	

3.2 Mixtures

n.a.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Normally not irritating to skin.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink. Consult doctor if necessary.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

Eye contact:

Mechanical irritation possible.

Skin contact:

Drying of the skin.

Inhalation:

Coughing

Irritation of the respiratory tract

Irritant to mucosa of the nose and throat

Chronic toxicity:

Prolonged and repeated inhalation of dust may affect the respiratory tract.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.



Page 3 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002 Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Product is not combustible.

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Metal oxides Silicon dioxide

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid build up of dust.

Ensure sufficient supply of air.

Avoid contact with eyes.

Contact with water - danger of sliding.

6.2 Environmental precautions

No special measures required.

6.3 Methods and material for containment and cleaning up

Avoid build up of dust.

Pick up mechanically and dispose of according to Section 13.

Collect spilled material with a dust-trapping sweeping agent or a suitable vacuum cleaner.

Do not wash away with water or watery cleaning agents.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid build up of dust.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Protect against moisture and store closed.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.



Page 4 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemica	l Name	Talc					Content %:
WEL-TWA:	1 mg/m3 (res. dust)		WEL-STEL:				
Monitoring pr	ocedures:	-					
BMGV:					Other information: -		
© Chemica	l Name	general dust limit					Content %:
WEL-TWA:	10 mg/m3 (inhal. du	ıst), 4 mg/m3	WEL-STEL:				
(respir. dust)							
Monitoring pr	ocedures:	-					
BMGV:					Other information: -		
© Chemica	l Name	Silica, amorphous	3				Content %:
WEL-TWA:	6 mg/m3 (total inh.	dust), 2,4 mg/m3	WEL-STEL:				
(resp. dust)							
Monitoring pr	ocedures:	-					
BMGV:					Other information: -		
Chemica	I Name	Quartz					Content %:
© Chemica	I Name 0,1 mg/m3 (silica, re		WEL-STEL:				Content %:
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable,					
© Chemica WEL-TWA:	0,1 mg/m3 (silica, re	espirable,	NSHT MTA/MA	-036/A00 (Deter	mination of Quartz in A		
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, II - N	NSHT MTA/MA Method/ Xray D	-036/A00 (Deter iffraction) - 2000	, 2004	ir – Mem	brane Filter
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, 	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C	a-036/A00 (Deter iffraction) - 2000 rystalline silica ir	, 2004 n respirable airborne du	ir – Mem ıst – Dire	brane Filter
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, II - M N a	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra	x-036/A00 (Deter iffraction) - 2000 rystalline silica in red spectroscop	, 2004 n respirable airborne du y and X-ray diffraction)	ir – Mem ıst – Dire	obrane Filter
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, II - N N a - E	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra BC/CEN/ENTR/	i-036/A00 (Deter iffraction) - 2000 rystalline silica ir ired spectroscop 000/2002-16 car	, 2004 n respirable airborne du y and X-ray diffraction) rd 52-1 (2004)	ir – Mem ust – Dire - 2015 -	obrane Filter ct on-filter EU project
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, II - N N a - E	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra BC/CEN/ENTR/ NIOSH 7500 (C	x-036/A00 (Deter iffraction) - 2000 rystalline silica ir ired spectroscop 000/2002-16 car rystalline Silica,	, 2004 n respirable airborne du y and X-ray diffraction) rd 52-1 (2004) by XRD (filter redeposit	ir – Mem ust – Dire - 2015 -	obrane Filter ct on-filter EU project
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, II - M M - E N - E	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra BC/CEN/ENTR/ NIOSH 7500 (C BC/CEN/ENTR/	n-036/A00 (Deter iffraction) - 2000 rystalline silica ir ired spectroscop 000/2002-16 car rystalline Silica, 000/2002-16 car	, 2004 n respirable airborne du y and X-ray diffraction) d 52-1 (2004) by XRD (filter redeposit d 52-6 (2004)	ir – Mem ust – Dire - 2015 -	obrane Filter ct on-filter EU project
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, II - N 8 - E N - E	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra BC/CEN/ENTR/ NIOSH 7500 (C BC/CEN/ENTR/ NIOSH 7601 (S	n-036/A00 (Deter iffraction) - 2000 rystalline silica ir ired spectroscop 000/2002-16 car rystalline Silica, 000/2002-16 car ILICA, CRYSTA	, 2004 n respirable airborne du y and X-ray diffraction) rd 52-1 (2004) by XRD (filter redeposit rd 52-6 (2004) LLINE, by VIS) - 2003	ir – Mem ust – Dire - 2015 - tion)) - 20	brane Filter ct on-filter EU project
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, II - N - R - E - N - E	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra BC/CEN/ENTR/ NIOSH 7500 (C BC/CEN/ENTR/ NIOSH 7601 (S NIOSH 7602 (C	A-036/A00 (Deter iffraction) - 2000 rystalline silica ir ired spectroscop 000/2002-16 car rystalline Silica, 000/2002-16 car ILICA, CRYSTAl rystalline Silica,	, 2004 n respirable airborne du y and X-ray diffraction) d 52-1 (2004) by XRD (filter redeposit d 52-6 (2004) LLINE, by VIS) - 2003 by IR (KBr pellet)) - 200	ir – Memust – Dire - 2015 - tion)) - 20	obrane Filter ct on-filter EU project 003 - EU project
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, - N - N - E - N - E - N - E	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra BC/CEN/ENTR/ NIOSH 7500 (C BC/CEN/ENTR/ NIOSH 7601 (S NIOSH 7602 (C NIOSH 7603 (Q	n-036/A00 (Deter iffraction) - 2000 rystalline silica ir ired spectroscop 000/2002-16 car rystalline Silica, 000/2002-16 car ILICA, CRYSTAI rystalline Silica, UARTZ in coal r	, 2004 n respirable airborne du y and X-ray diffraction) d 52-1 (2004) by XRD (filter redeposit d 52-6 (2004) LLINE, by VIS) - 2003 by IR (KBr pellet)) - 200 nine dust, by IR (redepo	ir – Memust – Dire - 2015 - tion)) - 20	obrane Filter ct on-filter EU project 003 - EU project
© Chemica WEL-TWA: crystalline)	0,1 mg/m3 (silica, re	espirable, - N - N - E - N - E - N - E	NSHT MTA/MA Method/ Xray D MDHS 101/2 (C analysis by infra BC/CEN/ENTR/ NIOSH 7500 (C BC/CEN/ENTR/ NIOSH 7601 (S NIOSH 7602 (C NIOSH 7603 (Q	n-036/A00 (Deter iffraction) - 2000 rystalline silica ir ired spectroscop 000/2002-16 car rystalline Silica, 000/2002-16 car ILICA, CRYSTAI rystalline Silica, UARTZ in coal r	, 2004 n respirable airborne du y and X-ray diffraction) d 52-1 (2004) by XRD (filter redeposit d 52-6 (2004) LLINE, by VIS) - 2003 by IR (KBr pellet)) - 200	ir – Memust – Dire - 2015 - tion)) - 20	obrane Filter ct on-filter EU project 003 - EU project

- WEL-TWA = Workplace Exposure Limit Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
- (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit Short-term exposure limit (15-minute reference period).
- (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
- ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Not required in contained systems, as no exposure normally occurs here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".



Page 5 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

With danger of contact with eyes.

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Normally not necessary.

Protective hand cream recommended.

With long-term contact:

If applicable

Rubber gloves (EN 374).

Skin protection - Other:

Usual protective working garments

Respiratory protection:

If OES or MEL is exceeded.

Breathing mask with fine dust filter necessary (EN 143), code colour white.

If applicable, filter P2 (EN 143), code colour white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Solid, powder Colour: Light grey, White Odour: Odourless Odour threshold: Not determined pH-value: 9 (10 %) pH-value: n.a. Melting point/freezing point: >1300 °C Initial boiling point and boiling range: n.a. Flash point: n.a.

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Lower explosive limit: n.a. Upper explosive limit: n.a. Vapour pressure: n.a.

Vapour density (air = 1): Not determined Density: 2,58-2,83 g/ml Bulk density: Not determined Solubility(ies): Not determined <0.1 % Water solubility:

Partition coefficient (n-octanol/water): Not determined Auto-ignition temperature: Not determined



Page 6 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

Decomposition temperature: Not determined

Viscosity: n.a.

Explosive properties: Product is not explosive.

Oxidising properties: Not determined

9.2 Other information

Miscibility:

Fat solubility / solvent:

Conductivity:

Not determined

Not determined

Surface tension:

Not determined

Not determined

Not determined

Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

See also Subsection 10.2 to 10.6. The product has not been tested.

10.2 Chemical stability

See also Subsection 10.1 to 10.6.

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

See also Subsection 10.1 to 10.6. No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

Protect from humidity.

10.5 Incompatible materials

See also section 7.

None known

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5.

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat		
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Skin corrosion/irritation:						Not irritant
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						Not sensitizising
sensitisation:						
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Carcinogenicity:						Negative
Reproductive toxicity:				Rat		Negative
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.



Page 7 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

Symptoms:			mucous
			membrane
			irritation

Quartz							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Symptoms:						respiratory	
						distress,	
						coughing,	
						mucous	
						membrane	
						irritation	

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Talc							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Water solubility:			<0,1	%			
12.2. Persistence and							Not relevant for
degradability:							inorganic
							substances.
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Other adverse							n.d.a.
effects:							

Quartz							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and							Not relevant for
degradability:							inorganic
							substances.
12.3. Bioaccumulative							Not to be
potential:							expected
12.4. Mobility in soil:							Low
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

06 08 99 wastes not otherwise specified

06 11 99 wastes not otherwise specified

Recommendation:

Sewage disposal shall be discouraged.

(GB)

Page 8 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Recycling

SECTION 14: Transport information

General statements

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.Hazard identification number:n.a.LO:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

n.a.

14.5. Environmental hazards:

Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 0 %

15.2 Chemical safety assessment

There is no chemical safety report available.

SECTION 16: Other information

Revised sections:

1 - 16

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

B-

Page 9 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level DNEL Derived No Effect Level

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community
ECHA European Chemicals Agency
EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLIDInternational Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable
n.av. not available
n.c. not checked
n.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight



Page 10 of 10

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 16.07.2015 / 0002

Replacing version dated / version: 17.11.2014 / 0001

Valid from: 16.07.2015 PDF print date: 09.06.2021 Skirt marker with plastic rod 15 g

Art.: 611759

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.