Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GB

Textile repair powder Art.: 987 157

Polyethersulfone Registration number (ECHA): --Index: ---EINECS, ELINCS, NLP: ---CAS: 25608-63-3

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Sector of use [SU]:

SU21 - Consumer uses: Private households (=general public = consumers)

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet $\ensuremath{\textcircled{}_{\textcircled{}_{\textcircled{}}}}$

PRYM CONSUMER Europe GmbH, Zweifaller Str. 130, 52224 Stolberg, Germany Phone: +49 (0)2402 - 14 04, Fax: +49 (0)2402 - 14 29 19

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0)2402 - 14 04

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) 1272/2008 (CLP) Not applicable

2.2 Label elements
Labeling according to Regulation (EC) 1272/2008 (CLP)
Not applicable
2.3 Other hazards
No vPvB substance
No PBT substance

SECTION 3: Composition/information on ingredients

3.1 Substance Polyethersulfone - Registration number (REACH) - Index -- EINECS, ELINCS, NLP -

CAS	25608-63-3
content %	
Classification according to Regulation (EC) 1272/2008 (CLP)	

3.2 Mixture

n.a.

GB

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1/3.2 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly with soap and water. Remove contaminated clothing immediately. In the event of contact with the hot product: Cool with cold water. Cover burns aseptically.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of sulphur Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required. If applicable, caution - risk of slipping GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 16.07.2015 / 0003 Replaces revision of / Version: 17.11.2014 / 0002 Valid from: 16.07.2015 PDF print date: 16.07.2015 Textile repair powder Art.: 987 157

6.2 Environmental precautions

Prevent surface and ground-water infiltration, as well as ground penetration.
Prevent from entering drainage system.
If accidental entry into drainage system occurs, inform responsible authorities.
6.3 Methods and material for containment and cleaning up

Disk up mashanically and diapage of according to Section 12

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Take measures against electrostatic charging, if appropriate.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

œ	Chemical Name	general dust limit			Content %:
W	EL-TWA: 10 mg/m3 (inhal. du	ust), 4 mg/m3	WEL-STEL:		
(re	spir. dust)	-			
Mo	onitoring procedures:		-		
BN	1GV:			Other information:	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Page 4 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 16.07.2015 / 0003 Replaces revision of / Version: 17.11.2014 / 0002 Valid from: 16.07.2015 PDF print date: 16.07.2015 Textile repair powder Art.: 987 157

Eye/face protection: With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Normally not necessary. Protective hand cream recommended.

Skin protection - Other: Usual protective working garments

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

GB

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Solid, powder
Colour:	White
Odour:	Odourless
Odour threshold:	Not determined
pH-value:	n.a.
Melting point/freezing point:	100-110 °C
Initial boiling point and boiling range:	Not determined
Flash point:	>480 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Lower explosive limit:	Not determined
Upper explosive limit:	Not determined
Vapour pressure:	Not determined
Vapour density (air = 1):	Not determined
Density:	1,25 g/ml (20°C)
Bulk density:	Not determined
Solubility(ies):	Not determined
Water solubility:	Insoluble
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	>450 °C (DIN 51794)
Decomposition temperature:	>250 °C
Viscosity:	Not determined
Explosive properties:	Not determined
Oxidising properties:	Not determined
9.2 Other information	
Miscibility:	Not determined
Fat solubility / solvent:	Not determined
Conductivity:	Not determined
Surface tension:	Not determined
Solvents content:	Not determined

SECTION 10: Stability and reactivity

B

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 16.07.2015 / 0003 Replaces revision of / Version: 17.11.2014 / 0002 Valid from: 16.07.2015 PDF print date: 16.07.2015 Textile repair powder Art.: 987 157

10.1 Reactivity

Not to be expected **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid**

See also section 7. Strong heat T > 400°C

10.5 Incompatible materials

See also section 7. Solvent **10.6 Hazardous decomposition products** See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

Possibly more information on health effects, see Section 2.1 (classification).

Polyethersulfone						
Toxicity / effect	Endpoi	Value	Unit	Organism	Test method	Notes
	nt					
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						Not irritant
Serious eye						Not irritant
damage/irritation:						
Respiratory or skin						Not sensitizising
sensitisation:						
Germ cell mutagenicity:						No indications of such
6 ,						an effect.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RĖ):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:							n.d.a.
Toxicity to daphnia:							n.d.a.
Toxicity to algae:							n.d.a.
Persistence and							Not readily
degradability:							biodegradable
Persistence and							The product can be
degradability:							extensively eliminated
							from water via abiotic
							processes (e.g.
							adsorption on activated
							sludge).
Bioaccumulative							Not to be expected
potential:							
Mobility in soil:							n.d.a.

- GB								
Page 6 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 16.07.2015 / 0003 Replaces revision of / Version: 17.11.2014 / 0002 Valid from: 16.07.2015 PDF print date: 16.07.2015 Textile repair powder Art.: 987 157								
Results of PBT and			n.d.a.					
vPvB assessment								
Other adverse effects: Water solubility:			n.d.a. Insoluble					
Water solubility.			Insoluble					
	SECTION 13	: Disposal consider	ations					
EC disposal code no.: The waste codes are recomm Owing to the user's specific c allocated under certain circur 07 02 13 waste plastic 20 01 39 Plastics Recommendation: Sewage disposal shall be dis Pay attention to local and nat E.g. suitable incineration plan E.g. dispose at suitable refus For contaminated pac Pay attention to local and nat Empty container completely. Uncontaminated packaging c Dispose of packaging that ca	conditions for use and disponstances. (2014/955/EU) couraged. cional official regulations. nt. e site. king material cional official regulations. can be recycled.	sal, other waste codes may	be					
	SECTION 1	4: Transport inform	ation					
General statements								
UN number:		n.a.						
Transport by road/by	rail (ADR/RID)							
UN proper shipping name:								
Transport hazard class(es):		n.a.						
Packing group:		n.a.						
Classification code:		n.a.						
LQ (ADR 2015):		n.a.						
Environmental hazards: Not applicable								
Tunnel restriction code:								
Transport by sea (IMDG-code)								
UN proper shipping name:								
Transport hazard class(es):		n.a.						
Packing group:		n.a.						
Marine Pollutant:		n.a Nat applicable						
Environmental hazards:		Not applicable						
Transport by air (IATA	·)							
UN proper shipping name:								
Transport hazard class(es):		n.a.						
Packing group:		n.a.						
Environmental hazards:		Not applicable						
Special precautions for user								

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture For classification and labelling see Section 2.

Observe restrictions: General hygiene measures for the handling of chemicals are applicable. Directive 2010/75/EU (VOC): 0 % **15.2 Chemical safety assessment** Page 7 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 16.07.2015 / 0003 Replaces revision of / Version: 17.11.2014 / 0002 Valid from: 16.07.2015 PDF print date: 16.07.2015 Textile repair powder Art.: 987 157

There is no chemical safety report available.

SECTION 16: Other information

Revised sections:

GB

1 - 16

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Any abbreviations and acronyms used in this document:

AC **Article Categories** according, according to acc., acc. to ACGIH American Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BGV Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum bw body weight CAS **Chemical Abstracts Service** CEC Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques **CIPAC** Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EĊ European Community ECHA European Chemicals Agency EEA European Economic Area EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS European List of Notified Chemical Substances ELINCS ΕN European Norms EPA United States Environmental Protection Agency (United States of America) ERC **Environmental Release Categories** ES Exposure scenario et cetera etc. EU **European Union** EWC European Waste Catalogue Fax number Fax. aen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Hen's Egg Test - Chorionallantoic Membrane HET-CAM HGWP Halocarbon Global Warming Potential

Page 8 of 9 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 16.07.2015 / 0003 Replaces revision of / Version: 17.11.2014 / 0002 Valid from: 16.07.2015 PDF print date: 16.07.2015 Textile repair powder Art.: 987 157

GB

IARC International Agency for Research on Cancer IATA International Air Transport Association IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code) IC Inhibitory concentration IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive International Uniform ChemicaL Information Database IUCLID LC lethal concentration LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration Lethal Dose of a chemical LD LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level 10 Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. n.av. not available not checked n.c. n.d.a. no data available NIOSH National Institute of Occupational Safety and Health (United States of America) NOAEC No Observed Adverse Effective Concentration NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP Ozone Depletion Potential OECD Organisation for Economic Co-operation and Development org. organic polycyclic aromatic hydrocarbon PAH PBT persistent, bioaccumulative and toxic PC Chemical product category PE Polyethylene PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential parts per million ppm **PROC Process category** PTFE Polytetrafluorethylene Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 REACH concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical REACH-IT List-No. identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature Structure Activity Relationship SAR SU Sector of use SVHC Substances of Very High Concern Telephone Tel. ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) **UN RTDG** United Nations Recommendations on the Transport of Dangerous Goods VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wwt wet weight The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.