



KUADRA 2P


Two section door, 1 sliding + 1 fixed section
for recess installation or combined with 1 or 2 side panels

Measurements (cm)		Access	Code	Left	Right	Glass 8mm	Profile Type Price	
Shower enclosure adjustability	Front fixed panel			S-	D-	1	B	K
A	F	*				Clear	Silver	Chrome
96 ↔ 102	45	36	KUAD2P96					
102 ↔ 108	48	39	KUAD2P102					
108 ↔ 114	51	42	KUAD2P108					
114 ↔ 120	54	45	KUAD2P114					
120 ↔ 126	57	48	KUAD2P120					
126 ↔ 132	60	51	KUAD2P126					
132 ↔ 138	63	54	KUAD2P132					
138 ↔ 144	66	57	KUAD2P138					
144 ↔ 150	69	60	KUAD2P144					
150 ↔ 156	72	63	KUAD2P150					
156 ↔ 162	75	66	KUAD2P156					
162 ↔ 168	78	69	KUAD2P162					
168 ↔ 174	81	72	KUAD2P168					
174 ↔ 180	84	74	KUAD2P174					
H 170 ↓ 200 L 96 ↔ 204	-	-	KUAD2PSP					


How to choose your product using the codes:



S
Left



D
Right




Installation recommended on inside edge of tray



How to take the measurement see **page 90**

● IN STOCK UK
(Other products) please check availability





CRYSTAL
CLEAR
TREATMENT

NewChrome

TECHNICAL DATA

GLASS TYPES (European Standards UNI EN 14428)



Clear

HANDLES



Chrome metallic handle

PROFILE COLOURS / COLORES PERFILES



Silver




Chrome

HINGES



UV bonded hinges

HOW TO TAKE THE MEASUREMENT



Take the measurements from wall to the external edge of the shower tray. Measurements must be taken once the walls are finished and tiled, according to the above drawings.

Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Measurements must be taken once the walls are finished and tiled, according to the above drawings.