




KUADRA 2A

Shower enclosure, 2 sliding and 2 fixed sections door
for recess installation or combined with 1 or 2 side panels

Measurements (cm)		Access	Code	Glass 8mm	Profile Type Price	
Shower enclosure adjustability	Front fixed panel				B	K
A	F	*		Clear	Silver	Chrome
114 ↔ 120	29	40	KUAD2A114-			
120 ↔ 126	30	43	KUAD2A120-			
126 ↔ 132	32	46	KUAD2A126-			
132 ↔ 138	33	49	KUAD2A132-			
138 ↔ 144	35	52	KUAD2A138-			
144 ↔ 150	36	55	KUAD2A144-			
150 ↔ 156	38	58	KUAD2A150-			
156 ↔ 162	39	61	KUAD2A156-			
162 ↔ 168	41	64	KUAD2A162-			
168 ↔ 174	42	67	KUAD2A168-			
174 ↔ 180	44	70	KUAD2A174-			
180 ↔ 198 H 200	-	70	KUAD2ASP			

How to choose your product using the codes:

KUAD2A114-1K = **KUAD2A114-** + **1** + **K**



Installation recommended
on inside edge of tray



How to take the measurement see **page 90**

● IN STOCK UK
(Other products) please check availability



CRYSTAL
CLEAR
TREATMENT

NewChrome

TECHNICAL DATA

GLASS TYPES (European Standards UNI EN 14428)



Clear

HANDLES



Chrome metallic handle

PROFILE COLOURS / COLORES PERFILES



Silver




Chrome

HINGES



UV bonded hinges

HOW TO TAKE THE MEASUREMENT



Take the measurements from wall to the external edge of the shower tray. Measurements must be taken once the walls are finished and tiled, according to the above drawings.

Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Measurements must be taken once the walls are finished and tiled, according to the above drawings.