Appendix A: Bibliography

- Abraham, S.F., and Beaumont, P.J. How patients describe bulimia or binge eating. *Psychological Medicine* 12(3):625–635, 1982.
- Abueg, F.R., and Fairbank, J.A. Behavioral treatment of posttraumatic stress disorder and co-occurring substance abuse. In: Saigh, P.A., ed. *Posttraumatic Stress Disorder: A Behavioral Approach to Assessment and Treatment*. Boston: Allyn and Bacon, 1992. pp. 111–144.
- Adams J.B., and Wacher A. Specific changes in the glycoprotein components of seromucoid in pregnancy. *Clinica Chimica Acta: International Journal of Clinical Chemistry* 21(1):155–157, 1968.
- Addington, J., and Duchak, V. Reasons for substance use in schizophrenia. Acta Psychiatrica Scandinavica 96(5):329–333, 1997.
- Addington, J., el-Guebaly, N., Campbell, W., Hodgins, D.C., and Addington, D. Smoking cessation treatment for patients with schizophrenia. *American Journal of Psychiatry* 155(7):974–976, 1998.
- Addington, J., el-Guebaly, N., Duchak, V., and Hodgins, D. Using measures of readiness to change in individuals with schizophrenia. *American Journal of Drug and Alcohol Abuse* 25(1):151–161, 1999.
- Alcoholics Anonymous World Services. *The AA Member—Medications* and Other Drugs: A Report from a Group of Physicians in AA. New York: Alcoholics Anonymous World Services, 1984.
- Alexander, M.J. Women with co-occurring addictive and mental disorders: An emerging profile of vulnerability. *American Journal of Orthopsychiatry* 661:61–70, 1996.
- Allen, J.P., and Wilson, V.B. Assessing Alcohol Problems: A Guide for Clinicians and Researchers, 2d ed. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, 2003.
- American Academy of Pediatrics, Committee on Drugs. The transfer of drugs and other chemicals into human milk. *Pediatrics* 108(3):776–789, 2001.

American Association of Community Psychiatrists. LOCUS—Level of Care Utilization System, Psychiatric and Addiction Services. Adult Version. 2000a. http://www.wpic.pitt.edu/aacp/finds/ LOCUS2000.pdf [Accessed January 25, 2002].

American Association of Community Psychiatrists. Principles for the Care and Treatment of Persons with Co-Occurring Psychiatric and Substance Disorders. 2000b. http://www.comm.psych.pitt.edu/finds/duald x.html [Accessed October 19, 2004].

American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders.
3d ed. Washington, DC: American Psychiatric Association, 1980.

American Psychiatric Association. *Diagnostic* and Statistical Manual of Mental Disorders.
3d ed. Revised. Washington, DC: American Psychiatric Association, 1987.

American Psychiatric Association. *Diagnostic* and Statistical Manual of Mental Disorders.
4th ed. Washington, DC: American Psychiatric Association, 1994.

American Psychiatric Association. *Diagnostic* and Statistical Manual of Mental Disorders.
4th Text Revision ed. Washington, DC: American Psychiatric Association, 2000.

American Society of Addiction Medicine.
Patient Placement Criteria for the Treatment of Substance-Related Disorders: ASAM PPC-2R. 2d Revised ed. Chevy Chase, MD:
American Society of Addiction Medicine, 2001.

American Society of Addiction Medicine.
Principles of Addiction Medicine, 3d ed.
Graham, A.W., Schultz, T.K., Mayo-Smith,
M.F., Ries, R.K., and Wilford, B.B., eds.
Chevy Chase, MD: American Society of
Addiction Medicine, 2003.

Amodeo, M., Robb, N., Peou, S., and Tran, H. Alcohol and other drug problems among Southeast Asians: Patterns of use and approaches to assessment and intervention. *Alcoholism Treatment Quarterly* 15(3):63–77, 1997.

Anderson, A.J. Therapeutic program models for mentally ill chemical abusers. *International Journal of Psychosocial Rehabilitation* 1(1):21–33, 1997.

Anderson, C.M., Teicher, M.H., Pocari, A., and Renshaw, P.F. Abnormal T2 relaxation time in the cerebellar vermis of adults sexually abused in childhood: Potential role of the vermis in stress-enhanced risk for drug abuse. *Psychoneuroendocrinology* 27:231–244, 2002.

Anthony, J.C. and Echeagaray-Wagner, F. Epidemiologic analysis of alcohol and tobacco use: Patterns of co-occurring consumption and dependence in the United States. *Alcohol Research & Health.* 2000.

Anthony, W.A. Integrating psychiatric rehabilitation into managed care. *Psychiatric Rehabilitation Journal* 20(2):39–44, 1996.

Arapahoe House. Connections: A dyadic case management, integrated program for dually diagnosed individuals. In: Center for Mental Health Services and Center for Substance Abuse Treatment, Insights and Inroads: Project Highlights of the CMHS and CSAT Collaborative Demonstration Program for Homeless Individuals. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2000.

Argus Community. *Program Description*. New York: Argus Community, 2002.

Association of Problem Gambling Service Administrators. *APGSA Quick Reference Guide*. Lincoln, NE: Association of Problem Gambling Service Administrators, 2002. Babor, T.F., de la Fuente, J.R., Saunders, J., and Grant, M. AUDIT. The Alcohol Use Disorders Identification Test. Guidelines for Use in Primary Health Care. Geneva, Switzerland: World Health Organization, 1992.

Bachrach, L.L. What we know about homelessness among mentally ill persons: An analytic review and commentary. *Hospital and Community Psychiatry* 43:453–464, 1992.

Bailey, L., Maxwell, S., and Brandabur, M.M. Substance abuse as a risk factor for tardive dyskinesia: A retrospective analysis of 1,027 patients. *Psychopharmacology Bulletin* 33(1):177–181, 1997.

Baker, F. Coordination of Alcohol, Drug Abuse, and Mental Health Services.
Technical Assistance Publication (TAP)
Series 4. HHS Publication No. (SMA) 00-3360. Rockville, MD: Center for Substance Abuse Treatment, 1991.

Ball, S.A. Manualized treatment for substance abusers with personality disorders: Dual Focus Schema Therapy. *Addictive Behaviors* 23(6):883–891, 1998.

Ball, S.A., and Young, J.E. Dual focus schema therapy for personality disorders and substance dependence: Case study results. *Cognitive and Behavioral Practice* 7(3):270–281, 2000.

Ballenger, J.C., Davidson, J.R.T., Lecrubier, Y., Nutt, D.J., Marshall, R.D., Nemeroff, C.B., Shalev, A.Y., and Yehuda, R.
Consensus statement update on posttraumatic stress disorder from the international consensus group on depression and anxiety. *Journal of Clinical Psychiatry* 65(Suppl 1):55–62, 2004.

Barbee, J.G., Clark, P.D., Crapanzano, M.S., Heintz, G.C., and Kehoe, C.E. Alcohol and substance abuse among schizophrenic patients presenting to an emergency psychiatric service. *Journal of Nervous and Mental Disease* 177(7):400–407, 1989. Barley, W.D. Behavioral and cognitive treatment of criminal and delinquent behavior.
In: Reid, W.H., Dorr, D., Walker, J.I., and Bonner, J.W., III, eds. Unmasking the Psychopath: Antisocial Personality and Related Syndromes. New York: W.W. Norton, 1986. pp. 159–190.

Barlow, D.H. Anxiety and Its Disorders: The Nature and Treatment of Anxiety and Panic.2d ed. New York: Guilford Press, 2002.

Bartels, S.J., Drake, R.E., and Wallach, M.A. Long-term course of substance use disorders among patients with severe mental illness. *Psychiatric Services* 46(3):248–251, 1995.

Bassuk, E.L., and Lamb, H.R. Homelessness and the implementation of deinstitutionalization. *New Directions for Mental Health Services* 30:7–14, 1986.

Beary, M.D., Lacey, J.H., and Merry, J. Alcoholism and eating disorders in women of fertile age. *British Journal of Addiction* 81(5):685–689, 1986.

Beck, A.T., Epstein, N., Brown, G., and Steer, R.A. An inventory for measuring clinical anxiety: Psychometric properties. *Journal of Consulting and Clinical Psychology* 56(6):893–897, 1988.

Beck, A.T., and Steer, R.A. *Manual for the Beck Depression Inventory*. San Antonio, TX: The Psychological Corporation, 1987.

Beck, A.T., Steer, R.A., and Brown, G.K. Beck Depression Inventory—II Manual. San Antonio, TX: The Psychological Corporation, 1996.

Becker, D.R., Bond, G.R., McCarthy, D., Thompson, D., Xie, H., McHugo, G.J., and Drake, R.E. Converting day treatment centers to supported employment programs in Rhode Island. *Psychiatric Services* 52(3):351–357, 2001.

Behavior Data Systems. *Gambler Addiction Index: Orientation and Training Manual.* Phoenix, AZ: Behavior Data Systems, 2000.

Belcher, J.R. Relationship between the deinstitutionalization model, psychiatric disability, and homelessness. *Health and Social Work* 13:145–153, 1988. Benjamin, L.S. Interpersonal Diagnosis and Treatment of Personality Disorders. New York: Guilford Press, 1993.

Berenson, D., and Schrier, E.W. Current family treatment approaches. In: Graham, A.W., Schultz, T.K., and Wilford, B.B., eds. *Principles of Addiction Medicine*. 2d ed.
Chevy Chase, MD: American Society of Addiction Medicine, 1998. pp. 1115–1125.

Bergh, C., Ejderhamn, J., and Sodersten, P. What is the evidence basis for existing treatments of eating disorders? *Current Opinion* in Pediatrics 15(3):344–345, 2003.

Bergler, E. *The Psychology of Gambling*. New York: Hill and Wang, 1957.

Bernstein, N. A plan to end city homelessness in 10 years. New York Times. June 13, 2002. p. B6.

Beumont, P.J., George, G.C., and Smart, D.E. "Dieters" and "vomiters and purgers" in anorexia nervosa. *Psychological Medicine* 6(4):617–622, 1976.

Blanchard, E.B., Jones-Alexander, J., Buckley, T.C., and Forneris, C.A. Psychometric properties of the PTSD Checklist (PCL). *Behaviour Research & Therapy* 34(8):669–673, 1996.

Blankertz, L., McKay, C., and Robinson, S. Work as a rehabilitative tool for individuals with dual diagnoses. *Journal of Vocational Rehabilitation* 11(2):113–123, 1998.

Blaszczynski, A. Overcoming Pathological Gambling: A Self-Help Guide Using Cognitive-Behavioral Techniques. London: Robinson Publishing, 1998.

Blume, A.W., Davis, J.M., and Schmaling, K.B. Neurocognitive dysfunction in duallydiagnosed patients: A potential roadblock to motivating behavior change. *Journal of Psychoactive Drugs* 31(2):111–115, 1999.

Blume, S.B. Women and alcohol: Issues in social policy. In: Wilsnack, R.W., and
Wilsnack, S.C., eds. *Gender and Alcohol: Individual and Social Perspectives*. New
Brunswick, NJ: Rutgers Center of Alcohol Studies, 1997. pp. 462–489. Blumenthal, S.J. Suicide: A guide to risk factors, assessment, and treatment of suicidal patients. *Medical Clinics of North America* 72(4):937–971, 1988.

Bo-Linn, G.W., Santa Ana, C.A., Morawski, S.G., and Fordtran, J.S. Purging and calorie absorption in bulimic patients and normal women. *Annals of Internal Medicine* 99(1):14–17, 1983.

Bonin, E., Brehove, T., Kline, S., Misgen, M., Post, P., Strehlow, A.J., and Yungman, J. Adapting Your Practice: General Recommendations for the Care of Homeless Patients. Nashville, TN: Health Care for the Homeless Clinicians' Network, National Health Care for the Homeless Council, Inc., 2004.

Brady, K.T., Dansky, B.S., Back, S.E., Foa,
E.B., and Carroll, K.M. Exposure therapy in the treatment of PTSD among cocaine-dependent individuals: Preliminary findings. *Journal of Substance Abuse Treatment* 21(1):47–54, 2001.

Brady, K.T., Killeen, T.K., Brewerton, T., and Lucerini, S. Comorbidity of psychiatric disorders and posttraumatic stress disorder. *Journal of Clinical Psychiatry* 61(Suppl 7):22–32, 2000.

Brady, K.T., Killeen, T., Saladin, M.E., Dansky, B., and Becker, S. Comorbid substance abuse and posttraumatic stress disorder. *American Journal on Addictions* 3(2):160–164, 1994.

Brady, K.T., Sonne, S.C., and Roberts, J.M. Sertraline treatment of comorbid posttraumatic stress disorder and alcohol dependence. *Journal of Clinical Psychiatry* 56(11):502–505, 1995.

Braun, D.L., Sunday, S.R., and Halmi, K.A. Psychiatric comorbidity in patients with eating disorders. *Psychological Medicine* 24(4):859–867, 1994.

Breiter, H.C., Aharon, I., Kahneman, D., Dale, A., and Shizgal, P. Functional imaging of neural responses to expectancy and experience of monetary gains and losses. *Neuron* 30(2):619–639, 2001. Breslau, N., Davis, G.C., Andreski, P., Peterson, E.L., and Schultz, L.R. Sex differences in posttraumatic stress disorder. *Archives of General Psychiatry* 54(11):1044–1048, 1997.

Breslau, N., Davis, G.C., and Schultz, L.R. Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma. Archives of General Psychiatry 60(3):289–294, 2003.

Breslau, N., Novak, S.P., and Kessler, R.C. Daily smoking and the subsequent onset of psychiatric disorders. *Psychological Medicine* 34:323–333, 2004*a*.

Breslau, N., Novak, S.P., and Kessler, R.C. Psychiatric disorders and stages of smoking. *Biological Psychiatry* 55(1):69–76, 2004b.

Broner, N., Borum, R., Gawley, K. Criminal justice diversion of individuals with co-occurring mental illness and substance use disorders: An overview. In: Landsberg, G., Rock, M., Berg, L., and Smiley, A., eds. Serving Mentally III Offenders and Their Victims: Challenges and Opportunities for Social Workers and Other Mental Health Professionals. New York: Springer Publishing, 2002.

Brook, R.C., and Whitehead, P.C. Drug-Free Therapeutic Community: An Evaluation. New York: Human Sciences Press, 1980.

Broome, K.M., Flynn, P.M., and Simpson, D.D. Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Services Research* 34(3):791–806, 1999.

Brooner, R.K., King, V.L., Kidorf, M., Schmidt, C.W., and Bigelow, G.E. Psychiatric and substance use comorbidity among treatment-seeking opioid abusers. *Archives of General Psychiatry* 54:71–80, 1997.

Brower, K.J., Aldrich, M.S., and Robinson, E.A. Insomnia, self-medication and relapse to alcoholism. *American Journal of Psychiatry* 158:399–404, 2001. Brown, B.S. Making a difference—Is journal publication enough? *Journal of Substance Abuse Treatment* 15(2):87–88, 1998.

Brown, B.S. From research to practice—The bridge is out and the water's rising. In: Levy, J.A., Stephens, R.C., and McBride, D.C., eds. *Emergent Issues in the Field of Drug Abuse.* Advances in Medical Sociology: Vol. 7. Stamford, CT: JAI Press, 2000. pp. 345–365.

Brown, B.S., and Flynn, P.M. The federal role in drug abuse technology transfer: A history and perspective. *Journal of Substance Abuse Treatment* 22(4):245–257, 2002.

Brown, P.J., Recupero, P.R., and Stout, R. PTSD substance abuse comorbidity and treatment utilization. *Addictive Behaviors* 20(2):251–254, 1995.

Brown, P.J., Stout, R.L., and Gannon-Rowley, J. Substance use disorder-PTSD comorbidity: Patients' perceptions of symptom interplay and treatment issues. *Journal of Substance Abuse Treatment* 15(5):445–448, 1998.

Brown, P.J., and Wolfe, J. Substance abuse and post-traumatic stress disorder comorbidity. *Drug and Alcohol Dependence* 35:51–59, 1994.

Brown, R.I. Dropouts and continuers in Gamblers Anonymous: III. Some possible specific reasons for dropout. *Journal of Gambling Behavior* 3(2):137–151, 1987a.

Brown, R.I. Dropouts and continuers in Gamblers Anonymous: IV. Evaluation and summary. *Journal of Gambling Behavior* 3(3):202–210, 1987b.

Brown, S.A. Division 50 and the College of Professional Psychology: Observations from the Chair of the Division 50 Education and Training Committee. *The Addictions Newsletter* 3(2):4–7, 1996.

Budney, A.J., and Higgins, S.T. A Community Reinforcement Plus Vouchers Approach: Treating Cocaine Addiction. Therapy Manuals for Drug Addiction: Manual 2.
Rockville, MD: National Institute on Drug Abuse, 1998. Budney, A.J., Higgins, S.T., Delaney, D.D., Kent, L., and Bickel, W.K. Contingent reinforcement of abstinence with individuals abusing cocaine and marijuana. *Journal of Applied Behavior Analysis* 24(4):657–665, 1991.

Buhrich, N., Weller, A., and Kevans, P. Misuse of anticholinergic drugs by people with serious mental illness. *Psychiatric Services* 51(7):928–929, 2000.

Bulik, C.M., Sullivan, P.F., Carter, F.A., and Joyce, P.R. Lifetime comorbidity of alcohol dependence in women with bulimia nervosa. *Addictive Behaviors* 22(4):437–446, 1997.

Bulik, C.M., Sullivan, P.F., Epstein, L.H., McKee, M., and Dahl, R. Drug use in women with anorexia and bulimia nervosa. *International Journal of Eating Disorders* 11(3):213–225, 1992.

Bulik, C.M., Sullivan, P.F., Joyce, P.R., and Carter, F.A. Temperament, character, and personality disorder in bulimia nervosa. *Journal of Nervous and Mental Disease* 183(9):593–598, 1995.

Bureau of Justice Statistics. Criminal Victimization in the United States, 2000: Statistical Tables. Washington, DC: Bureau of Justice Statistics, 2002.

Burns, D.D. *The Feeling Good Handbook*. Rev. ed. New York: Plume, 1999.

Burt, M. and Aron, L. *America's Homeless II: Populations and Services.* Washington, DC: Urban Institute, 2000.

Bushnell, J.A., Wells, J.E., Hornblow, A.R., Oakley-Browne, M.A., and Joyce, P. Prevalence of three bulimia syndromes in the general population. *Psychological Medicine* 20(3):671–680, 1990.

Butcher, J.N., Graham, J.R., Ben-Porath, Y.S., Tellegen, A., Dahlstrom, W.G., and Kaemmer, B. Minnesota Multiphasic Personality Inventory-2 (MMPI-2): Manual for Administration, Scoring and Interpretation (Revised Edition). Minneapolis, MN: University of Minnesota Press, 2001. Butzin, C.A., Martin, S.S., and Inciardi, J.A. Evaluating component effects of a prisonbased treatment continuum. *Journal of Substance Abuse Treatment* 22(2):63–69, 2002.

Callahan, R.J., and Callahan, J. Thought Field Therapy: Aiding the bereavement process. In: Figley, C.R., and Bride, B.E., eds. Death and Trauma: The Traumatology of Grieving. Philadelphia: Taylor and Francis, 1997. pp. 249–267.

Calloway, M.O., and Morrissey, J.P. Overcoming service barriers for homeless persons with serious psychiatric disorders. *Psychiatric Services* 49(12):1568–1572, 1998.

Calsyn, R.J., Morse, G.A., Klinkenberg, W.D., Trusty, M.L., and Allen, G. The impact of Assertive Community Treatment on the social relationships of people who are homeless and mentally ill. *Community Mental Health Journal* 34(6):579–593, 1998.

Carey, K.B., Purnine, D.M., Maisto, S.A., and Carey, M.P. Enhancing readiness-to-change substance abuse in persons with schizophrenia: A four-session motivation-based intervention. *Behavior Modification* 25(3):331–384, 2001.

Carlson, M.J., and Baker, L.H. Difficult, dangerous, and drug seeking: The 3D way to better patient care. *American Journal of Public Health* 88(8):1250–1252, 1998.

Carroll, J.F. Treating drug addicts with mental health problems in a therapeutic community. *Journal of Chemical Dependency Treatment* 3(2):237–259, 1990.

Carroll, J.F.X., and McGinley, J.J. Managing MICA clients in a modified therapeutic community with enhanced staffing. *Journal of Substance Abuse Treatment* 15(6):565–577, 1998. Carroll, J.F.X., and McGinley, J.J. A screening form for identifying mental health problems in alcohol/other drug dependent persons. *Alcoholism Treatment Quarterly* 19(4):33–47, 2001.

Carroll, K.M. Relapse prevention as a psychosocial treatment: A review of controlled clinical trials. *Experimental and Clinical Psychopharmacology* 4(1):46–54, 1996.

Carroll, K.M. A Cognitive-Behavioral Approach: Treating Cocaine Addiction. Therapy Manuals for Drug Addiction: Manual 1. Rockville, MD: National Institute on Drug Abuse, 1998.

Casper, R.C., Eckert, E.D., Halmi, K.A., Goldberg, S.C., and Davis, J.M. Bulimia: Its incidence and clinical importance in patients with anorexia nervosa. *Archives of General Psychiatry* 37(9):1030–1035, 1980.

Castellani, B., and Rugle, L. A comparison of pathological gamblers to alcoholics and cocaine misusers on impulsivity, sensation seeking, and craving. *International Journal* of Addictions 30:275–289, 1995.

Castro, F.G., Proescholdbell, R.J., Abeita, L., and Rodriguez, D. Ethnic and cultural minority groups. In: McCrady, B.S., and Epstein, E.E., eds. *Addiction: A Comprehensive Guidebook*. Oxford University Press, 1999. pp. 499–526.

Center for Mental Health Services. Co-Occurring Psychiatric and Substance Disorders in Managed Care Systems: Standards of Care, Practice Guidelines, Workforce Competencies, and Training Curricula. 1998. Center for Mental Health Services. Cultural Competence Standards in Managed Care Mental Health Services: Four Underserved/ Underrepresented Racial/Ethnic Groups. HHS Publication No (SMA) 00-3457. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2001.

Center for Mental Health Services. Co-Occurring Disorders: Integrated Dual Disorders Treatment Implementation Resource Kit. Produced under contract no. 280-00-8049 from the Substance Abuse and Mental Health Services Administration's Center for Mental Health Services and a grant from The Robert Wood Johnson Foundation (RWJF). Draft for pilot study. n.p.: n.p., n.d, in development.

Center for Mental Health Services, and Center for Substance Abuse Treatment. Insights and Inroads: Project Highlights of the CMHS and CSAT Collaborative Demonstration Program for Homeless Individuals. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2000.

Center for Substance Abuse Treatment. Assessment and Treatment of Patients with Coexisting Mental Illness and Alcohol and Other Drug Abuse. Treatment Improvement Protocol (TIP) Series, Number 9. HHS Pub. No. (SMA) 95-3061. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1994a.

Center for Substance Abuse Treatment. Intensive Outpatient Treatment for Alcohol and Other Drug Abuse. Treatment Improvement Protocol (TIP) Series 8. HHS Publication No. (SMA) 99-3306. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1994b. Center for Substance Abuse Treatment. Simple Screening Instruments for Outreach for Alcohol and Other Drug Abuse and Infectious Diseases. Treatment Improvement Protocol (TIP) Series 11. HHS Publication No. (SMA) 94-2094. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1994c.

- Center for Substance Abuse Treatment. Alcohol and Other Drug Screening of Hospitalized Trauma Patients. Treatment Improvement Protocol (TIP) Series, Number 16. HHS Pub. No. (SMA) 95-3041. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1995a.
- Center for Substance Abuse Treatment. Combining Alcohol and Other Drug Abuse Treatment With Diversion for Juveniles in the Justice System. Treatment Improvement Protocol (TIP) Series 21. HHS Publication No. (SMA) 95-3051. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1995b.
- Center for Substance Abuse Treatment. Detoxification from Alcohol and Other Drugs. Treatment Improvement Protocol (TIP) Series 19. HHS Publication No. (SMA) 95-3046. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1995c.
- Center for Substance Abuse Treatment. Planning for Alcohol and Other Drug Abuse Treatment for Adults in the Criminal Justice System. Treatment Improvement Protocol (TIP) Series 17. HHS Publication No. (SMA) 00-3461. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1995d.

Center for Substance Abuse Treatment. *Treating Alcohol and Other Drug Abusers in Rural and Frontier Areas.* Technical Assistance Publication (TAP) Series 17. HHS Publication No. (SMA) 95-3054. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1995e. Center for Substance Abuse Treatment. A Guide to Substance Abuse Services for Primary Care Clinicians. Treatment Improvement Protocol (TIP) Series, Number 24. HHS Pub. No. (SMA) 97-3139. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1997a.

- Center for Substance Abuse Treatment. Demystifying Evaluation: A Manual for Evaluating Your Substance Abuse Treatment Program. Vol. 1. HHS Publication No. (SMA) 99-3341. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1997b.
- Center for Substance Abuse Treatment. Substance Abuse Treatment and Domestic Violence. Treatment Improvement Protocol (TIP) Series, Number 25. HHS Publication No. (SMA) 97-3163. Rockville, MS: Substance Abuse and Mental Health Services Administration, 1997c.
- Center for Substance Abuse Treatment. Supplementary Administration Manual for the Expanded Female Version of the Addiction Severity Index (ASI) Instrument. HHS Publication No. (SMA) 96-8056. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1997d.
- Center for Substance Abuse Treatment. Addiction Counseling Competencies: The Knowledge, Skills, and Attitudes of Professional Practice. Technical Assistance Publication Series 21. HHS Publication No. (SMA) 98-3171. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1998a.
- Center for Substance Abuse Treatment. Comprehensive Case Management for Substance Abuse Treatment. Treatment Improvement Protocol (TIP) Series 27. HHS Publication No. (SMA) 98-3222. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1998b.

Center for Substance Abuse Treatment. Continuity of Offender Treatment for Substance Use Disorders From Institution to Community. Treatment Improvement Protocol (TIP) Series 30. HHS Publication No. (SMA) 98-3245. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1998c.

Center for Substance Abuse Treatment. Substance Abuse Among Older Adults. Treatment Improvement Protocol (TIP) Series, Number 26. HHS Pub. No. (SMA) 98-3179. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1998d.

Center for Substance Abuse Treatment. Substance Use Disorder Treatment for People With Physical and Cognitive Disabilities. Treatment Improvement Protocol (TIP) Series 29. HHS Publication No. (SMA) 98-3249. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1998e.

Center for Substance Abuse Treatment. Brief Interventions and Brief Therapies for Substance Abuse. Treatment Improvement Protocol (TIP) Series, Number 34. HHS Publication No. (SMA) 99-3353. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1999a.

Center for Substance Abuse Treatment. Enhancing Motivation for Change in Substance Abuse Treatment. Treatment Improvement Protocol (TIP) Series, Number 35. HHS Publication No. (SMA) 99-3354. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1999b.

Center for Substance Abuse Treatment. Changing the Conversation: Improving Substance Abuse Treatment. The National Treatment Improvement Plan. Panel Reports, Public Hearings, and Participant Acknowledgements. HHS Publication No. (SMA) 00-3479. Rockville, MD: Center for Substance Abuse Treatment, 2000a. Center for Substance Abuse Treatment. Drug, Alcohol, Medical, and Mental Health Services Desired and Received in NTIES. NEDS Fact Sheet 43, July 2000b.

Center for Substance Abuse Treatment. Integrating Substance Abuse Treatment and Vocational Services. Treatment Improvement Protocol (TIP) Series 38. HHS Publication No. (SMA) 00-3470. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2000c.

Center for Substance Abuse Treatment. Substance Abuse Treatment for Persons With Child Abuse and Neglect Issues. Treatment Improvement Protocol (TIP) Series Number 36. HHS Publication No. (SMA) 00-3357. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2000d.

Center for Substance Abuse Treatment. Substance Abuse Treatment for Persons With HIV/AIDS. Treatment Improvement Protocol (TIP) Series 37. HHS Publication No. (SMA) 00-3459. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2000e.

Center for Substance Abuse Treatment. Telling Their Stories: Reflections of the 11 Original Grantees That Piloted Residential Treatment for Women and Children for CSAT. HHS Publication No. (SMA) 01-3529. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2001.

Center for Substance Abuse Treatment. *Practice Research Collaboratives: Forging Partnerships.* Rockville, MD: Substance Abuse and Mental Health Services Administration, n.d.

Center for Substance Abuse Treatment. Substance Abuse Treatment: Group Therapy. Treatment Improvement Protocol (TIP) Series 41. HHS Publication No. (SMA) 05-3991. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2005. Center for Substance Abuse Treatment. Improving Cultural Competence in Substance Abuse Treatment. Treatment Improvement Protocol (TIP) Series. Rockville, MD: Substance Abuse and Mental Health Services Administration, in development a.

Center for Substance Abuse Treatment. Substance Abuse Treatment: Addressing the Specific Needs of Women. Treatment Improvement Protocol (TIP) Series. Rockville, MD: Substance Abuse and Mental Health Services Administration, in development b.

Center for Substance Abuse Treatment. Substance Abuse Treatment and Trauma. Treatment Improvement Protocol (TIP) Series. Rockville, MD: Substance Abuse and Mental Health Services Administration, in development d.

Center for Substance Abuse Treatment. Substance Abuse Treatment for Adults in the Criminal Justice System. Treatment Improvement Protocol (TIP) Series. Rockville, MD: Substance Abuse and Mental Health Services Administration, in development e.

Chabrol, H., Teissedre, F., Saint-Jean, M., Teisseyre, N., Roge, B., and Mullet, E. Prevention and treatment of post-partum depression: A controlled randomized study on women at risk. *Psychological Medicine* 32(6):1039–1047, 2002.

Challis, J. The Development of a Therapeutic Community for the Dually-Diagnosed— Odyssey House, Auckland. Paper presented at the Australasian Therapeutic Communities Association Conference, Sydney, Australia, 1996.

Chamberlin, J., and Rogers, J.A. Planning a community-based mental health system:
Perspective of service recipients. *American Psychologist* 45(11):1241–1244, 1990.

Chappel, J.N. Spiritual components of the recovery process. In: Graham, A.W. and Wilford, B.B., eds. *Principles of Addiction Medicine*. 2d ed. Chevy Chase, MD:
American Society of Addiction Medicine, 1998, pp. 725–728.

Charney, D.A., Paraherakis, A.M., and Gill, K.J. Integrated treatment of comorbid depression and substance use disorders. *Journal of Clinical Psychiatry* 62(9):672–677, 2001.

Chen, C.K., Lin, S.K., Sham, P.C., Ball, D., Loh, E.W., Hsiao, C.C., Chiang, Y.L., Ree, S.C., Lee, C.H., and Murray, R.M. Pre-morbid characteristics and co-morbidity of methamphetamine users with and without psychosis. *Psychological Medicine* 33(8):1407–1414, 2003.

Chilcoat, H.D., and Breslau, N. Investigations of causal pathways between PTSD and drug use disorders. *Addictive Behaviors* 23(6):827–840, 1998*a*.

Chilcoat, H.D., and Breslau, N. Posttraumatic stress disorder and drug disorders: Testing causal pathways. *Archives of General Psychiatry* 55(10):913–917, 1998b.

Christensen, T. "Association of Problem Gambling Service Administrators membership resource guide." Unpublished manuscript.

Clark, C., and Rich, A. Boley Centers for Behavioral Health Care, Inc.: Housing related support services. In: *Refocusing* Upstream: Interim Status Report of the Center for Mental Health Services and Center for Substance Abuse Treatment Collaborative Program to Prevent Homelessness. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1999. pp. 61–78.

Clark, D.C., and Fawcett, J. Review of empirical risk factors for evaluation of the suicidal patient. In: Bongar, B.M., ed. *Suicide: Guidelines for Assessment, Management, and Treatment*. New York: Oxford University Press, 1992. pp. 16–48. Clear, T., and Braga, A.A. Community Corrections. In: Wilson, J.Q., and Petersilia, J., eds. *Crime*. San Francisco: Institute for Contemporary Studies, 1995.

Clure, C., Brady, K.T., Saladin, M.E., Johnson, D., Waid, R., and Rittenbury, M. Attention-deficit/hyperactivity disorder and substance use: Symptom pattern and drug choice. *American Journal of Drug and Alcohol Abuse* 25(3):441–448, 1999.

Cnaan, R.A., Blankertz, L., Messinger, K.W., and Gardner, J.R. Experts' assessment of psychosocial rehabilitation principles. *Psychosocial Rehabilitation Journal* 13(3):59–73, 1990.

Cocco, N., Sharpe, L., and Blaszczynski, A. Differences in the preferred level of arousal in two sub-groups of problem gamblers: A preliminary report. *Journal of Gambling Studies* 11:221–229, 1995.

Coffey, R., Graver, L., Schroeder, D., Busch, J., Dilonardo, J., Chalk, M., and Buck, J. Mental Health and Substance Abuse Treatment: Results from a Study Integrating Data from State Mental Health, Substance Abuse, and Medicaid Agencies. HHS Publication No. (SMA) 01-3528. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2001.

Cohen, C., Onserud, H., and Monaco, C. Outcomes for the mentally ill in a program for older homeless persons. *Hospital and Community Psychiatry* 44:650–656, 1993.

Cohen, L.S. Psychotropic drug use in pregnancy. *Hospital & Community Psychiatry* 40(6):566–567, 1989.

Cohen, L.S., Viguera, A.C., Bouffard, S.M., Nonacs, R.M., Morabito, C., Collins, M.H., and Ablon, J.S. Venlafaxine in the treatment of postpartum depression. *Journal of Clinical Psychology* 62(8):592–596, 2001.

Collings, S., and King, M. Ten-year follow-up of 50 patients with bulimia nervosa. *British Journal of Psychiatry* 164(1):80–87, 1994. Collins, A.C. and Marks, M.J. Animal models of alcohol-nicotine interactions. In: Fertig, J.B., and Allen, J.P., eds. Alcohol and Tobacco: From Basic Science to Clinical Practice. NIAAA Research Monograph No. 30. Bethesda, MD: National Institutes of Health, National Institute on Alcohol Abuse and Alcoholism, pp. 129–144, 1995.

Comings, D.E., Rosenthal, R.J., Lesieur,
H.R., Rugle, L.J., Muhleman, D., Chiu, C.,
Dietz, G., and Gade, R. Study of the
dopamine D sub 2 receptor gene in pathological gambling. *Pharmacogenetics*6(3):223–234, 1996.

Committee on Opportunities in Drug Abuse Research, Division of Neuroscience and Behavioral Health, Institute of Medicine. *Pathways of Addiction: Opportunities in Drug Abuse Research.* Washington, DC: National Academy Press, 1996.

Compton, W.M. 3rd, Cottler, L.B., Ben Abdallah, A., Phelps, D.L., Spitznagel, E.L., and Horton, J.C. Substance dependence and other psychiatric disorders among drug dependent subjects: Race and gender correlates. *American Journal of Addictions* 9(2):113–125, 2000.

Concurrent, V.S. Delayed Treatment for Nicotine Dependence for Patients in Intensive Treatment for Alcohol Dependence. Paper presented at the 9th Annual Meeting of the Society for Research on Nicotine and Tobacco, New Orleans, February 2003.

Condelli, W.S., and Hubbard, R.L. Relationship between time spent in treatment and client outcomes from therapeutic communities. *Journal of Substance Abuse Treatment* 11(1):25–33, 1994.

Connors, G.J., Carroll, K.M., DiClemente, C.C., Longabaugh, R., and Donovan, D.M. The therapeutic alliance and its relationship to alcoholism treatment participation and outcome. *Journal of Consulting and Clinical Psychology* 65(4):588–598, 1997. Conrad, K.J., Matters, M.D., Hanrahan, P., and Luchins, D.J., eds. Homelessness prevention in treatment of substance abuse and mental illness: Logic models and implementation of eight American projects. *Alcoholism Treatment Quarterly* 17(1–2), 1999.

Copeland, M.E., and Harris, M. *Healing the Trauma of Abuse: A Woman's Workbook*. Oakland, CA: New Harbinger, 2000.

Corcos, M., Nezelof, S., Speranza, M., Topa,
S., Girardon, N., Guilbaud, O., Taieb, O.,
Bizouard, P., Halfon, O., Venisse, J.L.,
Perez-Diaz, F., Flament, M., and Jeammet,
P. Psychoactive substance consumption in
eating disorders. *Eating Behaviors* 2(1):27–38, 2001.

Cottler, L.B., Compton, W.M., Mager, D., Spitznagel, E.L., and Janca, A.
Posttraumatic stress disorder among substance users from the general population. *American Journal of Psychiatry* 149(5):664–670, 1992.

Covington, S.S. *Helping Women Recover: A Program for Treating Addiction*. San Francisco: Jossey-Bass, 1999.

Covington, S.S. Beyond Trauma: A Healing Journey for Women: Facilitator's Guide. Center City, MN: Hazelden, 2003.

Cramer, M. Under the influence of unconscious process: Countertransference in the treatment of PTSD and substance abuse in women. *American Journal of Psychotherapy* 56(2):194–210, 2002.

Crockford, D.N., and el-Guebaly, N. Psychiatric comorbidity in pathological gambling: A critical review. *Canadian Journal of Psychiatry* 43(1):43–50, 1998.

Crome, I.B. Substance misuse and psychiatric comorbidity: Towards improved service provision. Drugs: Education, Prevention & Policy 6(2):151–174, 1999.

Cross, T. Cultural Competence Continuum. Focal Point 3(1):1–4, 1988. Culhane, D.P., Metraux, S., and Hadley, T. The Impact of Supportive Housing for Homeless People with Severe Mental Illness on the Utilization of the Public Health, Corrections, and Emergency Shelter Systems: The New York-New York Initiative. New York: Corporation for Supportive Housing, 2001.

R.M. "Development of a diagnostic gambling assessment: A comprehensive timeline." Poster presented at Toward a Meaningful Diagnosis of Gambling Disorders: From Theory to Practice. Las Vegas, NV, 2001.

Dalack, G.W., Healy, D.J., and Meador-Woodruff, J.H. Nicotine dependence in schizophrenia: Clinical phenomena and laboratory findings. *American Journal of Psychiatry* 155(11):1490–1501, 1998.

Daley, D. Relapse prevention with substance abusers: Clinical issues and myths. *Social Work* 45(2):8–42, 1987.

Daley, D.C., and Lis, J.A. Relapse prevention: Intervention strategies for mental health clients with comorbid addictive disorders. In: Washton, A.M., ed. *Psychotherapy and Substance Abuse: A Practitioner's Handbook.* New York: Guilford Press, 1995. pp. 243–263.

Daley, D.C., and Marlatt, G.A. Relapse prevention: Cognitive and behavioral interventions. In: Lowinson, J.H., Ruiz, P., Millman, R.B., and Langrod, J.G., eds. Substance Abuse: A Comprehensive Textbook.
Baltimore: Williams & Wilkins, 1992. pp. 533–542.

Daley, D.C., and Zuckoff, A. Improving compliance with the initial outpatient session among discharged inpatient dual diagnosis clients. *Social Work* 43(5):470–473, 1998. Dansereau, D.F., Joe, G.W., and Simpson,
D.D. Attentional difficulties and the effectiveness of a visual representation strategy for counseling drug-addicted clients.
International Journal of the Addictions 30(4):371–386, 1995.

Dansky, B.S., Brady, K.T., and Saladin, M.E. Untreated symptoms of PTSD among cocaine-dependent individuals: Changes over time. *Journal of Substance Abuse Treatment* 15(6):499–504, 1998.

Davidson, J.R.T. Long-term treatment and prevention of posttraumatic stress disorder. *Journal of Clinical Psychiatry* 65(Suppl 1):44–48, 2004.

Davis, G.C., and Goldman, B. Somatic therapies. In: Goldman, H.H., ed. *Review of General Psychiatry, Third Edition.* Norwalk, Connecticut: Appleton & Lange, 1992. pp. 370–390.

Dean, M., Stock, B., Patterson, R.J., and Levy, G. Serum protein binding of drugs during and after pregnancy in humans. *Clinical Pharmacology and Therapeutics* 28(2):253–261, 1980.

Dees, S.M., Dansereau, D.F., and Simpson, D.D. A visual representation system for drug abuse counselors. *Journal of Substance Abuse Treatment* 11(6):517–523, 1994.

De Leon, G. The Therapeutic Community: Study of Effectiveness. Social and Psychological Adjustment of 400 Dropouts and 100 Graduates from the Phoenix House Therapeutic Community. Treatment Research Monograph Series. HHS Publication No. (ADM) 84-1286. Rockville, MD: National Institute on Drug Abuse, 1984.

De Leon, G. Psychopathology and substance abuse: What is being learned from research in therapeutic communities. *Journal of Psychoactive Drugs* 21(2):177–188, 1989.

De Leon, G. Modified therapeutic communities for dual disorders. In: Solomon, J., Zimberg, S., and Shollar, E., eds. *Dual Diagnosis: Evaluation, Treatment, Training, and Program Development*. New York: Plenum Medical Book Co., 1993a. pp. 147–170. De Leon, G. Cocaine abusers in therapeutic community treatment. In: Tims, F.M., and Leukefeld, C.G., eds. *Cocaine Treatment: Research and Clinical Perspectives*. NIDA Research Monograph 135. NIH Publication No. 93-3639. Rockville, MD: National Institute on Drug Abuse, 1993*b*. pp. 163–189.

De Leon, G. Therapeutic communities for addictions: A theoretical framework. *International Journal of the Addictions* 30(12):1603–1645, 1995.

De Leon, G. Integrative recovery: A stage paradigm. *Substance Abuse* 17(1):51–63, 1996.

De Leon, G. Modified therapeutic community for homeless mentally ill chemical abusers: Treatment outcomes. *American Journal of Drug and Alcohol Abuse* 26(3):461–480, 2000*a*.

De Leon, G. *The Therapeutic Community: Theory, Model, and Method.* New York: Springer Publishers, 2000b.

De Leon, G., Hawke, J., Jainchill, N., and Melnick, G. Therapeutic communities: Enhancing retention in treatment using "Senior Professor" staff. *Journal of Substance Abuse Treatment* 19(4):375–382, 2000*a*.

De Leon, G., and Jainchill, N. Male and female drug abusers: Social and psychological status after treatment in a therapeutic community. *American Journal of Drug and Alcohol Abuse* 8(4):465–497, 1982.

De Leon, G., Melnick, G., and Hawke, J. The motivation-readiness factor in drug treatment: Implications for research and policy.
In: Levy, J.A., Stephens, R.C., and McBride, D.C., eds. *Emergent Issues in the Field of Drug Abuse*. Stamford, CT: JAI Press, 2000b. pp. 103–129.

De Leon, G., Sacks, S., Staines, G., and McKendrick, K. Modified therapeutic community for homeless mentally ill chemical abusers: Emerging subtypes. *American Journal of Drug and Alcohol Abuse* 25(3):495–515, 1999. De Leon, G., Sacks, S., Staines, G.L., and McKendrick, K. Modified therapeutic community for homeless mentally ill chemical abusers: Treatment outcomes. *American Journal of Drug and Alcohol Abuse* 26(3):461–480, 2000c.

De Leon, G., Sacks, S., and Wexler, H.K.
Modified prison therapeutic communities for the dual- and multiple-diagnosed offender.
In: Leukefeld, C.G., Tims, F., and Farabee,
D., eds. *Treatment of Drug Offenders: Policies and Issues*. New York: Springer Publishing, 2002. pp. 138–148.

de Leon, J., Diaz, F.J., Rogers, T., Browne, D., and Dinsmore, L. Initiation of daily smoking and nicotine dependence in schizophrenia and mood disorders. *Schizophrenia Research* 56(1-2):47–54, 2002.

Dennis, M.L. Global Appraisal of Individual Needs (GAIN) Manual: Administration, Scoring, and Interpretation. Bloomington, IL: Lighthouse Publications, 1998.

Dennis, M.L. Overview of the Global Appraisal of Individual Needs (GAIN). Bloomington, IL: Chestnut Health Systems, 2000.

Derogatis, L.R. Symptom Checklist-90-Revised (SCL-90-R). Minneapolis, MN: NCS Assessments, 1975.

Derogatis, L.R., Lipman, R.S., and Covi, L. SCL-90: An outpatient psychiatric rating scale. Preliminary report. *Psychopharmacol*ogy *Bulletin* 9(1):13–28, 1973.

Derogatis, L.R., and Spencer, P.M. Administration & Procedures: BSI Manual-I, Clinical Psychometric Research. Baltimore: Clinical Psychometric Research, 1982.

Dimeff, L.A., Comtois, K.A., and Linehan,
M.M. Borderline personality disorder. In:
Graham, A.W., Schultz, T.K., and Wilford,
B.B., eds. *Principles of Addiction Medicine*.
2d ed. Chevy Chase, MD: American Society
of Addiction Medicine, 1998. pp. 1063–1079.

Ditton, P.M. Mental Health and Treatment of Inmates and Probationers. Washington, DC: Bureau of Justice Statistics, 1999.

Dixon, L., Postrado, L., Delahanty, J., Fischer, P.J., and Lehman, A. The association of medical comorbidity in schizophrenia with poor physical and mental health. *Journal of Nervous and Mental Disease* 187(8):496–502, 1999.

Donaldson, M.S., Yordy, K.D., Lohr, K.N., and Vanselow, N.A., eds. *Primary Care: America's Health in a New Era*. Washington, DC: National Academy Press, 1996.

Doren, D.M. Understanding and Treating the Psychopath. New York: John Wiley and Sons, 1987.

Dowson, J.H., and Grounds, A.T. Personality Disorders: Recognition and Clinical Management. New York: Cambridge University Press, 1995.

Drake, R.E., Bartels, S.J., Teague, G.B., Noordsy, D.L., and Clark, R.E. Treatment of substance abuse in severely mentally ill patients. *Journal of Nervous and Mental Disease* 181(10):606–611, 1993.

Drake, R.E., McHugo, G.J., Clark, R.E., Teague, G.B., Xie, H., Miles, K., and Ackerson, T.H. Assertive Community Treatment for patients with co-occurring severe mental illness and substance use disorder: A clinical trial. *American Journal of Orthopsychiatry* 68(2):201–215, 1998a.

Drake, R.E., Mercer-McFadden, C., Mueser, K.T., McHugo, G.J., and Bond, G.R. Review of integrated mental health and substance abuse treatment for patients with dual disorders. *Schizophrenia Bulletin* 24(4):589–608, 1998b.

Drake, R.E., and Mueser, K.T. Alcohol use disorder and severe mental illness. *Alcohol Health and Research World* 20(2):87–93, 1996a.

- Drake, R.E., and Mueser, K.T., eds. Dual Diagnosis of Major Mental Illness and Substance Abuse Disorder II: Recent Research and Clinical Implications. New Directions for Mental Health Services. San Francisco, CA: Jossey-Bass, Inc., 1996b. p. 70.
- Drake, R.E., and Mueser, K.T. Psychosocial approaches to dual diagnosis. *Schizophrenia Bulletin* 26(1):105–118, 2000.
- Drake, R.E., Mueser, K.T., Clark, R.E., and Wallach, M.A. The course, treatment, and outcome of substance disorder in persons with severe mental illness. *American Journal* of Orthopsychiatry 66(1):42–51, 1996a.
- Drake, R.E., Mueser, K.T., and McHugo, G.J. Clinician rating scales: Alcohol Use Scale (AUS), Drug Use Scale (DUS), and Substance Abuse Treatment Scale (SATS). In: Sederer, L.I., and Dickey, B., eds. *Outcomes Assessment in Clinical Practice*. Baltimore: Williams & Wilkins, 1996b, pp. 113–116.
- Drake, R.E., Yovetich, N.A., Bebout, R.R., and Harris, M. Integrated treatment for dually diagnosed homeless adults. *Journal of Nervous and Mental Disease* 185(5):298–305, 1997.
- Drewnowski, A., Hopkins, S.A., and Kessler, R.C. The prevalence of bulimia nervosa in the US college student population. *American Journal of Public Health* 78(10):1322–1325, 1988.
- Drozdick, J., III, Berghella, V., Hill, M., and Kaltenbach, K. Methadone trough levels in pregnancy. *American Journal of Obstetrics and Gynecology* 187(5):1184–1188, 2002.
- Duffy, S.Q. Substance use and mental disorder discharges from U.S. community hospitals in the early 1990s, revisited. In: Council, C.L., ed. *Health Services Utilization by Individuals* with Substance Abuse and Mental Disorders. HHS Publication No. SMA 04-3949, Analytic Series A-25. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2004.

- DuPont, R.L. The twelve-step approach. In: Miller, N.S., ed. Treating Coexisting Psychiatric and Addictive Disorders: A Practical Guide. Center City, MN: Hazelden Educational Materials, 1994. pp. 177–178.
- DuPont, R.L. Panic disorder and addiction: The clinical issues of comorbidity. *Bulletin of the Menninger Clinic* 61(2 Suppl A):A54–65, 1997.
- Eddy, K.T., Keel, P.K., Dorer, D.J., Delinsky, S.S., Franko, D.L., and Herzog, D.B. Longitudinal comparison of anorexia nervosa subtypes. *International Journal of Eating Disorders* 31(2):191–201, 2002.
- Edens, J.F., Peters, R.H., and Hills, H.A. Treating prison inmates with co-occurring disorders: An integrative review of existing programs. *Behavioral Sciences and the Law* 15(4):439–457, 1997.
- Etheridge, R.M., Hubbard, R.L., Anderson, J., Craddock, S.G., and Flynn, P.M. Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behavior* 11(4):244–260, 1997.
- Evans, K., and Sullivan, J.M. Step Study Counseling with the Dual Disordered Client. Center City, MN: Hazelden Educational Materials, 1990.
- Evans, K., and Sullivan, J.M. *Treating Addicted Survivors of Trauma*. New York: Guilford Press, 1995.
- Evans, K., and Sullivan, J.M. *Dual Diagnosis: Counseling the Mentally III Substance Abuser.* 2d ed. New York: Guilford Press, 2001.
- Falsetti, S.A., Resnick, H.S., Resnick, P.A., and Kilpatrick, D. The Modified PTSD Symptom Scale: A brief self-report measure of posttraumatic stress disorder. *The Behavioral Therapist* 16:161–162, 1993.
- Farmer, R. Stress and working with drug misusers. Addiction Research 3(2):113–122, 1995.

Finkelstein, N., Kennedy, C., Thomas, K., and Kearns, M. Gender-Specific Substance Abuse Treatment. Rockville, MD: Center for Substance Abuse Prevention, 1997.

Finnegan, L.P., and Wapner, R.J. Narcotic addiction in pregnancy. In: Niebyl, J.R., ed. *Drug Use in Pregnancy*. 2d ed. Philadelphia: Lea and Febiger, 1988. pp. 203–222.

Fiore, M.C. Treating tobacco use and dependence: An introduction to the US Public Health Service Clinical Practice Guideline. *Respiratory Care* 45(10):1196–1199, 2000.

Fiore, M.C., Bailey, W.C., Cohen, S., Dorfman, S.F., Goldstein, M., Gritz, E.R., Heyman, R.B., Jaen, C.R., Kottke, T.E., Lando, H.A., Mecklenburg, R.E., Mullen, P.D., Nett, L.M., Robinson, L., Stitzer, M.L., Tommasello, A.C., Villejo, L., Wewers, M.E., Baker, T., Fox, D.M., and Hasselblad, V. Treating Tobacco Use and Dependence: A Clinical Practice Guideline. Rockville, MD: Public Health Service, 2000a.

Fiore, M.C., Bailey, W.C., Cohen, S.J., Dorfman, S.F., Goldstein, M.G., Gritz, E.R., Heyman, R.B., Jaen, C.R., Kottke, T.E., Lando, H.A., Mecklenburg, R.E., Mullen, P.D., Nett, L.M., Robinson, L., Stitzer, M.L., Tommasello, A.C., Villejo, L., and Wewers, M.E. Treating Tobacco Use and Dependence: Quick Reference Guide for Clinicians. Rockville, MD: Public Health Service, 2000b.

Fiorentine, R., Nakashima, J., and Anglin, M.D. Client engagement in drug treatment. *Journal of Substance Abuse Treatment* 17(3):199–206, 1999.

Fischer, P.J., and Breakey, W.R. Profile of the Baltimore homeless with alcohol problems. *Alcohol Health and Research World* 11(3):36–61, 1987.

Fischer, P.J., and Breakey, W.R. Epidemiology of alcohol, drug and mental disorders among homeless persons. *American Psychologist* 46(11):1115–1128, 1991. Fisher, M.S., Sr. Group therapy protocols for persons with personality disorders who abuse substances: Effective treatment alternatives. *Social Work With Groups* 18(4):71–89, 1995.

Flavin, D.K., Franklin, J.E., and Frances,
R.J. Substance abuse and suicidal behavior.
In: Blumenthal, S.J., and Kupfer, D.J., eds.
Suicide Over the Life Cycle: Risk Factors,
Assessment, and Treatment of Suicidal
Patients. Washington, DC: American
Psychiatric Press, 1990. pp. 177–204.

Fletcher, B.W., Tims, F.M., and Brown, B.S. Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. *Psychology of Addictive Behavior* 11(4):216–229, 1997.

Flory, K., Milich, R., Lynam, D.R., Leukefeld, C., and Clayton, R. Relation between childhood disruptive behavior disorders and substance use and dependence symptoms in young adulthood: Individuals with symptoms of attention-deficit/hyperactivity disorder and conduct disorder are uniquely at risk. *Psychology of Addictive Behaviors* 17(2):151–158, 2003.

Fluoxetine Bulimia Nervosa Collaborative Study Group. Fluoxetine in the treatment of bulimia nervosa: A multicenter, placebo-controlled, double-blind trial. *Archives of General Psychiatry* 49(2):139–147, 1992.

Flynn, P.M., Craddock, S.G., Hubbard, R.L., Anderson, J., and Etheridge, R.M.
Methodological overview and research design for the drug abuse treatment outcome study (DATOS). *Psychology of Addictive Behaviors* 11(4):230–243, 1997.

Flynn, P.M., Craddock, S.G., Luckey, J.W., Hubbard, R.L., and Dunteman, G.H. Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. *Journal* of Personality Disorders 10(1):56–67, 1996.

Foa, E.B., Keane, T.M., and Friedman, M.J. (eds). *Effective Treatment for PTSD*. New York: The Guilford Press, 2000. Foa, E.B., Riggs, D.S., Dancu, C.V., and Rothbaum, B.O. Reliability and validity of a brief instrument for assessing post-traumatic stress disorder. *Journal of Traumatic Stress* 6(4):459–473, 1993.

Foa, E.B., and Rothbaum, B.O. Treating the Trauma of Rape: Cognitive-Behavioral Therapy for PTSD. New York: Guilford Press, 1998.

Follete, V.M., Ruzek, J.I., and Abueg, F.R. (eds). Cognitive-Behavioral Therapies for Trauma. New York: The Guilford Press, 1998.

Forbes, D., Creamer, M., Hawthorne, G., Allen, N., and McHugh, T. Comorbidity as a predictor of symptom change after treatment in combat-related posttraumatic stress disorder. *Journal of Nervous and Mental Disease* 191(2):93–99, 2003.

- Ford, J., Kasimer, N., MacDonald, M., and Savill, G. Trauma Adaptive Recovery Group Education and Therapy (TARGET): Participant Guidebook and Leader Manual. Farmington, CT: University of Connecticut Health Center, 2000.
- Forrest, G.G. Countertransference in Chemical Dependency Counseling. Binghamton, NY: Haworth Press, 2002.

Fowler, I.L., Carr, V.J., Carter, N.T., and Lewin, T.J. Patterns of current and lifetime substance use in schizophrenia. *Schizophrenia Bulletin* 24(3):443–455, 1998.

Foulds, J., Burke, M., Steinberg, M., and Ziedonis, D.M. Advances in pharmacotherpay for tobacco dependence. *Expert Opinion on Emerging Drugs* 9(1):39–53, 2004.

Frank, A.F., and Gunderson, J.G. The role of the therapeutic alliance in the treatment of schizophrenia: Relationship to course and outcome. Archives of General Psychiatry 47(3):228–236, 1990.

French, M.T., McCollister, K.E., Sacks, S., McKendrick, K., and De Leon, G. Benefitcost analysis of a modified therapeutic community for mentally ill chemical abusers. *Evaluation and Program Planning* 25(2):137–148, 2002. French, M.T., Sacks, S., De Leon, G., Staines, G., and McKendrick, K. Modified therapeutic community for mentally ill chemical abusers: Outcomes and costs. *Evaluation & the Health Professions* 22(1):60–85, 1999.

French, M.T., Salome, H.J., Krupski, A., McKay, J.R., Donovan, D.M., McLellan, A.T., and Durell, J. Benefit-cost analysis of residential and outpatient addiction treatment in the State of Washington. *Evaluation Review* 24(6):609–634, 2000.

Frosch, D.L., Shoptaw, S., Nahom, D., and Jarvik, M.E. Associations between tobacco smoking and illicit drug use among methadone-maintained opiate-dependent individuals. *Experimental and Clinical Psychopharmacology* 8(1):97–103, 2000.

Frosch, D.L., Stein, J.A., and Shoptaw, S. Using latent-variable models to analyze smoking cessation clinical trial data: An example among the methadone maintained. *Experimental and Clinical Psychopharmacol*ogy 10(3):258–267, 2002.

Fullilove, M.T., Fullilove, R.E., Smith, M., and Winkler, K. Violence, trauma, and posttraumatic stress disorder among women drug users. *Journal of Traumatic Stress* 6(4):533–543, 1993.

Galanter M., ed. *Recent Developments in Alcoholism, Vol. VII: Treatment Issues.* New York: Plenum Press, 1989.

Galanter, M., Castaneda, R., and Ferman, J. Substance abuse among general psychiatric patients: Place of presentation, diagnosis, and treatment. *American Journal of Drug* and Alcohol Abuse 14(2):211–235, 1988.

Galanter, M., Dermatis, H., Egelko, S., and De Leon, G. Homelessness and mental illness in a professional- and peer-led cocaine treatment clinic. *Psychiatric Services* 49:533–535, 1998. Galanter, M., Franco, H., Kim, A., Metzger, E.J., and De Leon, G. Inpatient treatment for the dually diagnosed: A peer-led model for acute and intermediate care. In: Solomon, J., Zimberg, S., and Shollar, E., eds. Dual Diagnosis: Evaluation, Treatment, Training, and Program Development. New York: Plenum Medical Book Co., 1993. pp. 171–192.

Ganrot, P.O. Variation of the concentrations of some plasma proteins in normal adults, in pregnant women and in newborns. Scandinavian Journal of Clinical and Laboratory Investigation Supplementum 124:83–88, 1972.

Garbis, H., and McElhatton, P.R. Psychotropic, sedative-hypnotic and Parkinson drugs. In: Drugs During Pregnancy and Lactation; Handbook of Prescription Drugs and Comparative Risk Assessment: With Updated Information on Recreational Drugs. New York: Elsevier, 2001. pp. 182–191.

Garfinkel, P.E., Lin, E., Goering, P., Spegg, C., Goldbloom, D.S., Kennedy, S., Kaplan, A.S., and Woodside, D.B. Bulimia nervosa in a Canadian community sample: Prevalence and comparison of subgroups. *American Journal of Psychiatry* 152(7):1052–1058, 1995.

Garfinkel, P.E., Moldofsky, H., and Garner, D.M. The heterogeneity of anorexia nervosa: Bulimia as a distinct subgroup. *Archives of General Psychiatry* 37(9):1036–1040, 1980.

Gentilello, L.M., Rivara, F.P., Donovan, D.M., Jurkovich, G.J., Daranciang, E., Dunn, C.W., Villaveces, A., Copass, M., and Ries, R.R. Alcohol interventions in a trauma center as a means of reducing the risk of injury recurrence. *Annals of Surgery* 230(4):473–480, 1999.

George, T.P., Ziedonis, D.M., Feingold, A., Pepper, W.T., Satterburg, C.A., Winkel, J., Rounsaville, B.J., and Kosten, T.R. Nicotine transdermal patch and atypical antipsychotic medications for smoking cessation in schizophrenia. *American Journal of Psychiatry* 157(11):1835–1842, 2000. Gerber, S., and Basham, A. Responsive therapy and motivational interviewing: Postmodernist paradigms. *Journal of Counseling and Development* 77(4):418–422, 1999.

Gerstein, D.R., and Harwood, H.J., eds. Treating Drug Problems: Vol. 1. A Study of the Evolution, Effectiveness, and Financing of Public and Private Drug Treatment Systems. Washington, DC: National Academy Press, 1990.

Gerstein, D., Murphy, S., Toce, M.,
Hoffmann, J., Palmer, A., Johnson, R.,
Larison, C., Churchro, L., Buie, T.,
Engleman, L., Hill, M., Volberg, R.,
Harwood, H., Tucker, A., Christensen, E.,
Cummings, W., and Sinclair, S. Gambling
Impact and Behavior Study: A Report to the
National Gambling Impact Study
Commission. Chicago: National Opinion
Research Center, 1999.

Gil-Rivas, V., Fiorentine, R., and Anglin, M.D. Sexual abuse, physical abuse, and posttraumatic stress disorder among women participating in outpatient drug abuse treatment. *Journal of Psychoactive Drugs* 28(1):95–102, 1996.

Gilbert, D.G. Smoking: Individual Difference, Psychopathology, and Emotion. The Series in Health Psychology and Behavioral Medicine. Washington, DC: Taylor and Francis, 1995.

Godley, S.H., Godley, M.D., Pratt, A., and Wallace, J.L. Case management services for adolescent substance abusers: A program description. *Journal of Substance Abuse Treatment* 11(4):309–317, 1994.

Goff, D.C., Henderson, D.C., and Amico, E.
Cigarette smoking in schizophrenia: Relationship to psychopathology and medication side effects. *American Journal of Psychiatry* 149(9):1189–1194, 1992.

Goldbloom, D.S., Naranjo, C.A., Bremner, K.E., and Hicks, L.K. Eating disorders and alcohol abuse in women. *British Journal of Addiction* 87(6):913–919, 1992.

- Goldenberg, I.M., Mueller, T., Fierman, E.J., Gordon, A., Pratt, L., Cox, K., Park, T., Lavori, P., Goisman, R.M., and Keller, M.B. Specificity of substance use in anxiety-disordered subjects. *Comprehensive Psychiatry* 36(5):319–328, 1995.
- Goldfinger, S.M. Integrated treatment for dual diagnosis. *The Advocate* 22(1):7, 2000.
- Goldman, H.H. Deinstitutionalization and community care. *Harvard Review of Psychiatry* 6:219–222, 1998.
- Goldsmith, R.J., and Ries, R.K. Substanceinduced mental disorders. In: Graham,
 A.W., Schultz, T.K., and Wilford, B.B., eds. *Principles of Addiction Medicine*. 2d ed.
 Chevy Chase, MD: American Society of Addiction Medicine, 1998. pp. 969–981.
- Goldstein, R.B., Powers, S.I., and McCusker, J. Erratum to "Antisocial behavioral syndromes among residential drug abuse treatment clients." *Drug & Alcohol Dependence* 53(2):171–187, 1999.
- Gomberg, E.S.L. Alcohol abuse: Age and gender differences. In: Wilsnack, R.W., and
 Wilsnack, S.C., eds. Gender and Alcohol: Individual and Social Perspectives. New
 Brunswick, NJ: Rutgers Centers of Alcohol Studies, 1997. pp. 225–244.
- Goodwin, F.K., and Jamison, K.R. *Manic-Depressive Illness*. New York: Oxford University Press, 1990.
- Gorski, T.T. The CENAPS model of relapse prevention therapy (CMRPT). In: Boren, J.J., Onken, L.S., and Carroll, K.M., eds. *Approaches to Drug Abuse Counseling*. NIH Publication No. 00-4151. Bethesda, MD: National Institute on Drug Abuse, 2000. pp. 23–38.
- Gould, F., Levine, M., and McLellan, A.T. Treating the substance-abusing patient in the public sector: "Medical necessity" versus "social necessity and social responsibility" in the Philadelphia Target Cities demonstration project. Journal of Substance Abuse Treatment 18(1):75–77, 2000.

- Grant, B.F. The influence of comorbid major depression and substance use disorders on alcohol and drug treatment: Results of a national survey. In: Onken, L.S., Blaine, J.D., Genser, S., and Horton, A.M., eds. *Treatment of Drug-Dependent Individuals* with Comorbid Mental Disorders. NIDA Research Monograph 172. NIH Publication No. 97-4172. Rockville, MD: National Institute on Drug Abuse, 1997. pp. 4–15.
- Grella, C.E. Services for perinatal women with substance abuse and mental health disorders: The unmet need. *Journal of Psychoactive Drugs* 29(1):67–78, 1997.
- Greene, D.C., and McVinney, L.D. Outpatient group psychotherapy with chemically dependent and cluster-B personality disordered male clients. *Journal of Chemical Dependency Treatment* 7(1/2):81–96, 1997.
- Grice, D.E., Brady, K.T., Dustan, L.R., Malcolm, R., and Kilpatrick, D.G. Sexual and physical assault history and posttraumatic stress disorder in substance-dependent individuals. *American Journal on Addictions* 4(4):297–305, 1995.
- Grieger, T.A., Fullerton, C.S., and Ursano, R.J. Posttraumatic stress disorder, alcohol use, and perceived safety after the terrorist attack on the Pentagon. *Psychiatric Services* 54(10):1380–1382, 2003.
- Griffith, J.D., Hiller, M.L., Knight, K., and Simpson, D.D. A cost-effectiveness analysis of in-prison therapeutic community treatment and risk classification. *The Prison Journal* 79(3):352–368, 1999.
- Griffiths, E.J., Lorenz, R.P., Baxter, S., and Talon, N.S. Acute neurohumoral response to electroconvulsive therapy during pregnancy: A case report. *Journal of Reproductive Medicine* 34(11):907–911, 1989.
- Griffiths, R.R. Common factors in human and infrahuman drug self-administration. *Psychopharmacology Bulletin* 16(1):45–47, 1980.

Grosch, W.N., and Olsen, D.C. When Helping Starts To Hurt: A New Look at Burnout Among Psychotherapists. New York: W.W. Norton, 1994.

Gruber, A.J., Pope H.G. Cannabis psychotic disorder: Does it exist? *American Journal of Addiction* 3:72–83, 1994.

Gustafson, J.S., Anderson, R., Sheehan, K., McGencey, S., Reda, J., O'Donnell, C., Strohl, J.B., Moghul, A., Clemmey, P., and Spencer, J. State Resources and Services Related to Alcohol and Other Drug Problems: Fiscal Years 1996 and 1997.
Washington, DC: National Association of State Alcohol and Drug Abuse Directors, 1999.

Gustafson, J.S., Reda, J., McMullen, H., Sheehan, K., McGencey, S., Rugaber, C., Anderson, R., and DiCarlo, M. State Resources and Services Related to Alcohol and Other Drug Problems for Fiscal Year 1995: An Analysis of State Alcohol and Drug Abuse Profile Data. Washington, DC: National Association of State Alcohol and Drug Abuse Directors, 1997.

Guydish, J., Werdegar, D., Chan, M., Nebelkopf, E., and Acampora, A. Challenges in developing a drug abuse day treatment program. In: Fletcher, B., and Horton, A.M., eds. Drug Abuse Treatment: The Implementation of Innovative Approaches. Westport, CT: Greenwood Press, 1994. pp. 195–207.

Hajek, P., West, R., Lee, A., Foulds, J., Owen, L., Eiser, J.R., and Main, N. Randomized controlled trial of a midwife-delivered brief smoking cessation intervention in pregnancy. *Addiction* 96(3):485–494, 2001.

Hall, A., Slim, E., Hawker, F., and Salmond,
C. Anorexia nervosa: Long-term outcome in 50 female patients. *British Journal of Psychiatry* 145:407–413, 1984.

Hall, G.W., Carriero, N.J., Takushi, R.Y., Montoya, I.D., Preston, K.L., and Gorelick, D.A. Pathological gambling among cocainedependent outpatients. *American Journal of Psychiatry* 157(7):1127–1133, 2000. Hall, R.G., Duhamel, M., McClanahan, R., Miles, G., Nason, C., Rosen, S., Schiller, P., Tao-Yonenaga, L., and Hall, S.M. Level of functioning, severity of illness, and smoking status among chronic psychiatric patients. *Journal of Nervous and Mental Disease* 183(7):468–471, 1995.

Hall, S.M. Psychological interventions: State of the art. *Nicotine and Tobacco Research* 1(Suppl 2):S169–S173, 1999.

Hall, S.M., Munoz, R.F., and Reus, V.I. Cognitive-behavioral intervention increases abstinence rates for depressive-history smokers. Journal of Consulting and Clinical Psychology 62(1):141–146, 1994.

Hall, S.M., Munoz, R.F., Reus, V.I., Sees, K.L., Duncan, C., Humfleet, G.L., and Hartz, D.T. Mood management and nicotine gum in smoking treatment: A therapeutic contact and placebo-controlled study. *Journal of Consulting and Clinical Psychology* 64(5):1003–1009, 1996.

Hall, S.M., Reus, V.I., Munoz, R.F., Sees,
K.L., Humfleet, G., Hartz, D.T., Frederick,
S., and Triffleman, E. Nortriptyline and cognitive-behavioral therapy in the treatment of cigarette smoking. *Archives of General Psychiatry* 55(8):683–690, 1998.

Ham, L.S., and Hope, D.A. Alcohol and anxiety: Subtle and obvious attributes of abuse in adults with social anxiety disorder and panic disorder. *Depression and Anxiety* 18(3):128–139, 2003.

Hamilton, M. The assessment of anxiety states by rating. *British Journal of Medical Psychology* 32:50–55, 1959.

Hamilton, T. Dual diagnosis recovery can be a long process. *The Bell* December 7, 1999.

Hamilton, T. Dual recovery. *New York City Voices* 5(3), 2000. Hamilton, T. Dual Recovery, Self-Help Support (Part One). Nashville, TN: Dual Diagnosis Recovery Network, 2001.

Han, C., and Wisdom, G. Sexually Abused Women in Substance Abuse Treatment: Outcomes. NEDS Fact Sheet 20. Fairfax, VA: National Evaluation Data Services, 1999.

Hare, R.D. The Hare PCL-R: Some issues concerning its use and misuse. *Legal and Criminological Psychology* 3(Part 1):99–119, 1998.

Hargreaves, W.A., Shumway, M., Hu, T.W., and Cuffel, B. Cost-Outcome Methods for Mental Health. San Diego, CA: Academic Press, 1998.

Harris, B., Lovett, L., Newcombe, R.G., Read, G.F., Walker, R., and Riad-Fahmy, D.
Maternity blues and major endocrine changes: Cardiff puerperal mood and hormone study II. *British Medical Journal* 308(6934):949–953, 1994.

Harris, M. Modifications in service delivery and clinical treatment for women diagnosed with severe mental illness who are also the survivors of sexual abuse trauma. *Journal of Mental Health Administration* 21(4):397–406, 1994.

Harris, M. Treating sexual abuse trauma with dually diagnosed women. *Community Mental Health Journal* 32(4):371–385, 1996.

Harris, M., and Community Connections Trauma Work Group. Trauma Recovery and Empowerment: A Clinician's Guide for Working with Women in Groups. New York: Simon & Schuster, 1998.

Harris, M., and Fallot, R.D. Designing trauma-informed addictions services. In: Harris, M., and Fallot, R.D., eds. Using Trauma Theory to Design Service Systems. New Directions for Mental Health Services, No. 89. San Francisco: Jossey-Bass, 2001. pp. 57–73.

Hartman, E.A., and Feinauer, D. Human resources for the next decade. Administration and Policy in Mental Health 22(1):27–37, 1994.

Hatsukami, D., Mitchell, J.E., Eckert, E.D., and Pyle, R. Characteristics of patients with bulimia only, bulimia with affective disorder, and bulimia with substance abuse problems. *Addictive Behaviors* 11(4):399–406, 1986.

Haustein, K.O., Haffner, S., and Woodcock,
B.G. A review of the pharmacological and psychopharmacological aspects of smoking and smoking cessation in psychiatric patients. *International Journal of Clinical Pharmacology and Therapeutics* 40(9):404–418, 2002.

Health Care Financing Administration. Key Approaches to the Use of Managed Care Systems for Persons with Special Health Care Needs: Guidance for States Considering the Development Medicaid Managed Care Programs for Persons with Special Needs. Baltimore, MD: Health Care Financing Administration, 1998.

Hedlung, J.L., Vieweg, B.W. The Hamilton Rating Scale for Depression: A comprehensive review. *Journal of Operational Psychiatry* 10:149–165, 1979.

Hendrickson, E., and Schmal, M. "Dual Diagnosis Treatment: An 18-Year Perspective." Paper presented at the MISA Conference sponsored by MCP-Hahnemann University, Philadelphia, September 2000.

Hendrickson, E., Schmal, M., Albert, N., and Massaro, J. Dual Disorder Treatment: Perspectives on the State of the Art. New York: The Information Exchange (TIE), 1994.

Hendrickson, E.L., Schmal, M.S., and Cousins, J. Modifying group treatment for seriously mentally ill substance abusers. *The Counselor* 14(2):18–23, 1996. Henzel, H.A. Diagnosing alcoholism in patients with anorexia nervosa. *American Journal of Drug and Alcohol Abuse* 10(3):461–466, 1984.

Herman, J.L. *Trauma and Recovery*. Rev. ed. New York: Basic Books, 1997.

Herzog, D.B., Keller, M.B., Sacks, N.R., Yeh, C.J., and Lavori, P.W. Psychiatric comorbidity in treatment-seeking anorexics and bulimics. *Journal of the American Academy* of Child and Adolescent Psychiatry 31(5):810–818, 1992.

Herzog, W., Deter, H.C., Fiehn, W., and Petzold, E. Medical findings and predictors of long-term physical outcome in anorexia nervosa: A prospective, 12-year follow-up study. *Psychological Medicine* 27(2):269–279, 1997.

Higgins, S.T. Potential contributions of the community reinforcement approach and contingency management to broadening the base of substance abuse treatment. In: Tucker, J.A., Donovan, D.M., and Marlatt, G.A., eds. Changing Addictive Behavior: Bridging Clinical and Public Health Strategies. New York: Guilford Press, 1999. pp. 283–306.

Higgins, S.T., and Petry, N.M. Contingency management: Incentives for sobriety. Alcohol Research and Health 23(2):122–127, 1999.

Higgins, S.T., Stitzer, M.L., Bigelow, G.E., and Liebson, I.A. Contingent methadone delivery: Effects on illicit-opiate use. *Drug and Alcohol Dependence* 17(4):311–322, 1986.

Hiller, M.L. Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice & Behavior* 25(4):463–481, 1998.

Hiller, M.L., Knight, K., Broome, K.M., and Simpson, D.D. Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice & Behavior* 25(4):463–481, 1998.

Hiller, M.L., Knight, K., and Simpson, D.D. Prison-based substance abuse treatment, residential aftercare and recidivism. *Addiction* 94(6):833–842, 1999. Hockey, S., Brown, L.J., and Lunt, H. Prevalence of insulin self-manipulation in young women with insulin dependent diabetes. *New Zealand Medical Journal* 106(967):474–476, 1993.

Hoek, H.W. The incidence and prevalence of anorexia nervosa and bulimia nervosa in primary care. *Psychological Medicine* 21(2):455–460, 1991.

Hoek, H.W., and van Hoeken, D. Review of the prevalence and incidence of eating disorders. *International Journal of Eating Disorders* 34(4):383–396, 2003.

Hoffmann, N.G., Mee-Lee, D., and Shulman, G.D. *LOCI-2R: Level of Care Index-2R.* Smithfield, RI: Evince Clinical Assessments, 2001.

Holderness, C.C., Brooks-Gunn, J., and Warren, M.P. Co-morbidity of eating disorders and substance abuse: Review of the literature. *International Journal of Eating Disorders* 16(1):1–34, 1994.

Hollander, E., DeCaria, C.M., Finkell, J.N., Begaz, T., Wong, C.M., and Cartwright, C. A randomized double-blind fluvoxamine/placebo crossover trial in pathologic gambling. *Biological Psychiatry* 47(9):813–817, 2000.

Hubbard, R.L., Craddock, S.G., Flynn, P.M., Anderson, J., and Etheridge, R.M. Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors* 11(4):261–278, 1997.

Hubbard, R.L., Marsden, M.E., Rachal, J.V., Harwood, H.J., Cavanaugh, E.R., and Ginzburg, H.M. Drug Abuse Treatment: A National Study of Effectiveness. Chapel Hill, NC: University of North Carolina Press, 1989. Hubbard, R.L., Rachal, J.V., Craddock, S.G., and Cavanaugh, E.R. Treatment Outcome Prospective Study (TOPS): Client characteristics and behaviors before, during, and after treatment. In: Tims, F.M., and Ludford, P.J., eds. Drug Abuse Treatment Evaluation: Strategies, Progress, and Prospects. NIDA Research Monograph 51. Washington, DC: Superintendent of Documents, US Government Printing Office, 1984. pp. 42–68.

Hudson, J.I., Pope, H.G., Jr., Jonas, J.M., and Yurgelun-Todd, D. Family history study of anorexia nervosa and bulimia. *British Journal of Psychiatry* 142:133–138, 1983*a*.

Hudson, J.I., Pope, H.G., Jr., Jonas, J.M., and Yurgelun-Todd, D. Phenomenologic relationship of eating disorders to major affective disorder. *Psychiatry Research* 9(4):345–354, 1983b.

Hudson, J.I., Weiss, R.D., Pope, H.G., Jr., McElroy, S.K., and Mirin, S.M. Eating disorders in hospitalized substance abusers. *American Journal of Drug and Alcohol Abuse* 18(1):75–85, 1992.

Hughes, J.R. Clinical implications of the association between smoking and alcoholism. In: Fertig, J.B., and Allen, J.P., eds. Alcohol and Tobacco: From Basic Science to Clinical Practice. NIAAA Research Monograph No. 30. NIH Publication No. 95–3931. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism. pp. 171–185, 1995.

Hughes, J.R. Treating smokers with current or past alcohol dependence. *American Journal* of *Health Behavior*, 20(5):286–290, 1996.

Hughes, J.R., Rose, G.L., and Callas, P.W. Nicotine is more reinforcing in smokers with a past history of alcoholism than in smokers without this history. *Alcoholism: Clinical and Experimental Research* 24(11):1633–1638, 2000.

Hurlburt, M.S., Hough, R.L., and Wood, P.A. Effects of substance abuse on housing stability of homeless mentally ill persons in supported housing. *Psychiatric Services* 47(7):731–736, 1996. Hurt, R.D., Eberman, K.M., Croghan, I.T., Offord, K.P., Davis, L.J., Jr., Morse, R.M., Palmen, M., and Bruce, B.K. Nicotine dependence treatments during inpatient treatment for other addictions: A prospective intervention trial. *Alcoholism: Clinical and Experimental Research* 18(4):867–872, 1994.

Hurt, R.D., Offord, K.P., Croghan, I.T., Gomez-Dahl, L., Kottke, T.E., Morse, R.M., and Melton, L.J., III. Mortality following inpatient addictions treatment: Role of tobacco use in a community-based cohort. *Journal* of the American Medical Association 275(14):1097–1103, 1996.

Hser, Y., Grella, C., Hubbard, R.L., Hsieh,
S., Fletcher, B.W., Brown, B.S., and Anglin,
M.D. An evaluation of drug treatment for adolescents in 4 US cities. Archives of General Psychiatry 58:689–695, 2001.

Inciardi, J.A., Martin, S.S., and Surratt, H.L. Therapeutic communities in prisons and work release: Effective modalities for druginvolved offenders. In: Rawlings, B., and Yates, R., eds. *Therapeutic Communities for the Treatment of Drug Users*. London: Jessica Kingsley Publishers, 2001.

Inskip, H.M., Harris, E.C., and Barraclough, B. Lifetime risk of suicide for affective disorder, alcoholism and schizophrenia. *British Journal of Psychiatry* 172:35–37, 1998.

Institute of Medicine. *Homelessness, Health, and Human Needs.* Washington, DC: National Academy Press, 1988.

Institute of Medicine. Pathways of Addiction: Opportunities in Drug Abuse Research. Washington, DC: National Academy Press, 1996.

Integrating Systems of Care: What We Know From ACCESS. Delmar, NY: National Resource Center on Homelessness and Mental Illness, 1999.

Irvin, J.E., Bowers, C.A., Dunn, M.E., and Wang, M.C. Efficacy of relapse prevention: A meta-analytic review. *Journal of Consulting* and Clinical Psychology 67(4):563–571, 1999. Jacobsen, L.K., Southwick, S.M., and Kosten, T.R. Substance use disorders in patients with posttraumatic stress disorder: A review of the literature. *American Journal of Psychiatry* 158(8):1184–1190, 2001.

Jerrell, J.M., Hu, T.W., and Ridgely, M.S. Cost-effectiveness of substance disorder interventions for people with severe mental illness. *Journal of Mental Health Administration* 21(3):283–297, 1994.

Jerrell, J.M., and Ridgely, M.S. Gender differences in the assessment of specialized treatments for substance abuse among people with severe mental illness. *Journal of Psychoactive Drugs* 27(4):347–355, 1995.

Jerrell, J.M., and Wilson, J.L. Ethnic differences in the treatment of dual mental and substance disorders: A preliminary analysis. *Journal of Substance Abuse Treatment* 14(2):133–140, 1997.

Joe, G.W., Brown, B.S., and Simpson, D. Psychological problems and client engagement in methadone treatment. *Journal of Nervous and Mental Disease* 183(11): 704–710, 1995.

Joe, G.W., Knezek, L., Watson, D., and Simpson, D.D. Depression and decision-making among intravenous drug users. *Psychological Reports* 68(1):339–347, 1991.

Johnson, C.L., Stuckey, M.K., Lewis, L.D., and Schwartz, D.M. Bulimia: A descriptive survey of 316 cases. *International Journal of Eating Disorders* 2(1):3–16, 1982.

Johnson, D.M., Shea, M.T., Yen, S., Battle, C.L., Zlotnick, C., Sanislow, C.A., Grilo, C.M., Skodol, A.E., Bender, D.S., McGlashan, T.H., Gunderson, J.G., and Zanarini, M.C. Gender differences in borderline personality disorder: Findings from the Collaborative Longitudinal Personality Disorders Study. *Comprehensive Psychiatry* 44(4):284–292, 2003.

Johnson, E.E., Hamer, R., Nora, R.M., Tan, B., Eisenstein, N., and Engelhart, C. The Lie/Bet Questionnaire for screening pathological gamblers. *Psychological Reports* 80(1):83–88, 1997. Johnson, G., and Hunter, R.M. Evaluation of the specialized drug offender program. In: Ross, R.R., and Ross, R.D., eds. Thinking Straight: The Reasoning and Rehabilitation Program for Delinquency Prevention and Offender Rehabilitation. Ottawa, Ontario: Air Training and Publications, 1995. pp. 215–234.

Johnson-Sabine, E., Wood, K., Patton, G., Mann, A., and Wakeling, A. Abnormal eating attitudes in London schoolgirls: A prospective epidemiological study. Factors associated with abnormal response on screening questionnaires. *Psychological Medicine* 18(3):615–622, 1988.

Jonas, J.M., and Gold, M.S. Naltrexone treatment of bulimia: Clinical and theoretical findings linking eating disorders and substance abuse. Advances in Alcohol and Substance Abuse 7(1):29–37, 1988.

Jonas, J.M., Gold, M.S., Sweeney, D., and Pottash, A.L. Eating disorders and cocaine abuse: A survey of 259 cocaine abusers. *Journal of Clinical Psychiatry* 48(2):47–50, 1987.

Jones, H.E., and Johnson, R.E. Pregnancy and substance abuse. *Current Opinion in Psychiatry* 14:187–193, 2001.

Jones, H.E., Velez, M.L., McCaul, M.E., and Svikis, D.S. Special treatment issues for women. In: Strain, E.C., and Stitzer, M., eds. *Methadone Treatment for Opioid Dependence*. Baltimore: Johns Hopkins University Press, 1999. pp. 251–280.

Joseph, A.M., Nichol, K.L., Willenbring, M.L., Korn, J.E., and Lysaght, L.S. Beneficial effects of treatment of nicotine dependence during an inpatient substance abuse treatment program. *Journal of the American Medical Association* 263(22):3043–3046, 1990.

Joseph, A.M., Willenbring, M.L., Nelson, D., and Nugent, S.M. Timing of alcohol and smoking cessation study. *Alcoholism: Clinical* and Experimental Research 26(12):1945–1946, 2002. Karageorge, K. Drug, Alcohol, Medical, and Mental Health Services Desired and Received in NTIES. NEDS Fact Sheet 43. Fairfax, VA: National Evaluation Data Services, 2000.

Karageorge, K. Treatment Benefits the Mental Health of Adolescents, Young Adults, and Adults. NEDS Fact Sheet 78. Fairfax, VA: National Evaluation Data Services, 2001.

Karageorge, K. Mental Health Status of Male and Female Clients Before and After Substance Abuse Treatment. NEDS Fact Sheet 135. Fairfax, VA: National Evaluation Data Services, 2002.

Kasl, C.D. Many Roads, One Journey: Moving Beyond the Twelve Steps. New York: Harper Perennial, 1992.

Katz, D.A., Muehlenbruch, D.R., Brown, R.B., Fiore, M.C., and Baker, T.B.
Effectiveness of a clinic-based strategy for implementing the AHRQ Smoking Cessation Guideline in primary care. *Preventive Medicine* 35(3):293–301, 2002.

Kavanagh, D.J., Young, R., Boyce, L., Clair, A., Sitharthan, T., Clark, D., and Thompson, K. Substance Treatment Options in Psychosis (STOP): A new intervention for dual diagnosis. *Journal of Mental Health* 7(2):135–143, 1998.

Kelly, C., and McCreadie, R.G. Smoking habits, current symptoms, and premorbid characteristics of schizophrenic patients in Nithsdale, Scotland. *American Journal of Psychiatry* 156(11):1751–1757, 1999.

Kendler, K.S., MacLean, C., Neale, M., Kessler, R., Heath, A., and Eaves, L. The genetic epidemiology of bulimia nervosa. *American Journal of Psychiatry* 148(12):1627–1637, 1991.

Kennard, D., and Wilson, S. The modification of personality disturbances in a therapeutic community for drug abusers. *British Journal* of Medical Psychology 52(3):215–221, 1979.

Kessler, R.C. The epidemiology of women and depression. *Journal of Affective Disorders* 74:5–13, 2003. Kessler, R.C., Aguilar-Gaxiola, S., Andrade, L., Bijl, R., Borges, G., Caraveo-Anduaga, J.J., DeWit, D.J., Kolody, B., Merikangas, K.R., Molnar, B.E., Vega, W.A., Walters, E.E., and Wittchen, H.-U. Cross-national comparisons of comorbidities between substance use disorders and mental disorders: Results from the International Consortium in Psychiatric Epidemiology. In: Bukoski, W.J., and Sloboda, Z. (eds.). Handbook for Drug Abuse Prevention Theory, Science, and Practice. New York: Plenum Publishing Corporation, 2003a.

Kessler, R.C., Berglund, P., Demler, O., Jin, R., Koretz, D., Merikangas, K.R., Rush, A.J., Walters, E.E., and Wang, P.S. The epidemiology of major depressive disorder: Results from the National Comorbidity Survey Replication (NCS-R). JAMA 289(23):3095–3105, 2003b.

Kessler, R.C., Crum, R.M., Warner, L.A., Nelson, C.B., Schulenberg, J., and Anthony, J.C. Lifetime co-occurrence of DSM-III-R alcohol abuse and dependence with other psychiatric disorders in the National Comorbidity Survey. *Archives of General Psychiatry* 54(4):313–321, 1997.

Kessler, R.C., McGonagle, K., Zhao, S., Nelson, C.D., Hughes, M., Eshleman, S., Wittchen, H., and Kendler, K. Lifetime and 12-month prevalence of DSM-III-R psychiatric disorders in the United States: Results from the National Comorbidity Survey. *Archives of General Psychiatry* 51:8–19, 1994.

Kessler, R.C., Nelson, C., and McGonagle, K. The epidemiology of co-occurring addictive and mental disorders: Implications for prevention and service utilization. *American Journal of Orthopsychiatry* 66:17–31, 1996a.

Kessler, R.C., Nelson, C.B., McGonagle, K.A., Liu, J., Swartz, M., and Blazer, D.G.
Comorbidity of DSM-III-R major depressive disorder in the general population: Results from the US National Comorbidity Survey. *British Journal of Psychiatry. Supplement* (30):17–30, 1996b. Kessler, R.C., Sonnega, A., Bromet, E., Hughes, M., and Nelson, C.B. Posttraumatic stress disorder in the national comorbidity survey. *Archives of General Psychiatry* 52:1048–1060, 1995.

Kessler, R.C., and Walters, E.E. The National Comorbidity Survey. In: Tsaung, M.T., and Tohen, M., eds. *Textbook in Psychiatric Epidemiology*, 2d ed. New York: John Wiley & Sons, 2002. pp. 343–362.

Khantzian, E.J. The self-medication hypothesis of substance use disorders: A reconsideration and recent applications. *Harvard Review of Psychiatry* 4(5):231–244, 1997.

Kilpatrick, D.G., Acierno, R., Resnick, H.S., Saunders, B.E., and Best, C.L. A 2-year longitudinal analysis of the relationships between violent assault and substance use in women. *Journal of Consulting and Clinical Psychology* 65(5):834–847, 1997.

Kim, S., Grant, J.E., Adson, D.E., and Shin, Y.C. Double-blind naltrexone and placebo comparison study in the treatment of pathological gambling. *Biological Psychiatry* 49(11):914–921, 2001.

Kim, S., McLeod, J.H., and Shantzis, C.
Cultural competence for evaluators working with Asian-American communities: Some practical considerations. In: Orlandi, M.A., Weston, R., and Epstein, L.G., eds. Cultural Competence for Evaluators: A Guide for Alcohol and Other Drug Abuse Prevention Practitioners Working with Ethnic/Racial Communities. OSAP Cultural Competence Series I. HHS Publication No. (ADM) 92-1884. Rockville, MD: Office for Substance Abuse Prevention, 1992. pp. 203–260.

King, M.B. Eating disorders in general practice. British Medical Journal (Clinical Research Ed.) 293(6559):1412–1414, 1986.

King, M.B. Eating disorders in a general practice population: Prevalence, characteristics and follow-up at 12 to 18 months. *Psychological Medicine Monograph Supplement* 14:1–34, 1989. King, V.L., Brooner, R.K., Kidorf, M.S., Stoller, K.B., and Mirsky, A.F. Attention deficit hyperactivity disorder and treatment outcome in opioid abusers entering treatment. *Journal of Nervous and Mental Disease* 187(18):487–495, 1999.

Kirchner, J.E., Owen, R.R., Nordquist, C., and Fischer, E.P. Diagnosis and management of substance use disorders among inpatients with schizophrenia. *Psychiatric Services* 49(1):82–85, 1998.

Kleber, R.J., Brom, D., and Defares, P.B. Coping With Trauma: Theory, Prevention and Treatment. Lisse, The Netherlands: Swetz & Zeitlinger, 1992.

Kleinsasser, L.D., and Michaud, J.T. "Identifying and tracking seriously mentally ill offenders in the Colorado Department of Corrections." Presentation to the Mental Health in Corrections Consortium, Kansas City, MO, May 2002.

Klitzner, M., and Zweig, J. Clinical Practice Guidelines and Their Dissemination: A Review and Synthesis. Chevy Chase, MD: The CDM Group, Inc., 1999.

Knight, J.R., Goodman, E., Pulerwitz, T., and DuRant, R.H. Adolescent health issues: Reliability of short substance abuse screening tests among adolescent medical patients. *Pediatrics* 105(4):948–953, 2000.

Knight, K., Hiller, M.L., Broome, K.M., and Simpson, D.D. Legal pressure, treatment readiness, and engagement in long-term residential programs. *Journal of Offender Rehabilitation* 31(1–2):101–115, 2000.

Knight, K., Simpson, D.D., Chatham, L.R., and Camacho, L.M. Assessment of prisonbased drug treatment: Texas' in-prison therapeutic community program. *Journal of Offender Rehabilitation* 24(3/4):75–100, 1997.

Knight, K., Simpson, D.D., and Hiller, M.L. Three-year reincarceration outcomes for inprison therapeutic community treatment in Texas. *The Prison Journal* 79(3):337–351, 1999. Kochanek, K.D., and Smith, B.L. Deaths: Preliminary data for 2002. National Vital Statistics Reports, Vol. 52, No. 13.
Hyattsville, MD: National Center for Health Statistics. 2004.

Kofoed, L., Friedman, M.J., and Peck, R. Alcoholism and drug abuse in patients with PTSD. *Psychiatric Quarterly* 64(2):151–171, 1993.

Kozlowski, L.T., Porter, C.Q., Orleans, C.T., Pope, M.A., and Heatherton, T. Predicting smoking cessation with self-reported measures of nicotine dependence: FTQ, FTND, and HSI. *Drug and Alcohol Dependence* 34(3):211–216, 1994.

Kraft, M.K., Rothbard, A.B., Hadley, T.R., McLellan, A.T., and Asch, D.A. Are supplementary services provided during methadone maintenance really cost-effective? *American Journal of Psychiatry* 154(9):1214–1219, 1997.

Krejci, J., and Foulds, J. Engaging clients in tobacco dependence treatment: Assessment and motivational techniques. *Psychiatric Annals* 33:436–444, 2003.

Krejci, J., Steinberg, M.L., and Ziedonis, D. Smoking status and substance abuse severity in a residential treatment sample. *Drug and Alcohol Dependence* 73(3):249–254, 2003.

Kressel, D., De Leon, G., Palij, M., and Rubin, G. Measuring client clinical progress in therapeutic community treatment: The therapeutic community Client Assessment Inventory, Client Assessment Summary, and Staff Assessment Summary. *Journal of Substance Abuse Treatment* 19(3):267–272, 2000.

Kumar, R., Marks, M., Wieck, A., Hirst, D., Campbell, I., and Checkley, S. Neuroendocrine and psychosocial mechanisms in post-partum psychosis. *Progress in Neu*ropsychopharmacology and Biological Psychiatry 17(4):571–579, 1993. Kuhnz, W., Koch, S., Helge, H., and Nau, H.
Primidone and phenobarbital during lactation period in epileptic women: Total and free drug serum levels in the nursed infants and their effects on neonatal behavior.
Developmental Pharmacology and Therapeutics 11(3):147–154, 1988.

Lacey, J.H. Self-damaging and addictive behaviour in bulimia nervosa: A catchment area study. *British Journal of Psychiatry* 163:190–194, 1993.

Lacey, J.H., and Evans, C.D. The impulsivist: A multi-impulsive personality disorder. *British Journal of Addiction* 81(5):641–649, 1986.

Lacey, J.H., and Moureli, E. Bulimic alcoholics: Some features of a clinical sub-group. *British Journal of Addiction* 81(3):389–393, 1986.

Ladouceur, R., and Walker, M. The cognitive approach to understanding and treating pathological gambling. In: Bellack, A.S., and Herson, M., eds. *Comprehensive Clinical Psychology*. New York: Pergamon, 1998. pp. 588–601.

Lam, J.A., and Rosenheck, R. Street outreach for homeless persons with serious mental illness: Is it effective? *Medical Care* 37(9):894–907, 1999.

Lamb, S.J., Greenlick, M.R., and McCarty, D., eds. Bridging the Gap Between Practice and Research: Forging Partnerships With Community-Based Drug and Alcohol Treatment. Washington, DC: National Academy Press, 1998.

Landry, M.J., Smith, D.E., McDuff, D.R., and Baughman, O.L., III. Anxiety and substance use disorders: The treatment of high-risk patients. *Journal of the American Board of Family Practice* 4:447–456, 1991*a*.

Landry, M.J., Smith, D.E., and Steinberg, J.R. Anxiety, depression, and substance use disorders: Diagnosis, treatment, and prescribing practices. *Journal of Psychoactive Drugs* 23(4):397–416, 1991b. Langenbucher, J., Bavly, L., Labouvie, E., Sanjuan, P.M., and Martin, C.S. Clinical features of pathological gambling in an addictions treatment cohort. *Psychology of Addictive Behaviors* 15(1):77–79, 2001.

Lasser, K., Boyd, J.W., Woolhandler, S., Himmelstein, D.U., and McCormick, D. Smoking and mental illness: A populationbased prevalence study. *JAMA* 284(20):2606–2610, 2000.

Laudet, A.B., Magura, S., Vogel, H.S., and Knight, E. Recovery challenges among dually diagnosed individuals. *Journal of Substance Abuse Treatment* 18(4):321–329, 2000.

Le, A.D., Corrigall, W.A., Harding, J.W.S., Juzytsch, W., and Li, T.K. Involvement of nicotinic receptors in alcohol self-administration. *Alcoholism: Clinical and Experimental Research* 24(2):155–163, 2000.

Leaf, P.J., Thompson, K.S., Lam, J.A., Jekel, J.F., Armand, E.T., Evans, A.E., Martinez, J.S., Rodriguez, C., Westman, W.C., Johnston, P., Rowe, M., Hartwell, S., Blue, H., and Harp, T. Partnerships in recovery: Shelter-based services for homeless cocaine abusers. New Haven. *Alcoholism Treatment Quarterly* 10(3–4):77–90, 1993.

Lehman, A.F., and Dixon, L.B., eds. *Double Jeopardy: Chronic Mental Illness and Substance Use Disorders*. Chur, Switzerland: Harwood Academic Publishers, 1995.

Lehman, A.F., and Steinwachs, D.M. Patterns of usual care for schizophrenia: Initial results from the Schizophrenia Patient Outcomes Research Team (PORT) Client Survey. *Schizophrenia Bulletin* 24(1):11–20, 1998.

Lesieur, H.R., and Blume, S.B. The South Oaks Gambling Screen (SOGS): A new instrument for the identification of pathological gamblers. *American Journal of Psychiatry* 144:1184–1188, 1987.

Lesieur, H.R., and Blume, S.B. Evaluation of patients treated for pathological gambling in a combined alcohol, substance abuse and pathological gambling treatment unit using the Addiction Severity Index. *British Journal* of Addiction 86:1017–1028, 1991. Lesieur, H.R., Blume, S., and Zoppa, R. Alcoholism, drug abuse and gambling. *Alcoholism: Clinical and Experimental Research* 10:33–38, 1986.

Lesieur, H.R., and Rosenthal, R.J.
Pathological gambling: A review of the literature. Prepared for the American Psychiatric Association Task Force on DSM-IV
Committee on Disorders of Impulse Control Not Elsewhere Classified. *Journal of Gambling Studies* 7(1):5–39, 1991.

Leskin, G., Ruzek, J., Friedman, M., and Gusman, F. Effective clinical management of PTSD in primary care settings: Screening and treatment options. *Primary Care Psychiatry* 5(1):3–12, 1999.

Levin, F.R., and Donovan, S.J. Attentiondeficit/hyperactivity disorder, intermittent explosive disorder and eating disorders. In: Graham, A.W., Schultz, T.K., and Wilford, B.B., eds. *Principles of Addiction Medicine*. 2d ed. Chevy Chase, MD: American Society of Addiction Medicine, 1998. pp. 1029–1046.

Levin, F.R., and Evans, S.M. Diagnostic and treatment issues in comorbid substance abuse and adult attention-deficit hyperactivity disorder. *Psychiatric Annals* 31(5):303–312, 2001.

Levin, F.R., Evans, S.M., and Kleber, H.D. Prevalence of adult attention-deficit hyperactivity disorder among cocaine abusers seeking treatment. *Drug and Alcohol Dependence* 52(1):15–25, 1998.

Levinson, I., Galynker, I.I., and Rosenthal, R.N. Methadone withdrawal psychosis. *Journal of Clinical Psychiatry* 56:73–76, 1995.

Ley, A., Jeffery, D.P., McLaren, S., and Siegfried, N. Treatment programmes for people with both severe mental illness and substance misuse. *Cochrane Database System Review* (4):CD001–088, 2000. Linehan, M.M., Schmidt, H., III, Dimeff, L.A., Craft, J.C., Kanter, J., and Comtois, K.A. Dialectical behavior therapy for patients with borderline personality disorder and drug-dependence. *American Journal on Addictions* 8(4):279–292, 1999.

Lovejoy, D.W., Diefenbach, G.J., Licht, D.J., and Tolin, D.F. Tracking levels of psychiatric distress associated with the terrorist events of September 11, 2001: A review of the literature. *Journal of Insurance Medicine* 35(2):114–124, 2004.

Luborsky, L., Barber, J.P., Siqueland, L., McLellan, A.T., and Woody, G. Establishing a therapeutic alliance with substance abusers. In: Onken, L.S., Blaine, J.D., and Boren, J.J., eds. Beyond the Therapeutic Alliance: Keeping the Drug Dependent Individual in Treatment. NIDA Research Monograph 165. NIH Publication No. 97-4142. Rockville, MD: National Institute on Drug Abuse, 1997. pp. 233–244.

Luborsky, L., McLellan, A.T., Woody, G.E., O'Brien, C.P., and Auerbach, A. Therapist success and its determinants. *Archives of General Psychiatry* 42(6):602–611, 1985.

Lucas, A.R., Beard, C.M., O'Fallon, W.M., and Kurland, L.T. 50-year trends in the incidence of anorexia nervosa in Rochester, Minn.: A population-based study. *American Journal of Psychiatry* 148(7):917–922, 1991.

Magura, S., Laudet, A., Mahmood, D., Rosenblum, A., and Knight, E. Adherence to medication regimens and participation in dual-focus self-help groups. *Psychiatric Services* 53(3):310–316, 2002.

Magura, S., Laudet, A., Mahmood, D., Rosenblum, A., Vogel, H., and Knight, E.
Role of self-help processes on achieving abstinence among dually diagnosed persons.
Addictive Behaviors 28(3):399–413, 2003.

Magura, S., Nwakeze, P.C., and Demsky, S.Y. Pre- and in-treatment predictors of retention in methadone treatment using survival analysis. *Addiction* 93(1):51–60, 1998. Maisto, S.A., Carey, K.B., Carey, M.P., Purnine, D.M., and Barnes, K.L. Methods of changing patterns of substance use among individuals with co-occurring schizophrenia and substance use disorder. *Journal of Substance Abuse Treatment* 17(3):221–227, 1999.

Makimoto, K. Drinking patterns and drinking problems among Asian-Americans and Pacific Islanders. *Alcohol Health and Research World* 22(4):270–275, 1998.

Mangweth, B., Hausmann, A., Walch, T., Hotter, A., Rupp, C.I., Biebl, W., Hudson, J.I., and Pope, H.G.J. Body fat perception in eating-disordered men. *International Journal of Eating Disorders* 35(1):102–108, 2004.

Marks, M.N., Wieck, A., Checkley, S.A., and Kumar, R. Life stress and post-partum psychosis: A preliminary report. *British Journal* of *Psychiatric Supplement* May(10):45–49, 1991.

Marlatt, G.A. Relapse prevention: Theoretical rationale and overview of the model. In: Marlatt, G.A., and Gordon, J.R., eds. *Relapse Prevention: Maintenance Strategies in the Treatment of Addictive Behaviors.* New York: Guilford Press, 1985. pp. 3–70.

Marlatt, G.A., Barrett, K., and Daley, D.C. Relapse prevention. In: Galanter, M. and Kleber, H.D., eds. *Textbook of Substance Abuse Treatment*, 2d ed. Washington, DC: American Psychiatric Press, 1999. pp. 353–366.

Marlatt, G.A., and Gordon, J.R., eds. *Relapse Prevention: Maintenance Strategies in the Treatment of Addictive Behaviors.* New York: Guilford Press, 1985.

Martin, S.S., Butzin, C.A., Saum, C.A., and Inciardi, J.A. Three-year outcomes of therapeutic community treatment for druginvolved offenders in Delaware: From prison to work release to aftercare. *The Prison Journal* 79(3):294–320, 1999. Martin, J.E., Calfas, K.J., Patten, C.A., Polarek, M., Hofstetter, C.R., Noto, J., and Beach, D. Prospective evaluation of three smoking interventions in 205 recovering alcoholics: One-year results of Project SCRAP-Tobacco. *Journal of Consulting and Clinical Psychology* 65(1):190–194, 1997.

Martino, S., Carroll, K.M., O'Malley, S.S., and Rounsaville, B.J. Motivational interviewing with psychiatrically ill substance abusing patients. *American Journal on Addictions* 9(1):88–91, 2000.

Massachusetts Council on Compulsive Gambling, The Massachusetts Department of Public Health, and The Division on Addictions at Harvard Medical School. "The results of a national think tank on state-funded gambling treatment programs: A Massachusetts initiative." Unpublished manuscript.

Mayfield, D., McLeod, G., and Hall, P. The CAGE questionnaire: Validation of a new alcoholism instrument. *American Journal of Psychiatry* 131:1121–1123, 1974.

Maynard, C., and Cox, G.B. Psychiatric hospitalization of persons with dual diagnoses:
Estimates from two national surveys.
Psychiatric Services 49(12):1615–1617, 1998.

McAlpine, C., Marshall, C.C., and Doran, N.H. Combining child welfare and substance abuse services: A blended model of intervention. *Child Welfare* 80(2):129–149, 2001.

McAuliffe, W.E., Albert, J., Cordill-London, G., and McGarraghy, T.K. Contributions to a social conditioning model of cocaine recovery. *International Journal of the Addictions* 25(9A–10A):1141–1177, 1990.

McCarthy, B.R., and McCarthy, B.J. Community-based Corrections, 3d ed. Belmont, CA: Wadsworth Publishing Company, 1997.

McConnaughy, E.A., Prochaska, J., and Velicer, W.F. Stages of change in psychotherapy: Measurement and sample profiles. *Psychotherapy: Theory, Research, and Practice* 20(3):368–375, 1983. McCorkle, R., and Young, K. Development of a symptom distress scale. *Cancer Nursing* 1(5):373–378, 1978.

McCormick, R.A. Disinhibition and negative affectivity in substance abusers with and without a gambling problem. *Addictive Behaviors* 18:331–336, 1993.

McElhatton, P. Heart and circulatory system drugs. In: Schaefer, C. Drugs During Pregnancy and Lactation: Handbook of Prescription Drugs and Comparative Risk Assessment. Amsterdam: Elsevier Science B.V., 2001. pp. 116–131.

McElroy, S.L., Arnold, L.M., Shapira, N.A., Keck, P.E.J., Rosenthal, N.R., Karim, M.R., Kamin, M., and Hudson, J.I. Topiramate in the treatment of binge eating disorder associated with obesity: A randomized, placebo-controlled trial. *American Journal of Psychiatry* 160(2):255–261, 2003.

McGeary, K.A., French, M.T., Sacks, S., McKendrick, K., and De Leon, G. Service use and cost by mentally ill chemical abusers: Differences by retention in a therapeutic community. *Journal of Substance Abuse* 11(3):265–279, 2000.

McHugo, G.J., Drake, R.E., Burton, H.L., and Ackerson, T.H. A scale for assessing the stage of substance abuse treatment in persons with severe mental illness. *Journal of Nervous and Mental Disease* 183:762–767, 1995.

McHugo, G.J., Drake, R.E., Teague, G.B., and Xie, H. Fidelity to assertive community treatment. *Psychiatric Services* 50(6):818–824, 1999.

McLellan, A.T., Arndt, I.O., Metzger, D.S., Woody, G.E., and O'Brien, C.P. The effects of psychosocial services in substance abuse treatment. *Journal of the American Medical Association* 269(15):1953–1959, 1993.

McLellan, A.T., and Druley, K.A. Non-random relation between drugs of abuse and psychiatric diagnosis. *Journal of Psychiatric Research* 13(3):179–184, 1977.

- McLellan, A.T., Grissom, G.R., Zanis, D., Randall, M., Brill, P., and O'Brien, C.P. Problem-service "matching" in addiction treatment: A prospective study in 4 programs. Archives of General Psychiatry 54(8):730–735, 1997.
- McLellan, A.T., Kushner, H., Metzger, D., Peters, R., Smith, I., Grissom, G., Pettnati, H., and Argeriou, M. The fifth edition of the Addiction Severity Index. *Journal of Substance Abuse Treatment* 9(3):199–213, 1992.
- McLellan, A.T., Luborsky, L., Cacciola, J., Griffith, J., Evans, F., Barr, H.L., and O'Brien, C.P. New data from the Addiction Severity Index: Reliability and validity in three centers. *Journal of Nervous and Mental Disease* 173(7):412–423, 1985.
- McLellan, A.T., Luborsky, L., Woody, G.E., O'Brien, C.P., and Druley, K.A. Predicting response to alcohol and drug abuse treatment: Role of psychiatric severity. *Archives* of *General Psychiatry* 40:620–625, 1983.
- Meadows, G.N., Palmer, R.L., Newball, E.U., and Kenrick, J.M. Eating attitudes and disorder in young women: A general practice based survey. *Psychological Medicine* 16(2):351–357, 1986.
- Mechanic, D. Evolution of mental health services and areas for change. *New Directions for Mental Health Services* 36:3–13, 1987.
- Mee-Lee, D. Use of patient placement criteria in the selection of treatment. In: Graham, A.W., Schultz, T.K., and Wilford, B.B., eds. *Principles of Addiction Medicine. 2d ed.* Chevy Chase, MD: American Society of Addiction Medicine, 1998. pp. 363–370.
- Mee-Lee, D., Shulman, G.D., Fishman, M., Gastfriend, D.R., and Griffith, J.H., eds.
 ASAM Patient Placement Criteria for the Treatment of Substance-Related Disorders, Second Edition-Revised (ASAM PPC2R).
 Chevy Chase, MD: American Society of Addiction Medicine, Inc., 2001.

- Meisler, A.W. Group treatment of PTSD and comorbid alcohol abuse. In: Young, B.H., and Blake, D.D., eds. Group Treatments for Post-traumatic Stress Disorder.
 Philadelphia, PA: Brunner/Mazel, Inc., 1999. pp. 117–136.
- Meisler, N., Blankertz, L., Santos, A.B., and McKay, C. Impact of assertive community treatment on homeless persons with co-occurring severe psychiatric and substance use disorders. *Community Mental Health Journal* 33(2):113–122, 1997.
- Melnick, G., and De Leon, G. Clarifying the nature of therapeutic community treatment: The Survey of Essential Elements Questionnaire (SEEQ). *Journal of Substance Abuse Treatment* 16(4):307–313, 1999.
- Mendoza, R., and Miller, B.L. Neuropsychiatric disorders associated with cocaine use. *Hospital and Community Psychiatry* 43:677–679, 1992.
- Menezes, P.R., Johnson, S., Thornicroft, G., Marshall, J., Prosser, D., Bebbington, P., and Kuipers, E. Drug and alcohol problems among individuals with severe mental illness in south London. *British Journal of Psychiatry* 168(5):612–619, 1996.
- Messina, N.P., Wish, E.D., and Nemes, S. Therapeutic community treatment for substance abusers with antisocial personality disorder. *Journal of Substance Abuse Treatment* 17(1–2):121–128, 1999.
- Mid-America Addiction Technology Transfer Center. *Psychotherapeutic Medications 2004: What Every Counselor Should Know.* 2004.
- Milberger, S., Biederman, J., Faraone, S.V., Wilens, T., and Chu, M.P. Associations between ADHD and psychoactive substance use disorders: Findings from a longitudinal study of high-risk siblings of ADHD children. *American Journal on Addictions* 6(4):318–329, 1997.

Milby, J.B., Schumacher, J.E., McNamara, C., Wallace, D., and Usdan, S. Initiating abstinence in cocaine abusing dually diagnosed homeless persons. *Drug & Alcohol Dependence* 60(1):55–67, 2000.

Milby, J.B., Schumacher, J.E., Raczynski, J.M., Caldwell, E., Engle, M., Michael, M., and Carr, J. Sufficient conditions for effective treatment of substance abusing homeless persons. *Drug and Alcohol Dependence* 43(1–2):39–47, 1996.

Miller, D., and Guidry, L. Addictions and Trauma Recovery: Healing the Body, Mind, and Spirit. New York: W.W. Norton, 2001.

Miller, G.A. *The Substance Abuse Subtle Screening Inventory (SASSI) Manual.* Springville, IN: SASSI Institute, 1985.

Miller, G.A. *Adult SASSI-3 Manual*. Springville, IN: SASSI Institute, 2000*a*.

Miller, N.S. Medications used with the dually diagnosed. In: Miller, N.S., ed. Treating Coexisting Psychiatric and Addictive Disorders: A Practical Guide. Center City, MN: Hazelden, 1994a, pp. 143–160.

Miller, N.S. The interactions between coexisting disorders. In: Miller, N.S., ed. Treating Coexisting Psychiatric and Addictive Disorders: A Practical Guide. Center City, MN: Hazelden, 1994b. pp. 7–21.

Miller, N.S., ed. *Treating Coexisting Psychiatric and Addictive Disorders: A Practical Guide*. Center City, MN: Hazelden, 1994*c*.

Miller, W.R. Motivational interviewing: Research, practice, and puzzles. *Addictive Behaviors* 21(6):835–842, 1996.

Miller, W.R. Motivational interviewing: IV. Some parallels with horse whispering. *Behavioural and Cognitive Psychotherapy* 28(3):285–292, 2000*b*.

Miller, W.R., Benefield, R.G., and Tonigan, J.S. Enhancing motivation for change in problem drinking: A controlled comparison of two therapist styles. *Journal of Consulting* and Clinical Psychology 61(3):455–461, 1993. Miller, W.R., and Brown, S.A. Why psychologists should treat alcohol and drug problems. *American Psychologist* 52(12):1269–1279, 1997.

Miller, W.R., and Rollnick, S. Motivational Interviewing: Preparing People to Change Addictive Behavior. New York: Guilford Press, 1991.

Miller, W.R., and Rollnick, S. *Motivational Interviewing: Preparing People for Change*. 2d ed. New York: Guilford Press, 2002.

Miller, W.R., Taylor, C.A., and West, J. Focused versus broad-spectrum behavior therapy for problem drinkers. *Journal of Consulting and Clinical Psychology* 48(5):590–601, 1980.

Miller, W.R., and Tonigan, J.S. Assessing drinkers' motivations for change: The Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES). *Psychology of Addictive Behavior* 10(2):81–89, 1996.

Miller, W.R., Zweben, A., DiClemente, C.C., and Rychtarik, R.G. *Motivational Enhancement Therapy Manual: A Clinical Research Guide for Therapists Treating Individuals With Alcohol Abuse and Dependence*. Project MATCH Monograph Series Vol. 2. Rockville, MD: National Institute on Alcohol Abuse and Alcoholism, 1992.

Milmoe, S., Rosenthal, R., Blane, H.T., Chafetz, M.E., and Wolf, I. The doctor's voice: Postdictor of successful referral of alcoholic patients. *Journal of Abnormal Psychology* 72(1):78–84, 1967.

Minkoff, K. An integrated treatment model for dual diagnosis of psychosis and addiction. *Hospital and Community Psychiatry* 40(10):1031–1036, 1989.

Minkoff, K. Model for the Desired Array of Services and Clinical Competencies for a Comprehensive, Continuous, Integrated System of Care. Worcester, MA: University of Massachusetts, Department of Psychiatry, Center for Mental Health Services Research, 1999. Minkoff, K. Developing standards of care for individuals with co-occurring psychiatric and substance use disorders. *Psychiatric Services* 52(5):597–599, 2001*a*.

Minkoff, K. MIDAS: Mental illness drug and alcohol screening tool. 2001b. Unpublished. http://www.kenminkoff.com.

Minkoff, K., and Cline, C. COMPASS (Version 1.0): Comorbidity Program Audit and Self-Survey for Behavioral Health Services. Adult and Adolescent Program Audit Tool for Dual Diagnosis Capability. Co-Occurring Disorders Services Enhancement Toolkit -Tool Number 5. Albuquerque, NM: Zialogic, 2001a.

Minkoff, K., and Cline, C. *The New Mexico Train the Trainers Curriculum*. Santa Fe, NM: New Mexico Department of Health, Behavioral Health Services Division, 2001b.

Minkoff, K., and Drake, R., eds. *Dual Diagnosis of Major Mental Illness and Substance Disorder*. San Francisco: Jossey-Bass, 1991.

Mitchell, J.E., Boutacoff, L.I., Hatsukami, D., Pyle, R.L., and Eckert, E.D. Laxative abuse as a variant of bulimia. *Journal of Nervous* and Mental Disease 174(3):174–176, 1986.

Mitchell, J.E., Hatsukami, D., Eckert, E.D., and Pyle, R.L. Characteristics of 275 patients with bulimia. *American Journal of Psychiatry* 142(4):482–485, 1985.

Mitchell, J.E., Pyle, R., Eckert, E.D., and Hatsukami, D. The influence of prior alcohol and drug abuse problems on bulimia nervosa treatment outcome. *Addictive Behaviors* 15(2):169–173, 1990.

Monti, P.M., Rohsenow, D.J., Rubonis, A.V., Niaura, R.S., Sirota, A.D., Colby, S.M., Goddard, P., and Abrams, D.B. Cue exposure with coping skills treatment for male alcoholics: A preliminary investigation. *Journal of Consulting and Clinical Psychology* 61(6):1011–1019, 1993. Moolchan, E.T., Radzius, A., Epstein, D.H., and Uhl, G. The Fagerstrom Test for Nicotine Dependence and the Diagnostic Interview Schedule: Do they diagnose the same smokers? *Addictive Behaviors* 27(1):101–113, 2002.

Moore, G.E., and Mears, D.P. Voices from the Field: Practitioners Identify Key Issues in Corrections-Based Drug Treatment. Washington, DC: The Urban Institute, 2003.

Moos, R.H. Coping Responses Inventory: Adult Form. Professional Manual. Odessa, FL: Psychological Assessment Resources, 1993.

Moos, R.H., Finney, J.W., Federman, E.B., and Suchinsky, R. Specialty mental health care improves patients' outcomes: Findings from a nationwide program to monitor the quality of care for patients with substance use disorders. *Journal of Studies on Alcohol* 61(5):704–713, 2000.

Morgan, H.G., Purgold, J., and Welbourne, J. Management and outcome in anorexia nervosa: A standardized prognostic study. *British Journal of Psychiatry* 143:282–287, 1983.

Morrissey, J., Calloway, M., Johnsen, M., and Ullman, M. Service system performance and integration: A baseline profile of the ACCESS demonstration sites. Access to Community Care and Effective Services and Supports. *Psychiatric Services* 48(3):374–380, 1997.

Morse, G.A., Calsyn, R.J., Allen, G., Tempelhoff, B., and Smith, R. Experimental comparison of the effects of three treatment programs for homeless mentally ill people. *Hospital and Community Psychiatry* 43(10):1005–1010, 1992.

Morse, G.A., Calsyn, R.J., Klinkenberg, W.D., Trusty, M.L., Gerber, F., Smith, R., Tempelhoff, B., and Ahmad, L. An experimental comparison of three types of case management for homeless mentally ill persons. *Psychiatric Services* 48(4):497–503, 1997. Moser, A.E., and Annis, H.M. The role of coping in relapse crisis outcome: A prospective study of treated alcoholics. *Addiction* 91(8):1101–1113, 1996.

Mortola, J.F. The use of psychotropic agents in pregnancy and lactation. *Psychiatric Clinics* of North America 12:69–88, 1989.

Mueser, K.T., Bennett, M., and Kushner, M.G.
Epidemiology of substance use disorders among persons with chronic mental illnesses.
In: Lehman, A.F., and Dixon, L.B., eds.
Double Jeopardy: Chronic Mental Illness and Substance Use Disorders. Chur, Switzerland: Harwood Academic Publishers, 1995a. pp. 9–25.

Mueser, K.T., Bond, G.R., Drake, R.E., and Resnick, S.G. Models of community care for severe mental illness: A review of research on case management. *Schizophrenia Bulletin* 24(1):37–74, 1998.

Mueser, K.T., Drake, R.E., Clark, R.E., McHugo, G.J., Mercer-McFadden, C., and Ackerson, T.H. *Toolkit for Evaluating Substance Abuse in Persons with Severe Mental Illness.* Cambridge, MA: Evaluation Center, Human Services Research Institute, 1995b.

Mueser, K.T., Drake, R.E., and Miles, K.M. The course and treatment of substance use disorder in persons with severe mental illness. In: Onken, L.S., Blaine, J.D., Genser, S., and Horton, A.M., eds. *Treatment of Drug-Dependent Individuals With Comorbid Mental Disorders*. NIDA Research Monograph 172. NIH Publication No. 97-4172. Rockville, MD: National Institute on Drug Abuse, 1997. pp. 86–109.

Mueser, K.T., Yarnold, P.R., and Bellack, A.S. Diagnostic and demographic correlates of substance abuse in schizophrenia and major affective disorder. *Acta Psychiatrica Scandinavica* 85(1):48–55, 1992. Mueser, K.T., Yarnold, P.R., Levinson, D.F., Singh, H., Bellack, A.S., Kee, K., Morrison, R.L., and Yadalam, K.G. Prevalence of substance abuse in schizophrenia: Demographic and clinical correlates. *Schizophrenia Bulletin* 16(1):31–56, 1990.

Mueser, K.T., Yarnold, P.R., Rosenberg, S.D., Swett, C., Jr., Miles, K.M., and Hill, D.
Substance use disorder in hospitalized severely mentally ill psychiatric patients: Prevalence, correlates, and subgroups. Schizophrenia Bulletin 26(1):179–192, 2000.

Murphy, G.E., and Wetzel, R.D. Lifetime risk of suicide in alcoholism. *Archives of General Psychiatry* 47(4):383–392, 1990.

Nace, E.P. Substance abuse and personality disorder. *Journal of Chemical Dependency* 3(2):183–198, 1990.

Nadeau, L., Landry, M., and Racine, S. Prevalence of personality disorders among clients in treatment for addiction. *Canadian Journal of Psychiatry* 44(6):592–596, 1999.

Najavits, L.M. Training clinicians in the Seeking Safety treatment protocol for posttraumatic stress disorder and substance abuse. *Alcoholism Treatment Quarterly* 18(3):83–98, 2000.

Najavits, L.M. Seeking Safety: A Treatment Manual for PTSD and Substance Abuse. New York: Guilford Press, 2002.

Najavits, L.M., Crits-Christoph, P., and Dierberger, A. Clinicians' impact on the quality of substance use disorder treatment. *Substance Use and Misuse* 35(12–14): 2161–2190, 2000.

Najavits, L.M., Griffin, M.L., Luborsky, L., Frank, A., Weiss, R.D., Liese, B.S., Siqueland, L., Daley, D., and Onken, L.S. Therapists' emotional reactions to substance abusers: A new questionnaire and initial findings. *Psychotherapy: Theory, Research, Practice, Training* 32(4):669–677, 1995.

Najavits, L.M., and Weiss, R.D. Variations in therapist effectiveness in the treatment of patients with substance use disorders: An empirical review. *Addiction* 89(6):679–688, 1994. Najavits, L.M., Weiss, R.D., Reif, S., Gastfriend, D.R., Siqueland, L., Barber, J.P., Butler, S.F., and Thase, M. The Addiction Severity Index as a screen for trauma and posttraumatic stress disorder. *Journal of Studies on Alcohol* 59(1):56–62, 1998.

Najavits, L.M., Weiss, R.D., and Shaw, S.R. The link between substance abuse and posttraumatic stress disorder in women: A research review. *American Journal on Addictions* 6(4):273–283, 1997.

Narrow, W.E., Regier, D.A., Rae, D.S.,
Manderscheid, R.W., and Locke, B.Z. Use of services by persons with mental and addictive disorders: Findings from the National Institute of Mental Health Epidemiologic Catchment Area Program. Archives of General Psychiatry 50(2):95–107, 1993.

National Advisory Council, Substance Abuse and Mental Health Services Administration. Improving Services for Individuals at Risk of, or with, Co-Occurring Substance-Related and Mental Health Disorders. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1997.

National Alliance for the Mentally III. *Recommended PACT Standards for New Teams*. Arlington, VA: National Alliance for the Mentally III, 1999.

National Association of State Mental Health Program Directors and National Association of State Alcohol and Drug Abuse Directors. *National Dialogue on Co-Occurring Mental Health and Substance Abuse Disorders.* Washington, DC: National Association of State Alcohol and Drug Abuse Directors, 1999. National Association of State Mental Health Program Directors and National Association of State Alcohol and Drug Abuse Directors. *Financing and Marketing the New Conceptual Framework for Co-Occurring Mental Health and Substance Abuse Disorders: A Blueprint for Systems Change.* Alexandria, VA: National Association of State Mental Health Program Directors and National Association of State Alcohol and Drug Abuse Directors, 2000.

National Council on Problem Gambling. "1998 National Survey of Problem Gambling Programs: Report to the National Gambling Impact Study Commission." Unpublished manuscript.

National Institute on Alcohol Abuse and Alcoholism. *Motivational Enhancement Therapy Manual*. Project MATCH Series, vol 2. NIH Pub. No. 94-3723. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, 1994.

National Institute on Drug Abuse. Consensus Statement on Evaluation of Outcome of Pharmacotherapy for Substance Abuse/ Dependence, Report from a NIDA/CPDD Meeting Held in Washington, DC April 23–24, 1999. Bethesda, MD: National Institute on Drug Abuse, 1999b.

National Institute on Drug Abuse. How Good Is Your Drug Abuse Treatment Program? A Guide to Evaluation. Rockville, MD: National Institutes of Health, 1993.

National Institute on Drug Abuse. Mental Health Assessment and Diagnosis of Substance Abusers. Clinical Report Series. NIH Publication No. 94-3846. Bethesda, MD: National Institutes of Health, 1994.

National Institute on Drug Abuse. Principles of Drug Addiction Treatment: A Research-Based Guide. NIH Publication No. 00-4180.
Bethesda, MD: National Institutes of Health, 1999. National Institute on Drug Abuse. Recovery Training and Self Help: Relapse Prevention and Aftercare for Drug Addicts. NIH Publication No. 93-3521. Rockville, MD: National Institute on Drug Abuse, 1993.

National Law Center on Homelessness and Poverty. Out of Sight—Out of Mind? A Report on Anti-Homeless Laws, Litigation, and Alternatives in 50 United States Cities. Washington, DC: National Law Center on Homelessness and Poverty, 1999.

National Research Council, Committee on the Social and Economic Impact of Pathological Gambling, and Committee on Law and Justice. *Pathological Gambling: A Critical Review*. Washington, DC: National Academy Press, 1999.

Nelson, C.B., Heath, A.C., and Kessler, R.C. Temporal progression of alcohol dependence symptoms in the U.S. household population: Results from the National Comorbidity Survey. *Journal of Consulting and Clinical Psychology* 66(3):474–483, 1998.

Nielsen Forman, D., Videbech, P., Hedegaard, M., Dalby, S.J., and Secher, N.J. Postpartum depression: Identification of women at risk. *BJOG: An International Journal of Obstetrics and Gynaecology* 107(10):1210–1217, 2000.

Nigam, R., Schottenfeld, R., and Kosten, T.R. Treatment of dual diagnosis patients: A relapse prevention group approach. *Journal of Substance Abuse Treatment* 9(4):305–309, 1992.

Nilsson, A., Waller, L., Rosengren, A., Adlerberth, A., and Wilhelmsen, L. Cigarette smoking is associated with abnormal involuntary movements in the general male population—a study of men born in 1933. *Biological Psychiatry* 41(6):717–723, 1997.

Nishith, P., Duntley, S.P., Domitrovich, P.P., Uhles, M.L., Cook, B.J., and Stein, P.K. Effect of cognitive behavioral therapy on heart rate variability during REM sleep in female rape victims with PTSD. *Journal of Traumatic Stress* 16(3):247–250, 2003. Noordsy, D.L, and Drake, R.E. Case management. In: Miller, N.S., ed. Treating Coexisting Psychiatric and Addictive Disorders: A Practical Guide. Center City, MN: Hazelden, 1994. pp. 231–244.

North, C.S., Eyrich, K.M., Pollio, D.E., and Spitznagel, E.L. Are rates of psychiatric disorders changing over time in the homeless population? *American Journal of Public Health* 94(1):103–108, 2004.

Oates, M. Management of major mental illness in pregnancy and the puerperium. *Baillieres Best Practice and Research: Clinical Obstetrics and Gynaecology* 3(4):905–920, 1989.

O'Brien, R.W., Johnson, J., and Rickards, L.D. Insights and Inroads: Project Highlights of the CMHS and CSAT Collaborative Demonstration Program for Homeless Individuals. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2000.

Ochberg, F.M. The counting method for ameliorating traumatic memories. *Journal of Traumatic Stress* 9(4):873–880, 1996.

O'Connell, D.F. *Dual Disorders: Essentials for Assessment and Treatment*. New York: Haworth Press, 1998.

Office of Applied Studies. Substance Abuse and Mental Health Statistics Sourcebook. Analytic Series A-4. HHS Publication No. (SMA) 98-3170. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1998.

Office of Applied Studies. Uniform Facility Data Set (UFDS): 1999. Data on Substance Abuse Treatment Facilities. DASIS Series S-13. HHS Publication No. (SMA) 01-3516. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2001.

Office of Applied Studies. National Survey of Substance Abuse Treatment Services (N-SSATS): 2002—Data on Substance Abuse Treatment Facilities. DASIS Series S-19, HHS Publication No. (SMA) 03-3777. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2003a. Office of Applied Studies. *Results from the* 2002 National Survey on Drug Use and Health: National Findings. NHSDA Series H-22, HHS Publication No. (SMA) 03-3836. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2003b.

Office of Applied Studies. Overview of Findings from the 2003 National Survey on Drug Use and Health. NSDUH Series H–24, HHS Publication No. (SMA) 04–3963. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2003c.

Office of National Drug Control Policy. National Drug Control Strategy: Strengthening Communities' Response to Drugs and Crime. Washington, DC: Office of National Drug Control Policy, 1995.

Office of the Inspector General, Department of Health and Human Services. Services to Persons with Co-Occurring Mental Health and Substance Abuse Disorders. OEI-05-94-00151. Washington, DC: Department of Health and Human Services, 1995.

Office of the Surgeon General. Mental Health: A Report of the Surgeon General. Rockville, MD: U.S. Public Health Service, 1999.

O'Hara, M.W., Stuart, S., Gorman, L.L., and Wenzel, A. Efficacy of interpersonal psychotherapy for postpartum depression. *Archives of General Psychiatry* 57(11):1039–1045, 2000.

Olincy, A., Young, D.A., and Freedman, R. Increased levels of the nicotine metabolite cotinine in schizophrenic smokers compared to other smokers. *Biological Psychiatry* 42(1):1–5, 1997.

Onken, L.S., Blaine, J., Genser, S., and Horton, A.M., eds. *Treatment of Drug-Dependent Individuals with Comorbid Mental Disorders*. NIDA Research Monograph 172. NIH Publication No. 97-4172. Rockville, MD: National Institute on Drug Abuse, 1997. Ormont, L.R. Establishing transient identification in the group setting. *Modern Psychoanalysis* 24(2):143–156, 1999.

Osher, F.C., and Drake, R.E. Reversing a history of unmet needs: Approaches to care for persons with co-occurring addictive and mental disorders. *American Journal of Orthopsychiatry* 66(1):4–11, 1996.

Osher, F.C., and Kofoed, L.L. Treatment of patients with psychiatric and psychoactive substance abuse disorders. *Hospital and Community Psychiatry* 40(10):1025–1030, 1989.

Ouimette, P.C., Ahrens, C., Moos, R.H., and Finney, J.W. During treatment changes in substance abuse patients with posttraumatic stress disorder: The influence of specific interventions and program environments. *Journal of Substance Abuse Treatment* 15(6):555–564, 1998.

Ouimette, P.C., Finney, J.W., and Moos, R.H. Two-year posttreatment functioning and coping of substance abuse patients with posttraumatic stress disorder. *Psychology of Addictive Behaviors* 13(2):105–114, 1999.

Patten, C.A., Martin, J.E., and Owen, N. Can psychiatric and chemical dependency treatment units be smoke free? *Journal of Substance Abuse Treatment* 13(2):107–118, 1996.

Patten, C.A., Martin, J.E., Myers, M.G., Calfas, K.J., and Williams, C.D.
Effectiveness of cognitive-behavioral therapy for smokers with histories of alcohol dependence and depression. *Journal of Studies on Alcohol* 59(3):327–335, 1998. Patten, C.A., Martin, J.E., Calfas, K.J., Lento, J., and Wolter, T.D. Behavioral treatment for smokers with a history of alcoholism: Predictors of successful outcome. *Journal of Consulting and Clinical Psychology* 69(5):796–801, 2001.

Payne, T.J., Smith, P.O., McCracken, L.M., McSherry, W.C., and Antony, M.M. Assessing nicotine dependence: A comparison of the Fagerstrom Tolerance Questionnaire (FTQ) with the Fagerstrom Test for Nicotine Dependence (FTND) in a clinical sample. Addictive Behaviors 19(3):307–317, 1994.

Pepper, B., Kirshner, M.C., and Ryglewicz, H. The young adult chronic patient: Overview of a population. *Hospital and Community Psychiatry* 32(7):463–469, 1981.

Pepper, B., and Massaro, J. Substance Abuse and Mental/Emotional Disorders: Counselor Training Manual. New York: The Information Exchange, 1995.

Pepper, B., and Ryglewicz, H. Lives at Risk: Understanding and Treating Young People With Dual Disorders. New York: Free Press, 1996. p. 200.

Perry, A., Tarrier, N., Morrissy, R., McCarthy, E., and Limb, K. Randomized controlled trial of efficacy of teaching patients with bipolar disorder to identify early symptoms of relapse and obtain treatment. *British Medical Journal* 318(7177):149–153, 1999.

Perucca, E., and Crema, A. Plasma protein binding of drugs in pregnancy. *Clinical Pharmacokinetics* 7(4):336–352, 1982.

Peters, R.H., Greenbaum, P.E., Steinberg, M.L., and Carter, C.R. Effectiveness of screening instruments in detecting substance use disorders among prisoners. *Journal of Substance Abuse Treatment* 18(4):349–358, 2000. Peters, R.H., and Hills, H.A. Inmates with cooccurring substance abuse and mental health disorders. In: Steadman, H.J., and Cocozza, J.J., eds. *Mental Illness in America's Prisons*. Seattle, WA: National Coalition for the Mentally III in the Criminal Justice System, 1993. pp. 159–212.

Peters, R.H., and Hills, H.A. Intervention Strategies for Offenders with Co-Occurring Disorders: What Works? Delmar, NY: National GAINS Center, 1997.

Peters, R.H., Kearns, W.D., Murrin, M.R., Dolente, A.S., and May, R.L. Examining the effectiveness of in-jail substance abuse treatment. *Journal of Offender Rehabilitation* 19(3/4):1–39, 1993.

Peters, R.H., LeVasseur, M.E., and Chandler, R.K. Correctional treatment for co-occurring disorders: Results of a national survey. *Behavioral Sciences and the Law* 22:563–584, 2004.

Peters, R.H., and Peyton, E. Guideline for Drug Courts on Screening and Assessment.
Washington, DC: Office of Justice Programs, Drug Courts Program Office, 1998.

Peters, R.H., and Steinberg, M.L. Substance abuse treatment services in U.S. prisons. In: Shewan, D., and Davies, J., eds. *Drug Use and Prisons*. Singapore: Harwood Academic Publishers, 2000. pp. 89–116.

Petry, N.M. A comprehensive guide to the application of contingency management procedures in clinical settings. *Drug and Alcohol Dependence* 58:21–22, 2000*a*.

Petry, N.M. Gambling problems in substance abusers are associated with increased sexual risk behaviors. *Addiction* 95(7):1089–1100, 2000*b*.

Petry, N.M. Psychiatric symptoms in problem gambling and non-problem gambling substance abusers. *American Journal on Addictions* 9:163–171, 2000*c*. Petry, N.M., and Bickel, W.K. Therapeutic alliance and psychiatric severity as predictors of completion of treatment for opioid dependence. *Psychiatric Services* 50(2):219–227, 1999.

Petry, N.M., Martin, B., Cooney, J., and Kranzier, H.R. Give them prizes and they will come: Contingency management for the treatment of alcohol dependence. *Journal of Consulting and Clinical Psychology* 68(2):250–257, 2000.

Petry, N.M., Martin, B., and Finocche, C. Contingency management in group treatment: A demonstration project in an HIV drop-in center. *Journal of Substance Abuse Treatment* 21(2):89–96, 2001*a*.

Petry, N.M., Petrakis, I., Trevisan, L., Wiredu, G., Boutros, N.N., Martin, B., and Kosten, T.R. Contingency management interventions: From research to practice. *American Journal of Psychiatry* 158(5):1–9, 2001b.

Peveler, R., and Fairburn, C. Eating disorders in women who abuse alcohol. *British Journal* of Addiction 85(12):1633–1638, 1990.

Peveler, R.C., Fairburn, C.G., Boller, I., and Dunger, D. Eating disorders in adolescents with IDDM: A controlled study. *Diabetes Care* 15(10):1356–1360, 1992.

Peyrot, M. Narcotics Anonymous: Its history, structure, and approach. *International Journal of the Addictions* 20(10):1509–1522, 1985.

Piette, J., and Fong, W.X. Health Services for VA Substance Abuse and Psychiatric Patients: Comparison of Utilization in Fiscal Years 2000, 1999, and 1995. Palo Alto, CA: Veterans Affairs Health Care System, Program Evaluation and Resource Center and HSR&D Center for Health Care Evaluation, 2001.

Polonsky, W.H., Anderson, B.J., Lohrer, P.A., Aponte, J.E., Jacobson, A.M., and Cole, C.F. Insulin omission in women with IDDM. *Diabetes Care* 17(10):1178–1185, 1994. Pond, S.M., Kreek, M.J., Tong, T.G., Raghunath, J., and Benowitz, N.L. Altered methadone pharmacokinetics in methadonemaintained pregnant women. *Journal of Pharmacology and Experimental Therapeutics* 233(1):1–6, 1985.

Pope, H.G., Jr., Hudson, J.I., Nixon, R.A., and Herridge, P.L. The epidemiology of ipecac abuse. *New England Journal of Medicine* 314(4):245–246, 1986.

Potenza, M.N. The neurobiology of pathological gambling. *Seminars in Clinical Neuropsychiatry* 6(3):217–226, 2001.

Poussaint, A.F., and Alexander, A. Lay My Burden Down: Unraveling Suicide and the Mental Health Crisis Among African Americans. Boston: Beacon Press, 2000.

Powell, D.J., and Brodsky, A. Clinical Supervision in Alcohol and Drug Abuse Counseling: Principles, Models, Methods. San Francisco: Jossey-Bass, 1993.

Prendergast, M.L., Hall, E.A., Wexler, H.K., Melnick, G., and Cao, Y. Amity prison-based therapeutic community: 5-year outcomes. *Prison Journal* 84(1):36–60, 2004.

Prochaska, J.O., and DiClemente, C.C. Stages of change in the modification of problem behavior. In: Hersen, M., Eisler, R., and Miller, P.M., eds. *Progress in Behavior Modification*. Sycamore, IL: Sycamore Publishing Company, 1992. pp. 184–214.

Prochaska, J.O., DiClemente, C.C., and Norcross, J.C. In search of how people change: Applications to addictive behaviors. *American Psychologist* 47(9):1102–1114, 1992.

Pyle, R.L., Mitchell, J.E., and Eckert, E.D. Bulimia: A report of 34 cases. *Journal of Clinical Psychiatry* 42(2):60–64, 1981.

Quinnett, P., and Bratcher, K. Question, Persuade, Refer, Treat: Suicide Risk Management Inventory User's Manual. Spokane, WA: Greentree Behavioral Health, 1996. Rahav, M., and Link, B.G. When social problems converge: Homeless, mentally ill, chemical misusing men in New York City. *International Journal of the Addictions* 30(8):1019–1042, 1995.

Rahav, M., Rivera, J.J., Nuttbrock, L., Ng-Mak, D., Sturz, E.L., Link, B.G., Struening, E.L., Pepper, B., and Gross, B.
Characteristics and treatment of homeless, mentally ill, chemical-abusing men. *Journal of Psychoactive Drugs* 27(1):93–103, 1995.

Raimo, E.B., and Schuckit, M.A. Alcohol dependence and mood disorders. *Addictive Behaviors* 23(6):933–946, 1998.

Raine, A., Lencz, T., Bihrle, S., LaCasse, L., and Colletti, P. Reduced prefrontal gray matter volume and reduced autonomic activity in antisocial personality disorder. *Archives of General Psychiatry* 57(2):119–127; discussion 128–129, 2000.

Rand, C.S., and Kuldau, J.M. Epidemiology of bulimia and symptoms in a general population: Sex, age, race, and socioeconomic status. *International Journal of Eating Disorders* 11(1):37–44, 1992.

- Raskind, M.A., Peskind, E.R., Kanter, E.D., Petrie, E.C., Radant, A., Thompson, C.E., Dobie, D.J., Hoff, D., Rein, R.J., Straits-Troster, K., Thomas, R.G., and McFall, M.M. Reduction of nightmares and other PTSD symptoms in combat veterans by prazosin: A placebo-controlled study. *American Journal of Psychiatry* 160(2):371–373, 2003.
- Raskind, M.A., Thompson, C., Petrie, E.C., Dobie, D.J., Rein, R.J., Hoff, D.J., McFall, M.E., and Peskind, E.R. Prazosin reduces nightmares in combat veterans with posttraumatic stress disorder. *Journal of Clinical Psychiatry* 63(7):565–568, 2002.
- Rawson, R.A., Obert, J.L., McCann, M.J., and Marinelli-Casey, P. Relapse prevention models for substance abuse treatment. *Psychotherapy* 30(2):284–298, 1993.

Regier, D.A., Farmer, M.E., Rae, D.S., Locke, B.Z., Keith, S.J., Judd, L.L., and Goodwin, F.K. Comorbidity of mental disorders with alcohol and other drug abuse: Results from the Epidemiologic Catchment Area (ECA) study. *Journal of the American Medical Association* 264(19):2511–2518, 1990.

Reilly, P.M., Clark, H.W., Shopshire, M.S., Lewis, E.W., and Sorensen, D.J. Anger management and temper control: Critical components of posttraumatic stress disorder and substance abuse treatment. *Journal of Psychoactive Drugs* 26(4):401–407, 1994.

Research Evaluates Gambling's Impact. Melbourne, Australia: University of Melbourne, 1998.

Richter, K.P., and Ahluwalia, J.S. A case for addressing cigarette use in methadone and other opioid treatment programs. *Journal of Addictive Diseases* 19(4):35–52, 2000.

- Richter, K.P., Gibson, C.A., Ahluwalia, J.S., and Schmelzle, K.H. Tobacco use and quit attempts among methadone maintenance clients. *American Journal of Public Health* 91(2):296–299, 2001.
- Ridgely, M.S., Lambert, D., Goodman, A., and Chichester, C.S. Interagency collaboration in services for people with co-occurring mental illness and substance use disorder. *Psychiatric Services* 49(2):236–238, 1998.
- Ries, R.K. The dually diagnosed patient with psychotic symptoms. *Journal of Addictive Diseases* 12(3):103–122, 1993.
- Ries, R.K., and Comtois, K.A. Managing disability benefits as part of treatment for persons with severe mental illness and comorbid drug/alcohol disorders: A comparative study of payee and non-payee participants. *American Journal on Addictions* 6(4):330–338, 1997.
- Ries, R.K., and Dyck, D.G. Representative payee practices of community mental health centers in Washington State. *Psychiatric Services* 48(6):811–814, 1997.

Ries, R.K., and Miller, N.S. Dual diagnosis: Concept, diagnosis and treatment. In: Dunner, D.L., ed. *Current Psychiatric Therapy*. Philadelphia: W.B. Saunders Company, 1993. pp. 131–138.

Ries, R., Russo, J., Wingerson, D., Snowden, M., Comtois, K.A., Srebnik, D., and Roy-Byrne, P. Shorter hospital stays and more rapid improvement among patients with schizophrenia and substance disorders. *Psychiatric Services* 51(2):210–215, 2000.

Riggs, D.S., Rukstalis, M., Volpicelli, J.R., Kalmanson, D., and Foa, E.B. Demographic and social adjustment characteristics of patients with comorbid posttraumatic stress disorder and alcohol dependence: Potential pitfalls to PTSD treatment. *Addictive Behaviors* 28(9):1717–1730, 2003.

Ritzler, B.A., Strauss, J.S., Vanord, A., and Kokes, R.F. Prognostic implications of various drinking patterns in psychiatric patients. *American Journal of Psychiatry* 134(5):546–549, 1977.

Robert, E., Reuvers, M., and Shaefer, C. Antiepileptics. In: Schaefer, C.H., ed. Drugs During Pregnancy and Lactation: Handbook of Prescription Drugs and Comparative Risk Assessment: With Updated Information on Recreational Drugs. Amsterdam: Elsevier, 2001. pp. 46–57.

Roberts, L.J., Shaner, A., and Eckman, T.A. Overcoming Addictions: Skills Training for People with Schizophrenia. New York: W. W. Norton & Co., 1999.

Robson, E., Edwards, J., Smith, G., and Coleman, I. *Executive Summary of the One Year Community Trial*. Alberta, Canada: Capital Health Authority, Regional Public Health, 2001.

Rodin, G., Craven, J., Littlefield, C., Murray, M., and Daneman, D. Eating disorders and intentional insulin undertreatment in adolescent females with diabetes. *Psychosomatics* 32(2):171–176, 1991. Rog, D.J., and Gutman, M. The Homeless Families Program: A summary of key findings. In: Isaacs, S.L, and Knickman, J.R. (eds.) To Improve Health and Health Care 1997: The Robert Wood Johnson Foundation Anthology. San Francisco: Jossey-Bass Publishers, 1997. pp. 209–231.

Rogers, C.R., Gendlin, E.T., Kiesler, D.T., and Traux, C.B., eds. *The Therapeutic Relationship and Its Impact: A Study of Psychotherapy with Schizophrenics.* Madison, WI: University of Wisconsin Press, 1967.

Rogers, J.R. Suicide and alcohol: Conceptualizing the relationship from a cognitive-social paradigm. *Journal of Counseling and Development* 70(4):540–543, 1992.

Rollnick, S., and Miller, W.R. What is motivational interviewing? *Behavioural and Cognitive Psychotherapy* 23(4):325–334, 1995.

Rosenberg, S.D., Drake, R.E., Wolford, G.L., Mueser, K.T., Oxman, T.E., Vidaver, R.M., Carrieri, K.L., and Luckoor, R. Dartmouth Assessment of Lifestyle Instrument (DALI): A substance use disorder screen for people with severe mental illness. *American Journal of Psychiatry* 155(2):232–238, 1998.

Rosenheck, R., Morrissey, J., Lam, J., Calloway, M., Johnsen, M., Goldman, H., Randolph, F., Blasinsky, M., Fontana, A., Calsyn, R., and Teague, G. Service system integration, access to services, and housing outcomes in a program for homeless persons with severe mental illness. *American Journal* of Public Health 88(11):1610–1615, 1998.

Rosenthal, R.J. Pathological gambling. Psychiatric Annals 22:72–78, 1992.

Rome, E.S. Eating disorders. Obstetrics and Gynecology Clinics of North America 30(2):353–377, 2003.

Root, M.P. Treatment failures: The role of sexual victimization in women's addictive behavior. American Journal of Orthopsychiatry 59(4):542–549, 1989.

Rosenthal, R.J., and Lesieur, H.R. Selfreported withdrawal symptoms and pathological gambling. *American Journal on Addictions* 1:150–154, 1992.

Rosenthal, R.J., and Rugle, L. A psychodynamic approach to the treatment of pathological gambling: Part I. Achieving abstinence. *Journal of Gambling Studies* 10:21–42, 1994.

Rosenthal, R.N. Mental Illness/Chemical Addiction: A Guide for Emergency Services, Assessment and Treatment. New York: New York State Office of Mental Health, 1992.

Rosenthal, R.N., and Miner, C.R. Differential diagnosis of substance-induced psychosis and schizophrenia in patients with substance use disorders. *Schizophrenia Bulletin* 23:187–193, 1997.

Ross, H.E., Glaser, F.B., and Germanson, T. The prevalence of psychiatric disorders in patients with alcohol and other drug problems. *Archives of General Psychiatry* 45(11):1023–1031, 1988.

Rossi, P.H. The old homeless and the new homelessness in historical perspective. *American Psychologist* 45(8):954–959, 1990.

Rosten, K.L. Colorado Department of Corrections Statistical Report: Fiscal Year 2000. Colorado Spring, CO: Colorado Department of Corrections, 2001.

Rounsaville, B., and Caroll, K. Psychiatric disorders in treatment-entering cocaine abusers.
In: Schober, S., and Schade, C., eds. *Epidemiology of Cocaine Use and Abuse.*NIDA Research Monograph Series, Number 110. HHS Pub. No. (ADM) 91-1787.
Rockville, MD: National Institute on Drug Abuse, 1991.

Rounsaville, B.J., Tierney, T., Crits-Cristoph, K., Weissman, M.M., and Kleber, H.D.
Predictors of outcome in treatment of opiate addicts: Evidence for the multidimensional nature of addicts' problems. *Comprehensive Psychiatry* 23:462–478, 1982a. Rounsaville, B.J., Tims, F.M., Horton, A.M., Jr., and Sowder, B.J., eds. *Diagnostic Source Book on Drug Abuse Research and Treatment*. NIH Publication No. 93-3508. Rockville, MD: National Institute on Drug Abuse, 1993.

Rounsaville, B.J., Weissman, M.M., Kleber, H., and Wilber, C. Heterogeneity of psychiatric diagnosis in treated opiate addicts. *Archives of General Psychiatry* 39(2):161–168, 1982b.

Rowland, A.S., Lesesne, C.A., and Abramowitz, A.J. The epidemiology of attention-deficit/hyperactivity disorder (ADHD): A public health view. *Mental Retardation Developmental Diability Research Review* 8(3):162–170, 2002.

Rugle, L. "Understanding Pathological Gamblers in Treatment." Presented at the SAMHSA Symposium on Problem and Pathological Gambling: A Look at the Issues of Mental Health. Washington, DC, 2000.

Rugle, L., and Rosenthal, R.J. Transference and countertransference reactions in the psychotherapy of pathological gamblers. *Journal* of *Gambling Studies* 10:43–65, 1994.

Rutherford, M.J., Cacciola, J.S., and Alterman, A.I. Antisocial personality disorder and psychopathy in cocaine-dependent women. *American Journal of Psychiatry* 156(6):849–856, 1999.

Ryglewicz, H., and Pepper, B. Lives at Risk: Understanding and Treating Young People with Dual Disorders. New York: Free Press, 1996.

Sacks, S. Co-occurring mental and substance use disorders: Promising approaches and research issues. *Substance Use and Misuse* 35(12–14):2061–2093, 2000.

Sacks, S., and De Leon, G. Modified therapeutic communities for dual disorders:
Evaluation overview. In: *Treatment Paradigms: Past, Present, and Future. Proceedings of the Therapeutic Communities of America 1992 National Conference.*Washington, DC: Therapeutic Communities of America, 1992. Sacks, S., De Leon, G., Balistreri, E., Liberty, H.J., McKendrick, K., Sacks, J., Staines, G., and Yagelka, J. Modified therapeutic community for homeless mentally ill chemical abusers: Sociodemographic and psychological profiles. *Journal of Substance Abuse Treatment* 15(6):545–554, 1998a.

Sacks, S., De Leon, G., Bernhardt, A.I., and Sacks, J.Y. A modified therapeutic community for homeless mentally ill chemical abusers.
In: De Leon, G., ed. Community as Method: Therapeutic Communities for Special Populations and Special Settings. Westport, CT: Praeger Publishers/Greenwood Publishing Group, 1997a. pp. 19–37.

Sacks, S., De Leon, G., Bernhardt, A.I., and Sacks, J.Y. *Modified Therapeutic Community for Homeless Mentally III Chemical Abusers: Treatment Manual.* New York: National Development and Research Institutes, 1998b.

Sacks, S., De Leon, G., McKendrick, K., Brown, B., Sacks, J. TC-oriented supported housing for homeless MICAs. *Journal of Psychoactive Drugs*, 35(3):355–366, 2003a.

Sacks, S., and Peters, J. "Modified TC for MICA offenders: Description and interim findings." Paper presented at the GAINS Center National Conference, San Francisco, October, 2002.

Sacks, S., Peters, J., Wexler, H.K., Roebuck, M.C., and De Leon, G. Modified therapeutic community for MICA offenders: Description and interim findings. Unpublished manuscript b.

Sacks, S., Sacks, J.Y., and De Leon, G. Treatment for MICAs: Design and implementation of the modified TC. *Journal of Psychoactive Drugs* 31(1):19–30, 1999.

Sacks, S., Sacks, J., De Leon, G., Bernhardt,
A.I., and Staines, G.L. Modified therapeutic community for mentally ill chemical
"abusers": Background; influences; program description; preliminary findings. Substance Use and Misuse 32(9):1217–1259, 1997b.

Sacks, S., Sacks, J.Y., McKendrick, K., Banks, S., and Stommel, J. Modified TC for MICA offenders: Crime outcomes. Behavioral Sciences and The Law (accepted for publication), 2004.

Sacks, S., Sacks, J.Y., and Stommel, J. Modified TC for MICA Inmates in Correctional Settings: A Program Description. *Corrections Today*, October 2003*b*.

Sacks, S., Skinner, D., Sacks, J., and Peck, A. Manual for Engaging Homeless MICAs in a Shelter Program. New York: National Development and Research Institutes, 2002.

Safer, D.J. Substance abuse by young adult chronic patients. *Hospital and Community Psychiatry* 38(5):511–514, 1987.

Samet, J.H., Rollnick, S., and Barnes, H. Beyond CAGE: A brief clinical approach after detection of substance abuse. *Archives of Internal Medicine* 156(20):2287–2293, 1996.

Saxon, A.J., and Calsyn, D.A. Effects of psychiatric care for dual diagnosis patients treated in a drug dependence clinic. *American Journal of Drug and Alcohol Abuse* 21(3):303–313, 1995.

Saxon, A.J., McGuffin, R., and Walker, R.D. An open trial of transdermal nicotine replacement therapy for smoking cessation among alcohol- and drug-dependent inpatients. *Journal of Substance Abuse Treatment* 14(4):333–337, 1997.

Scheller-Gilkey, G., Woolwine, B.J., Cooper, I., Gay, O., Moynes, K.A., and Miller, A.H. Relationship of clinical symptoms and substance use in schizophrenia patients on conventional versus atypical antipsychotics. *American Journal of Drug and Alcohol Abuse* 29(3):553–566, 2003.

Schorske, B., and Bedard, K. One State's role in building a continuum of care for severe mental illness and chemical dependency. *Community Support Network News* 6(2):10, 1989. Schotte, D.E., and Stunkard, A.J. Bulimia vs. bulimic behaviors on a college campus. *Journal of the American Medical Association* 258(9):1213–1215, 1987.

Schubiner, H., Tzelepis, A., Milberger, S., Lockhart, N., Kelley, B.J., and Schoener, E.P. Prevalence of attention-deficit/hyperactivity disorder and conduct disorder among substance abusers. *Journal of Clinical Psychiatry* 61(4):244–251, 2000.

Schumacher, J.E., Milby, J.B., Caldwell, E., Raczynski, J., Engle, M., Michael, M., and Carr, J. Treatment outcome as a function of treatment attendance with homeless persons abusing cocaine. *Journal of Addictive Diseases* 14(4):73–85, 1995.

Sciacca, K. Integrated treatment approach for severely mentally ill individuals with substance disorders. New Directions for Mental Health Services 50:69–84, 1991.

Seivewright, N., and Daly, C. Personality disorder and drug use: A review. *Drug & Alcohol Review* 16(3):235–250, 1997.

Selzer, M.L. The Michigan Alcoholism Screening Test: The quest for a new diagnostic instrument. *American Journal of Psychiatry* 127:1653–1658, 1971.

Sernyak, M.J., Leslie, D.L., Alarcon, R.D., Losonczy, M.F., and Rosenheck, R. Association of diabetes mellitus with use of atypical neuroleptics in the treatment of schizophrenia. *American Journal of Psychiatry* 159(4):561–566, 2002.

Shaffer, H.J., Hall, M.N., and Vander Bilt, J. Estimating the Prevalence of Disordered Gambling Behavior in the United States and Canada: A Meta-Analysis. Boston: President and Fellows of Harvard College, 1997.

Shaner, A., Roberts, L.J., Eckman, T.A., and Tucker, D.E. Monetary reinforcement of abstinence from cocaine among mentally ill patients with cocaine dependence. *Psychiatric Services* 48(6):807–810, 1997. Shapiro, F. Eye movement desensitization: A new treatment for post-traumatic stress disorder. Journal of Behavior Therapy and Experimental Psychiatry 20:211–217, 1989.

Sharpe, L. Cognitive-behavioral treatment of problem gambling. In: Caballo, V.E., ed. International Handbook of Cognitive and Behavioral Treatments for Psychological Disorders. Oxford: Pergamon/Elsevier Science, 1998. pp. 393–416.

Sheehan, D.V., Lecrubier, Y., Sheehan, K.H., Amorim, P., Janavs, J., Weiller, E., Hergueta, T., Baker, R., and Dunbar, G.C. The Mini-International Neuropsychiatric Interview (M.I.N.I.): The development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *Journal of Clinical Psychiatry* 59(Suppl 20):22–33, 1998.

Shern, D.L., Felton, D.J., Hough, R.L.,
Lehman, A.F., Goldfinger, S., Valencia, E.,
Dennis, D., Straw, R., and Wood, A.A.
Housing outcomes for homeless adults with
mental illness: Results from the second-round
McKinney program. *Psychiatric Services* 48(2), 239–241, 1997.

Shinn, M., Knickman, J.R., and Weitzman, B.C. Social relations and vulnerability to becoming homeless among poor families. *American Psychologist* 46(11):1180–1187, 1991.

Shoptaw, S., and Jarvik, M.E. Contingency management for tobacco smoking in methadone-maintained opiate addicts. Addictive Behaviors 21(3):409–412, 1996.

Sigman, G.S. Eating disorders in children and adolescents. *Pediatric Clinics of North America* 50(5):1139–1177, 2003.

Silberstein, C.H., Metzger, E.J., and Galanter, M. The Greenhouse: A modified therapeutic community for mentally ill homeless addicts at New York University—Bellevue Medical Center. In: De Leon, G. Community as Method: Therapeutic Communities for Special Populations. Westport, CT: Praeger Publishers, 1997. Silverman, K., Svikis, D., Robles, E., Stitzer, M.L., and Bigelow, G.E. A reinforcementbased therapeutic workplace for the treatment of drug abuse: Six-month abstinence outcomes. *Experimental and Clinical Psychopharmacology* 9(1):14–23, 2001.

Simpson, D.D., Joe, G.W., and Broome, K.M. A national 5-year follow-up of treatment outcomes for cocaine dependence. *Archives of General Psychiatry* 59:538–544, 2002.

- Simpson, D.D., Joe, G.W., and Brown, B.S. Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors* 11(4):294–307, 1997*a*.
- Simpson, D.D., Joe, G.W., Fletcher, B.W., Hubbard, R.L., and Anglin, M.D. A national evaluation of treatment outcomes for cocaine dependence. Archives of General Psychiatry 56(6):507–514, 1999.
- Simpson, D.D., Joe, G.W., and Rowan-Szal, G.A. Drug abuse treatment retention and process effects on follow-up outcomes. *Drug* and Alcohol Dependence 47(3):227–235, 1997b.
- Simpson, D.D., Knight, K., and Ray, S. Psychosocial correlates of AIDS-risk drug use and sexual behaviors. *AIDS Education and Prevention* 5(2):121–130, 1993.
- Simpson, D.D., and Sells, S.B. Effectiveness of treatment for drug abuse: An overview of the DARP research program. *Advances in Alcohol and Substance Abuse* 2(1):7–29, 1982.
- Simpson, T.L. Childhood sexual abuse, PTSD, and the functional roles of alcohol use among women drinkers. *Substance Use & Misuse* 38(2):249–270, 2003.

Siris, S.G., and Docherty, J.P. Psychosocial management of substance abuse in schizophrenia. In: Herz, M.I., Keith, S.J., and Docherty, J.P., eds. *Psychosocial Treatment of Schizophrenia*. Handbook of Schizophrenia, Vol. 4. New York: Elsevier, 1990. pp. 339–354. Skinner, H.A. The drug abuse screening test. Journal on Addictive Behaviors 7(4):363–371, 1982.

Skinstad, A.H., and Swain, A. Comorbidity in a clinical sample of substance abusers. *American Journal of Drug and Alcohol Abuse* 27(1):45–64, 2001.

Sloan K.L., Kivlahan D., and Saxon A.J. Detecting bipolar disorder among treatmentseeking substance abusers. *American Journal* of Drug and Alcohol Abuse 26(1):13–23, 2000.

Slutske, W.S., Eisen, S., True, W.R., Lyons, M.J., Goldberg, J., and Tsuang, M. Common genetic vulnerability for pathological gambling and alcohol dependence in men. *Archives of General Psychiatry* 57:666–673, 2000.

- Sobell, L.C., Maisto, S.A., and Sobell, M.B. Reliability of alcohol abusers' self-reports of drinking behavior. *Behavior Research and Therapy* 17(2):157–160, 1979.
- Solomon, J., Zimberg, S., and Shollar, E., eds. Dual Diagnosis: Evaluation, Treatment, Training, and Program Development. New York: Plenum Medical Book Co., 1993.
- Song, F., Raftery, J., Aveyard, P., Hyde, C., Barton, P., and Woolacott, N. Cost-effectiveness of pharmacological interventions for smoking cessation: A literature review and a decision analytic analysis. *Medical Decision Making: An International Journal of the Society for Medical Decision Making* 22(5 Suppl):S26–S37, 2002.
- Sonne, S.C., and Brady, K.T. Substance abuse and bipolar comorbidity. *Psychiatric Clinics* of North America 22(3):609–627, 1999.

Soundy, T.J., Lucas, A.R., Suman, V.J., and Melton, L.J., III. Bulimia nervosa in Rochester, Minnesota from 1980 to 1990. *Psychological Medicine* 25(5):1065–1071, 1995.

Specker, S., and Westermeyer, J. Course and severity of substance abuse in women with comorbid eating disorder. *Substance Abuse* 21(3):137–147, 2000. Stanley, A.H. Primary care and addiction treatment: Lessons learned from building bridges across traditions. *Journal of Addictive Diseases* 18(2):65–82, 1999.

Stapleton, J.A., Russell, M.A., Feyerabend, C., Wiseman, S.M., Gustavsson, G., Sawe, U., and Wiseman, D. Dose effects and predictors of outcome in a randomized trial of transdermal nicotine patches in general practice. Addiction 90(1):31–42, 1995.

Stark, M.J., and Kane, B.J. General and specific psychotherapy role induction with substance-abusing clients. *International Journal* of the Addictions 20(8):1135–1141, 1985.

Stark, M.J., and Campbell, B.K. Cigarette smoking and methadone dose levels. *American Journal of Drug and Alcohol Abuse* 19(2):209–217, 1993*a*.

Stark, M.J. and Campbell, B.K. Drug use and cigarette smoking in applicants for drug abuse treatment. *Journal of Substance Abuse* 5(2):175–181, 1993b.

Steadman, H.J., Fabisiak, S., Dvoskin, J., and Holohean, E.J., Jr. A survey of mental disability among state prison inmates. *Hospital* and Community Psychiatry 38(10): 1086–1090, 1987.

Steadman, H., Mulvey, E., Monahan, J., Robbins, P., Appelbaum, P., Grisso, T., Roth, L., and Silver, E. Violence by people discharged from acute psychiatric inpatient facilities and by others in the same neighborhoods. Archives of General Psychiatry 55:393–401, 1998.

Steele, C.M., and Josephs, R.A. Alcohol myopia: Its prized and dangerous effects. *American Psychologist* 45(8):921–933, 1990.

Stein, L.I., and Santos, A.B. Assertive Community Treatment of Persons with Severe Mental Illness. New York: W.W. Norton, 1998.

Stein, L.I., and Test, M.A. Alternative to mental hospital treatment: I. Conceptual model, treatment program, and clinical evaluation. *Archives of General Psychiatry* 37(4): 392–397, 1980. Steinberg, M.L., Hall, S.M., and Rustin, T. Psychosocial therapies for tobacco dependence in mental health and other substance use populations. *Psychiatric Annals* 33(7):469–478, 2003.

Steinberg, M.L., Williams, J.M., and Ziedonis, D.M. Financial implications of cigarette smoking among individuals with schizophrenia. *Tobacco Control* 13(2):206, 2004a.

Steinberg, M.L., Williams, J.M., Steinberg, H.R., Krejci, J.A., and Ziedonis, D.M. Applicability of the Fagerstrom Test for Nicotine Dependence in smokers with schizophrenia. *Addictive Behaviors*, in press.

Steinberg, M.L., Ziedonis, D.M., Krejci, J.A., and Brandon, T.H. Motivational interviewing with personalized feedback: A brief intervention for motivating smokers with schizophrenia to seek treatment for tobacco dependence. Journal of Consulting and Clinical Psychology 72(4):723–728, 2004b.

Steiner, M. Perinatal mood disorders: Position paper. *Psychopharmacology Bulletin* 34(3):301–306, 1998.

Steiner, M. Postnatal depression: A few simple questions. *Family Practice* 19(5):469–470, 2002.

Steindl, S.R., Young, R.M., Creamer, M., and Crompton, D. Hazardous alcohol use and treatment outcome in male combat veterans with posttraumatic stress disorder. *Journal* of *Traumatic Stress* 16(1):27–34, 2003.

Stevens, S.J., Erickson, J.R., Tent, J.C., Chong, J., and Gianas, P. Therapeutic community model for treatment of homeless alcohol and drug users in Tucson, Arizona. *Alcoholism Treatment Quarterly* 10(3–4):21–33, 1993.

Stinchfield, R., Winters, K.C., Botzet, A., and Jerstand, S. Gambling Treatment Outcome Monitoring System (GAMTOMS): Final Report and User Manual. St. Paul, MN: Mental Health Division, Minnesota Department of Human Services, 2001. Strakowski, S.M., Sax, K.W., McElroy, S.L., Keck, P.E.J., Hawkins, J.M., and West, S.A. Course of psychiatric and substance abuse syndromes co-occurring with bipolar disorder after a first psychiatric hospitalization. *Journal of Clinical Psychiatry* 59(9):465–471, 1998.

Strasser, T.J., Pike, K.M., and Walsh, B.T. The impact of prior substance abuse on treatment outcome for bulimia nervosa. *Addictive Behaviors* 17(4):387–395, 1992.

Strober, M., Freeman, R., Bower, S., Rigali, J. Binge-eating in anorexia nervosa predicts later onset of substance use disorder. *Journal* of Youth and Adolescence, in press.

Stuyt, E.B., Order-Connors, B., and Ziedonis, D.M. Addressing tobacco through program and system change in mental health and addiction settings. *Psychiatric Annals* 33(7):446–456, 2004.

Substance Abuse and Mental Health Services Administration. Action for Mental Health and Substance-Related Disorders: Improving Services for Individuals at Risk of, or with, Co-occurring Substance-Related and Mental Health Disorders. Conference Report and Recommended National Strategy of the SAMHSA National Advisory Council. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1997.

Substance Abuse and Mental Health Services Administration. Substance Abuse and Mental Health Statistics Sourcebook. HHS Publication No. (SMA) 98-3170. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1998.

Substance Abuse and Mental Health Services Administration. Grants for Evaluation of Outpatient Treatment Models for Persons with Co-Occurring Substance Abuse and Mental Health Disorders. GFA TI 00-002. CFDA #93.230. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2000. Substance Abuse and Mental Health Services Administration. \$2.5 Million Awarded in Cooperative Agreements to Improve Substance Abuse Treatment Services. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2001.

Substance Abuse and Mental Health Services Administration. Report to Congress on the Treatment and Prevention of Co-Occurring Substance Abuse and Mental Disorders. Substance Abuse and Mental Health Services Administration, 2002.

Sullivan, J.M., and Evans, K. Integrated treatment for the survivor of childhood trauma who is chemically dependent. *Journal of Psychoactive Drugs* 26(4):369–378, 1994.

Sullivan, J.T., Sykora, K., Schneiderman, J., Naranjo, C.A., and Sellers, E.M. Assessment of alcohol withdrawal: The revised Clinical Institute Withdrawal Assessment for alcohol scale (CIWA-Ar). *British Journal of Addiction* 84(11):1353–1357, 1989.

Sullivan, P.F. Mortality in anorexia nervosa. *American Journal of Psychiatry* 152(7):1073–1074, 1995.

Sussman, S. Smoking cessation among persons in recovery. *Substance Use and Misuse* 37(8-10):1275–1298, 2002.

Swanson, A.J., Pantalon, M.V., and Cohen, K.R. Motivational interviewing and treatment adherence among psychiatric and dually diagnosed patients. *Journal of Nervous* and Mental Disease 187(10):630–635, 1999.

Taber, J.I., McCormick, R.A., Russo, A.M., Adkins, B.J., and Ramirez, L.F. Follow-up of pathological gamblers after treatment. *American Journal of Psychiatry* 144(6):757–761, 1987.

Taylor, A.V., Peveler, R.C., Hibbert, G.A., and Fairburn, C.G. Eating disorders among women receiving treatment for an alcohol problem. *International Journal of Eating Disorders* 14(2):147–151, 1993. Taylor, R.C., Harris, N.A., Singleton, E.G., Moolchan, E.T., and Heishman, S.J. Tobacco craving: Intensity-related effects of imagery scripts in drug abusers. *Experimental and Clinical Psychopharmacology* 8(1):75–87, 2000.

Teague, G.B., Bond, G.R., and Drake, R.E. Program fidelity in assertive community treatment: Development and use of a measure. American Journal of Orthopsychiatry 68(2):216–232, 1998.

Teague, G.B., Drake, R.E., and Ackerson, T.H. Evaluating use of continuous treatment teams for persons with mental illness and substance abuse. *Psychiatric Services* 46(7):689–695, 1995.

Teplin, L.A. The prevalence of severe mental disorder among male urban jail detainees: Comparison with the Epidemiologic Catchment Area Program. *American Journal* of *Public Health* 80(6):663–669, 1990.

Test, M.A. Training in community living. In: Liberman, R.P., ed. *Handbook of Psychiatric Rehabilitation*. New York: Macmillan Publishing, 1992. pp. 153–170.

The Change Book: A Blueprint for Technology Transfer. Kansas City, MO: ATTC National Office, 2000.

Therapeutic Communities of America. Therapeutic Communities in Correctional Settings: The Prison Based TC Standards Development Project. Final Report of Phase II. Washington, DC: Office of National Drug Control Policy, 1999.

Thomas, S.E., Randall, C.L., and Carrigan, M.H. Drinking to cope in socially anxious individuals: A controlled study. *Alcoholism: Clinical and Experimental Research* 27(12):1937–1943, 2003.

Tomasson, K., and Vaglum, P. The role of psychiatric comorbidity in the prediction of readmission for detoxification. *Comprehensive Psychiatry* 39(3):129–136, 1998. Treatment of Persons With Co-occurring Disorders: Program Examples. Unpublished report accompanying the Co-Occurring Institute at the State Systems Development Program V Conference, Orlando, FL, 2000.

Triffleman, E. An overview of trauma exposure, posttraumatic stress disorder, and addictions. In: Kranzler, H.R., and Rounsaville, B.J., eds. Dual Diagnosis and Treatment: Substance Abuse and Comorbid Medical and Psychiatric Disorders. 2d ed. New York: Marcel Dekker, 1998. pp. 263–316.

Triffleman, E. Gender differences in a controlled pilot study of psychosocial treatment in substance dependent patients with posttraumatic stress disorder: Design considerations and outcomes. *Alcoholism Treatment Quarterly* 18(3):113–126, 2000.

Triffleman, E., Carroll, K., and Kellogg, S. Substance dependence posttraumatic stress disorder therapy: An integrated cognitivebehavioral approach. *Journal of Substance Abuse Treatment* 17(1–2):3–14, 1999.

Trotter, C. Double Bind: A Guide to Recovery and Relapse Prevention for the Chemically Dependent Sexual Abuse Survivor. Independence, MO: Herald House/ Independence Press, 1992.

Trotzky, A.S. The treatment of eating disorders as addiction among adolescent females. *International Journal of Adolescent Medicine and Health* 14(4):269–274, 2002.

Tsemberis, S., and Asmussen, S. From streets to homes: The Pathways to Housing Consumer Preference Supported Housing Model. *Alcoholism Treatment Quarterly* 17(1–2):113–131, 1999.

Tsemberis, S., and Eisenberg, R.F. Pathways to Housing: Supported housing for streetdwelling homeless individuals with psychiatric disabilities. *Psychiatric Services* 51(4):487–493, 2000. Tsemberis, S., Moran, L.L., Shinn, M., Asmussen, S.M., and Shern, D.L. Consumer preference programs for homeless individuals with psychiatric disabilities: A drop-in center and a supported housing program. *American Journal of Community Psychology* 32(3-4):305–317, 2003.

Tucker, J.A., Donovan, D.M., and Marlatt, G.A., eds. Changing Addictive Behavior: Bridging Clinical and Public Health Strategies. New York: Guilford Press, 1999.

Tyrer, P., Casey, P., and Ferguson, B.
Personality disorder and mental illness. In:
Tyrer, P., ed. *Personality Disorders: Diagnosis, Management and Course*. Kent,
England: Wright/Butterworth Scientific,
1988. pp. 93–104.

U.S. Census Bureau. Table 1: States Ranked by Population. 2000. Census 2000: PHC-T-2. Ranking Tables for States. 1990 and 2000. Washington, DC: U.S. Census Bureau, 2001.

U.S. Public Health Service, Office of the Surgeon General. The Health Consequences of Smoking: A Report of the Surgeon General, May 2004. Atlanta, GA: Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office of Smoking and Health, 2004.

U.S. Public Health Service. The Surgeon General's Call to Action to Prevent Suicide. Washington, DC, 1999.

Vaillant, G.E. *The Natural History of Alcoholism Revisited*. Cambridge: Harvard University Press, 1995.

Vaiva, G., Ducrocq, F., Jezequel, K., Averland, B., Lestavel, P., Brunet, A., and Marmar, C.R. Immediate treatment with propranolol decreases posttraumatic stress disorder two months after trauma. *Biological Psychiatry* 54(9):947–949, 2003. Valle, S.K. Interpersonal functioning of alcoholism counselors and treatment outcome. *Journal of Studies on Alcohol* 42(9):783–790, 1981.

Varan, L.R., Gillieson, M.S., Skene, D.S., and Sarwer-Foner, G.J. ECT in an acutely psychotic pregnant woman with actively aggressive (homicidal) impulses. *Canadian Journal* of *Psychiatry* 30(5):363–367, 1985.

Verheul R., Kranzler H.R., Poling, J., Tennen H., Ball, S., and Rounsaville, B.J. Co-occurrence of Axis I and Axis II disorders in substance abusers. *Acta Psychiatrica Scandinavica* 101(2):110–118, 2000.

von der Stein, B., and Podoll, K. Self-cutting syndrome in the history of patients with alcoholism. *Neurology, Psychiatry, and Brain Research* 6:190–198, 1999.

Wadsworth, N.S., and Fall Creek, S.J.
Culturally competent care teams. In: Wykle,
M.L., and Ford, A.B., eds. Serving Minority Elders in the 21st Century. New York:
Springer Publishing, 1999. pp. 248–266.

Waid, L.R., Johnson, D.E., and Anton, R.F. Attention-deficit hyperactivity disorder and substance abuse. In: Kranzler, H.R., and Rounsaville, B.J., eds. Dual Diagnosis and Treatment: Substance Abuse and Comorbid Medical and Psychiatric Disorders. 2d ed. New York: Marcel Dekker, 1998. pp. 393–426.

Walfish, S., Stenmark, D.E., Sarco, D., Shealy, J.S., and Krone, A.M. Incidence of bulimia in substance misusing women in residential treatment. *International Journal of the Addictions* 27(4):425–433, 1992. Walitzer, K.S., and Connors, G.J. Gender and treatment of alcohol-related problems. In: Wilsnack, R.W., and Wilsnack, S.C., eds. Gender and Alcohol: Individual and Social Perspectives. New Brunswick, NJ: Rutgers Centers of Alcohol Studies, 1997. pp. 445–461.

Walker, R.D., Howard, M.O., Lambert, M.D., and Suchinsky, R. Psychiatric and medical comorbidities of veterans with substance use disorders. *Hospital and Community Psychiatry* 45(3):232–237, 1994.

Ward, M.F., Wender, P.H., and Reimherr, F.W. The Wender Utah Rating Scale: An aid in the retrospective diagnosis of childhood attention deficit hyperactivity disorder. *American Journal of Psychiatry* 150(6):885–890, 1993.

Watkins, K.E., Burnam, A., Kung, F.-Y., and Paddock, S. A national survey of care for persons with co-occurring mental and substance use disorders. *Psychiatric Services* 52(8):1062–1068, 2001.

Weaver, M.F. Perinatal addiction. In: Graham, A.W., Schultz, T.K., Mayo-Smith, M.F., Ries, R.K, and Wilford, B.B., eds. *Principles of Addiction Medicine*, 3d ed.
Chevy Chase, MD: American Society of Addiction Medicine, 2003. pp. 1231–1246.

Webster, J., Linnane, J.W., Dibley, L.M., and Pritchard, M. Improving antenatal recognition of women at risk for postnatal depression. Australian and New Zealand Journal of Obstetrics and Gynaecology 40(4):409–412, 2000.

Weiner, S. The addiction of overeating: Selfhelp groups as treatment models. *Journal of Clinical Psychology* 54(2):163–167, 1998.

Weisner, C., Mertens, J., Parthasarathy, S., Moore, C., and Lu, Y. Integrating primary medical care with addiction treatment. *JAMA* 286(14):1715–1721, 2001.

Weiss, D.S., and Billings, J.H. Behavioral medicine techniques. In: Goldman, H.H., ed. *Review of General Psychiatry*, 2d ed. Norwalk, CT: Appleton & Lange, 1989. pp. 574–579. Weiss, R.D., Martinez-Raga, J., Griffin, M.L., Greenfield, S.F., and Hufford, C. Gender differences in cocaine dependent patients: A 6 month follow-up study. *Drug and Alcohol Dependence* 44(1):35–40, 1997.

Weiss, R.D., Najavits, L.M., and Greenfield, S.F. A relapse prevention group for patients with bipolar and substance use disorders. *Journal of Substance Abuse Treatment* 16(1):47–54, 1999.

Weiss, R.D., Najavits, L.M., Greenfield, S.F., Soto, J., and Wyner, D. Relapse prevention group therapy for patients with coexisting substance use disorder and bipolar disorder. In: Problems of Drug Dependence 1997. Proceedings of the 59th Annual Scientific Meeting. NIDA Research Monograph 178. NIH Publication No. 98-4305. Rockville, MD: National Institute on Drug Abuse, 1998. p. 253.

Wells, E.A., Peterson, P.L., and Hawkins, J.D. Outpatient treatment for cocaine abuse: A controlled comparison of relapse prevention and twelve-step approaches. *American Journal of Drug and Alcohol Abuse* 20(1):1–17, 1994.

Wells, J.E., Bushnell, J.A., Hornblow, A.R., Joyce, P.R., and Oakley-Browne, M.A. Christchurch Psychiatric Epidemiology Study, Part I: Methodology and lifetime prevalence for specific psychiatric disorders. *Australian & New Zealand Journal of Psychiatry* 23(3):315–326, 1989*a*.

Wells, K.B., Golding, J.M., and Burnam, M.A. Chronic medical conditions in a sample of the general population with anxiety, affective, and substance use disorders. *American Journal of Psychiatry* 146(11):1440–1446, 1989b.

Westefeld, J.S., Range, L.M., Rogers, J.R., Maples, M.R., Bromley, J.L., and Alcorn, J. Suicide: An overview. *Counseling Psychologist* 28(4):445–510, 2000.

Westermeyer, J.J., and Schneekloth, T.D. Course of substance abuse in patients with and without schizophrenia. *American Journal on Addictions* 8(1):55–64, 1999. Westermeyer, J., and Specker, S. Social resources and social function in comorbid eating and substance disorder: A matchedpairs study. *American Journal on Addictions* 8(4):332–336, 1999.

Wewers, M.E., Stillman, F.A., Hartman, A.M., and Shopland, D.R. Distribution of daily smokers by stage of change: Current Population Survey results. *Preventive Medicine* 36(6):710–720, 2003.

Wexler, H., De Leon, G., Thomas, G., Kressel, D., and Peters, J. Amity Prison TC evaluation: Reincarceration outcomes. *Criminal Justice and Behavior* 26(2):147–167, 1999.

White, W.L. Pathways: From the Culture of Addiction to the Culture of Recovery. A Travel Guide for Addiction Professionals. 2d ed. Center City, MN: Hazelden, 1996.

Whitehouse, A.M., Cooper, P.J., Vize, C.V., Hill, C., and Vogel, L. Prevalence of eating disorders in three Cambridge general practices: Hidden and conspicuous morbidity. *British Journal of General Practice* 42(355):57–60, 1992.

Willenbring, M.L., and Olson, D.H. A randomized trial of integrated outpatient treatment for medically ill alcoholic men. *Archives of Internal Medicine* 159(16):1946–1952, 1999.

Williams, V.F., Banks, S.M., Robbins, P.C., Oakley, D., and Dean, J. Final Report on the Cross-Site Evaluation of the Collaborative Program to Prevent Homelessness. Delmar, NY: Policy Research Associates, 2001.

Williams, J.M., and Hughes, J.R. Pharmacotherapy treatments for tobacco dependence among smokers with mental illness or addiction. *Psychiatric Annals* 22(7):457–466, 2003.

Williams, J.M., Ziedonis, D.M. Addressing tobacco among individuals with a mental illness or an addiction. *Addictive Behaviors* 39(6):1067–1083, 2004.

Williams, J.M., Ziedonis, D.M., and Foulds, J. A case series of nicotine nasal spray in the treatment of tobacco dependence among patients with schizophrenia: A case series. *Psychiatric Services* 55(9):1064–1066, 2004. Wilson, J.R. Bulimia nervosa: Occurrence with psychoactive substance use disorders. *Addictive Behaviors* 17(6):603–607, 1992.

Winarski, J.T., and Dubus, P. An Analysis of 16 Federally-Funded Programs for Homeless Individuals with Co-Occurring Mental Health and Substance Use Disorders. Newton Centre, MA: The Better Homes Fund, 1994.

Windle, M. Psychopathy and antisocial personality disorder among alcoholic inpatients. *Journal of Studies on Alcohol* 60(3):330–336, 1999.

Wingerson, D., and Ries, R.K. Assertive Community Treatment for patients with chronic and severe mental illness who abuse drugs. *Journal of Psychoactive Drugs* 31(1):13–18, 1999.

Winters, K.C. Clinicians Guide to Self-Evaluation Workbook for Alcohol and Drug Abuse: Screening for Alcohol and Drug Abuse (SADA). Center City, MN: Hazelden, 1995.

Wolff, N., Helminiak, T.W., Morse, G.A., Calsyn, R.J., Klinkenberg, W.D., and Trusty, M.L. Cost-effectiveness evaluation of three approaches to case management for homeless mentally ill clients. *American Journal of Psychiatry* 154(3):341–348, 1997.

Women for Sobriety. "New Life" Acceptance Program. Quakertown, PA: Women for Sobriety, 1993.

Woody, G.E., and Blaine, J. Depression in narcotic addicts: Quite possibly more than a chance association. In: Dupont, R., Goldstein, A., and O'Donnell, J., eds. *Handbook of Drug Abuse*. Rockville, MD: National Institute on Drug Abuse, 1979. pp. 277–285.

Woody, G.E., Luborsky, L., McLellan, A.T., O'Brien, C.P., Beck, A.T., Blaine, J., Herman, I., and Hole, A. Psychotherapy for opiate addicts: Does it help? *Archives of General Psychiatry* 40(6):639–645, 1983. Woody, G.E., McLellan, A.T., Luborski, L., O'Brien, C.P., Blaine, J., Fox, S., Herman, I., and Beck, A.T. Severity of psychiatric symptoms as a predictor of benefits from psychotherapy: The Veterans Administration-Penn Study. *American Journal of Psychiatry* 141:1172–1177, 1984.

Woody, G.E., McLellan, A.T., O'Brien, C.P., and Luborsky, L. Addressing psychiatric comorbidity. In: Pickens, R.W., Leukefeld, C.G., and Schuster, C.R., eds. *Improving Drug Abuse Treatment*. NIDA Research Monograph 106. Rockville, MD: National Institute on Drug Abuse, 1991. pp. 152–166.

Woolacott, N.F., Jones, L., Forbes, C.A., Mather, L.C., Sowden, A.J., Song, F.J., Raftery, J.P., Aveyard, P.N., Hyde, C.J., and Barton, P.M. The clinical effectiveness and cost-effectiveness of bupropion and nicotine replacement therapy for smoking cessation: A systematic review and economic evaluation. *Health Technology Assessment* 6(16):12–45, 2002.

World Health Organization. International Statistical Classification of Diseases and Related Health Problems. 10th revision ed. Geneva: World Health Organization, 1992.

Wray, I., and Dickerson, M.G. Cessation of high frequency gambling and "withdrawal" symptoms. *British Journal of Addiction* 76:401–405, 1981.

Yehuda, R., ed. Treating Trauma Survivors with PTSD. Washington, DC: American Psychiatric Publishing, Inc., 2002.

Yoshikawa, T., Sugiyama, Y., Sawada, Y., Iga, T., Hanano, M., Kawasaki, S., and Yanagida, M. Effect of late pregnancy on salicylate, diazepam, warfarin, and propranolol binding: Use of fluorescent probes. *Clinical Pharmacology and Therapeutics* 36(2):201–208, 1984.

Young, J.E. Cognitive Therapy for Personality Disorders: A Schema-Focused Approach. Rev. ed. Sarasota, FL: Professional Resource Press, 1994. Zhu, S., Melcer, T., Sun, J., Rosbrook, B., and Pierce, J.P. Smoking cessation with and without assistance: A population-based analysis. *American Journal of Preventive Medicine* 18(4):305–311, 2000.

Zickler, P. Nicotine craving and heavy smoking may contribute to increased use of cocaine and heroin. *NIDA NOTES* 15(5): 2000.

Ziedonis, D.M., and D'Avanzo, K. Schizophrenia and substance abuse. In: Kranzler, H.R., and Rounsaville, B.J., eds. Dual Diagnosis and Treatment: Substance Abuse and Comorbid Medical and Psychiatric Disorders. New York: Marcel Dekker, Inc., 1998.

Ziedonis, D., and Fiester, S. Substance abuse: Nicotine dependence. In: Tasman, A., ed. *Psychiatry*. 2d ed. London: John Wiley and Sons, 2003.

Ziedonis, D.M., and George, T.P. Schizophrenia and nicotine use: Report of a pilot smoking cessation program and review of neurobiological and clinical issues. *Schizophrenia Bulletin* 23(2):247–254, 1997.

Ziedonis, D.M., Kosten, T.R., Glazer, W.M., and Frances, R.J. Nicotine dependence and schizophrenia. *Hospital and Community Psychiatry* 45(3):204–206, 1994.

Ziedonis, D.M., and Stern, R. Dual recovery therapy for schizophrenia and substance abuse. *Psychiatric Annals* 31(4):255–264, 2001.

Ziedonis, D. and Williams, J. Addressing tobacco use in mental health and addiction settings. *Psychiatric Annals* 33(7):425–426, 2003*a*.

Ziedonis, D.M., and Williams, J. Management of smoking in people with psychiatric disorders. *Current Opinion in Psychiatry* 16(3):305–315, 2003*b*.

Ziedonis, D., Williams, J.M., and Smelson, D. Serious mental illness and tobacco addiction: A model program to address this common but neglected issue. *American Journal of Medical Sciences* 326(4):223–230, 2003b. Ziedonis, D.M., and Wyatt, S.A. Psychotic disorders. In: Graham, A.W., Schultz, T.K., and Wilford, B.B., eds. *Principles of Addiction Medicine*. 2d ed. Chevy Chase, MD: American Society of Addiction Medicine, 1998. pp. 1007–1027.

Zilm, D.H., and Sellers, E.M. The quantitative assessment of physical dependence on opiates. *Drug and Alcohol Dependence* 3(6):419–428, 1978. Zimberg, S. Introduction and general concepts of dual diagnosis. In: Solomon, J., Zimberg, S., and Shollar, E., eds. *Dual Diagnosis: Evaluation, Treatment, Training, and Program Development*. New York: Plenum Medical Book Co., 1993. pp. 3–21.

Zukin, S.R., and Zukin, R.S. Phencyclidine.
In: Lowinson, J.H., Ruiz, P., Millman, R.B., and Langrod, J.G., eds. Substance Abuse: A Comprehensive Textbook. Baltimore:
Williams & Wilkins, 1992. pp. 290–302.

Appendix B: Acronyms

AA	Alcoholics Anonymous
AAAP	American Academy of Addiction Psychiatry
AACP	American Association of Community Psychiatrists
ACA	Adult Children of Alcoholics
ACT	Assertive Community Treatment
AD/HD	attention deficit/hyperactivity disorder
ADM	Alcohol, Drug Abuse or Mental Disorders
AHRQ	Agency for Healthcare Research and Quality (formerly AHCPR)
AIDS	acquired immunodeficiency syndrome
AOD	alcohol and other drugs
AOS	addiction only services
APA	American Psychological Association; American Psychiatric Association
APD	antisocial personality disorder
APPI	American Psychiatric Publishing, Inc.
ASAM	American Society of Addiction Medicine
ASI	Addiction Severity Index
ATTC	Addiction Technology Transfer Center
AUDIT	Alcohol Use Disorders Identification Test
AUS	Alcohol Use Scale