



## Appendix A—Bibliography

- Abroms, M., & Sher, L. (2016). Dual disorders and suicide. *Journal of Dual Diagnosis, 12*(2), 148–149. doi:10.1080/15504263.2016.1172898
- Acri, M., Hooley, C. D., Richardson, N., & Moaba, L. B. (2017). Peer models in mental health for caregivers and families. *Community Mental Health Journal, 53*(2), 241–249. doi:10.1007/s10597-016-0040-4
- Afful, S. E., Strickland, J. R., Cottler, L., & Bierut, L. J. (2010). Exposure to trauma: A comparison of cocaine-dependent cases and a community-matched sample. *Drug and Alcohol Dependence, 112*(1–2), 46–53. doi:10.1016/j.drugalcdep.2010.05.012
- Ahmedani, B. K., Peterson, E. L., Hu, Y., Rossom, R. C., Lynch, F., Lu, C. Y., . . . Simon, G. E. (2017). Major physical health conditions and risk of suicide. *American Journal of Preventive Medicine, 53*(3), 308–315. doi:10.1016/j.amepre.2017.04.001
- Ait-Daoud, N., Blevins, D., Khanna, S., Sharma, S., & Holstege, C. P. (2017). Women and addiction. *Psychiatric Clinics of North America, 40*(2), 285–297. doi:10.1016/j.psc.2017.01.005
- Akbar, M., Egli, M., Cho, Y., Song, B., & Noronha, A. (2018). Medications for alcohol use disorders: An overview. *Pharmacology & Therapeutics, 185*, 64–85. doi: 10.1016/j.pharmthera.2017.11.007.
- Alam, D. A., & Martorana, A. (2011). Addiction treatment: Level of care determination. *Primary Care, 38*(1), 125–136. doi:10.1016/j.pop.2010.11.009
- Alarid, L. F., & Rubin, M. (2018). Misdemeanor arrestees with mental health needs: Diversion and outpatient services as a recidivism reduction strategy. *International Journal of Offender Therapy and Comparative Criminology, 62*(3), 575–590. doi:10.1177/0306624x16652892
- Alcorn, J. L., 3rd, Gowin, J. L., Green, C. E., Swann, A. C., Moeller, F. G., & Lane, S. D. (2013). Aggression, impulsivity, and psychopathic traits in combined antisocial personality disorder and substance use disorder. *Journal of Neuropsychiatry and Clinical Neurosciences, 25*(3), 229–232. doi:10.1176/appi.neuropsych.12030060
- Alegria, A. A., Blanco, C., Petry, N. M., Skodol, A. E., Liu, S. M., Grant, B., & Hasin, D. (2013). Sex differences in antisocial personality disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Personality Disorders, 4*(3), 214–222. doi:10.1037/a0031681
- Alexander, M., Layman, D., & Haugland, G. (2013). Validating the Modified Mini Screen (MMS) as a mental health referral screen for public assistance recipients in New York State. Annual Meeting of the American Public Health Association, Boston, MA.
- Alexander, M. J., Haugland, G., Lin, S. P., Bertollo, D. N., & McCorry, F. A. (2008). Mental health screening in addiction, corrections and social service settings: Validating the MMS. *International Journal of Mental Health and Addiction, 6*(1), 105–119.
- Ali, B., Green, K. M., Daughters, S. B., & Lejuez, C. W. (2017). Distress tolerance interacts with circumstances, motivation, and readiness to predict substance abuse treatment retention. *Addictive Behaviors, 73*, 99–104. doi:10.1016/j.addbeh.2017.04.016
- Al-Rousan, T., Rubenstein, L., Sieleni, B., Deol, H., & Wallace, R. B. (2017). Inside the nation's largest mental health institution: A prevalence study in a state prison system. *BMC Public Health, 17*(1), 342. doi:10.1186/s12889-017-4257-0
- American Association of Community Psychiatrists. (2016). *LOCUS: Level of Care Utilization System for Psychiatric and Addiction Services: Adult version 20*. Retrieved from <https://drive.google.com/file/d/0B89glzXJnn4cV1dESWI2eFEzc3M/view>
- American College of Emergency Physicians. (January 2017). *Alcohol screening in the emergency department*. Policy statement. Retrieved from [www.acep.org/globalassets/new-pdfs/policy-statements/alcohol-screening-in-the-emergency-department.pdf](http://www.acep.org/globalassets/new-pdfs/policy-statements/alcohol-screening-in-the-emergency-department.pdf)
- American Psychiatric Association. (2010). *Practice guideline for the treatment of patients with major depressive disorder*. Retrieved from [https://psychiatryonline.org/pb/assets/raw/sitewide/practice\\_guidelines/guidelines/mdd.pdf](https://psychiatryonline.org/pb/assets/raw/sitewide/practice_guidelines/guidelines/mdd.pdf)
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Association.
- Antai-Otong, D. (2016). Evidence-based care of the patient with borderline personality disorder. *Nursing Clinics of North America, 51*(2), 299–308. doi:10.1016/j.cnur.2016.01.012
- Arkins, B., Begley, C., & Higgins, A. (2016). Measures for screening for intimate partner violence: A systematic review. *Journal of Psychiatric Mental Health Nursing, 23*(3–4), 217–235. doi:10.1111/jpm.12289
- Arnold, L. E., Hodgkins, P., Caci, H., Kahle, J., & Young, S. (2015). Effect of treatment modality on long-term outcomes in attention-deficit/hyperactivity disorder: A systematic review. *PLoS ONE, 10*(2), e0116407. doi:10.1371/journal.pone.0116407
- Arunogiri, S., & Lubman, D. I. (2015). Anxiety and substance use disorders: A worrying combination. *Australasian Psychiatry, 23*(4), 382–387. doi:10.1177/1039856215590053




- Ashford, R. D., Meeks, M., Curtis, B., & Brown, A. M. (2018). Utilization of peer-based substance use disorder and recovery interventions in rural emergency departments: Patient characteristics and exploratory analysis. *Journal of Rural Mental Health, 43*(1), 17–29. doi:10.1037/rmh0000106
- Asmundson, G. J., Taylor, S., & Smits, J. A. (2014). Panic disorder and agoraphobia: An overview and commentary on DSM-5 changes. *Depression and Anxiety, 31*(6), 480–486. doi:10.1002/da.22277
- Atkinson, D. M., Rodman, J. L., Thuras, P. D., Shiroma, P. R., & Lim, K. O. (2017). Examining burnout, depression, and self-compassion in Veterans Affairs mental health staff. *Journal of Alternative and Complementary Medicine, 23*(7), 551–557. doi:10.1089/acm.2017.0087
- Avery, J., Han, B. H., Zerbo, E., Wu, G., Mauer, E., Avery, J., ... Penzner, J. B. (2017). Changes in psychiatry residents' attitudes towards individuals with substance use disorders over the course of residency training. *American Journal on Addictions, 26*(1), 75–79. doi: 10.1111/ajad.12406
- Avery, J., & Zerbo, E. (2015). Improving psychiatry residents' attitudes toward individuals diagnosed with substance use disorders. *Harvard Review of Psychiatry, 23*(4), 296–300. doi:10.1097/hrp.0000000000000047
- Avery, J., Zerbo, E., & Ross, S. (2016). Improving psychiatrists' attitudes towards individuals with psychotic disorders and co-occurring substance use disorders. *Academic Psychiatry, 40*(3), 520–522. doi:10.1007/s40596-015-0361-6
- Ayangbayi, T., Okunade, A., Karakus, M., & Nianogo, T. (2017). Characteristics of hospital emergency room visits for mental and substance use disorders. *Psychiatric Services, 68*(4), 408–410. doi:10.1176/appi.ps.201600125
- Babor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT: The alcohol use disorders identification test: Guidelines for use in primary care* (2nd ed.). Retrieved from [https://apps.who.int/iris/bitstream/handle/10665/67205/WHO\\_MSD\\_MSB\\_01.6a.pdf?sequence=1&isAllowed=y](https://apps.who.int/iris/bitstream/handle/10665/67205/WHO_MSD_MSB_01.6a.pdf?sequence=1&isAllowed=y)
- Bahji, A., Mazhar, M. N., Hudson, C. C., Nadkarni, P., MacNeil, B. A., & Hawken, E. (2019). Prevalence of substance use disorder comorbidity among individuals with eating disorders: A systematic review and meta-analysis. *Psychiatry Research, 273*, 58–66. doi:10.1016/j.psychres.2019.01.007
- Bahorik, A. L., Sterling, S. A., Campbell, C. I., Weisner, C., Ramo, D., & Satre, D. D. (2018). Medical and non-medical marijuana use in depression: Longitudinal associations with suicidal ideation, everyday functioning, and psychiatry service utilization. *Journal of Affective Disorders, 241*, 8–14. doi:10.1016/j.jad.2018.05.065
- Baillargeon, J., Penn, J. V., Knight, K., Harzke, A. J., Baillargeon, G., & Becker, E. A. (2010). Risk of reincarceration among prisoners with co-occurring severe mental illness and substance use disorders. *Administration and Policy in Mental Health, 37*(4), 367–374. doi:10.1007/s10488-009-0252-9
- Baker, A. L., Thornton, L. K., Hiles, S., Hides, L., & Lubman, D. I. (2012). Psychological interventions for alcohol misuse among people with co-occurring depression or anxiety disorders: A systematic review. *Journal of Affective Disorders, 139*(3), 217–229. doi:10.1016/j.jad.2011.08.004
- Baker, J. H., Mitchell, K. S., Neale, M. C., & Kendler, K. S. (2010). Eating disorder symptomatology and substance use disorders: Prevalence and shared risk in a population based twin sample. *International Journal of Eating Disorders, 43*(7), 648–658. doi:10.1002/eat.20856
- Bandelow, B., & Michaelis, S. (2015). Epidemiology of anxiety disorders in the 21st century. *Dialogues in Clinical Neuroscience, 17*(3), 327–335.
- Bandelow, B., Michaelis, S., & Wedekind, D. (2017). Treatment of anxiety disorders. *Dialogues in Clinical Neuroscience, 19*(2), 93–107.
- Banerjee, S., & Spry, C. (2017). CADTH Rapid Response Reports. In *Concurrent treatment for substance use disorder and trauma-related comorbidities: A review of clinical effectiveness and guidelines*. Ottawa (ON): Canadian Agency for Drugs and Technologies in Health.
- Barry, A. E., & Piazza-Gardner, A. K. (2012). Drunkorexia: Understanding the co-occurrence of alcohol consumption and eating/exercise weight management behaviors. *Journal of American College Health, 60*(3), 236–243. doi: 10.1080/07448481.2011.587487
- Barry, C. L., Epstein, A. J., Fiellin, D. A., Fraenkel, L., & Busch, S. H. (2016). Estimating demand for primary care-based treatment for substance and alcohol use disorders. *Addiction, 111*(8), 1376–1384. doi:10.1111/add.13364
- Bartlett, D. (2017). Drug-induced serotonin syndrome. *Critical Care Nurse, 37*(1), 49–54. doi:10.4037/ccn2017.169
- Bassuk, E. L., Hanson, J., Greene, R. N., Richard, M., & Laudet, A. (2016). Peer-delivered recovery support services for addictions in the United States: A systematic review. *Journal of Substance Abuse Treatment, 63*, 1–9.
- Bateman, A. W., Gunderson, J., & Mulder, R. (2015). Treatment of personality disorder. *Lancet, 385*(9969), 735–743. doi:10.1016/s0140-6736(14)61394-5
- Batterham, P. J., Ftanou, M., Pirkis, J., Brewer, J. L., Mackinnon, A. J., Beautrais, A., . . . Christensen, H. (2015). A systematic review and evaluation of measures for suicidal ideation and behaviors in population-based research. *Psychological Assessment, 27*(2), 501–512. doi:10.1037/pas0000053

- Baum, N. (2016). Secondary traumatization in mental health professionals: A systematic review of gender findings. *Trauma, Violence, & Abuse, 17*(2), 221–235. doi:10.1177/1524838015584357
- Beck, A. T., & Steer, R. A. (1987). *Beck Depression Inventory manual*. San Antonio, TX: The Psychological Corporation, Harcourt Brace Jovanovich.
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Beck Depression Inventory-II manual*. San Antonio, TX: Psychological Corporation.
- Becker, M. A., Boaz, T. L., Andel, R., & Hafner, S. (2017). Risk of early rehospitalization for non-behavioral health conditions among adult Medicaid beneficiaries with severe mental illness or substance use disorders. *Journal of Behavioral Health Services & Research, 44*(1), 113–121. doi:10.1007/s11414-016-9516-9
- Beidas, R. S., Marcus, S., Wolk, C. B., Powell, B., Aarons, G. A., Evans, A. C., . . . Mandell, D. S. (2016). A prospective examination of clinician and supervisor turnover within the context of implementation of evidence-based practices in a publicly-funded mental health system. *Administration and Policy in Mental Health and Mental Health Services Research, 43*(5), 640–649.
- Bell, H. (2018). Creative interventions for teaching empathy in the counseling classroom. *Journal of Creativity in Mental Health, 13*(1), 106–120. doi:10.1080/15401383.2017.1328295
- Belleau, E. L., Chin, E. G., Wanklyn, S. G., Zambrano-Vazquez, L., Schumacher, J. A., & Coffey, S. F. (2017). Pre-treatment predictors of dropout from prolonged exposure therapy in patients with chronic posttraumatic stress disorder and comorbid substance use disorders. *Behaviour Research and Therapy, 91*, 43–50.
- Benich, J. J., 3rd, Bragg, S. W., & Freedy, J. R. (2016). Psychopharmacology in primary care settings. *Primary Care, 43*(2), 327–340. doi:10.1016/j.pop.2016.01.002
- Bennett, A. C., Gibson, C., Rohan, A. M., Howland, J. F., & Rankin, K. M. (2018). Mental health and substance use-related hospitalizations among women of reproductive age in Illinois and Wisconsin. *Public Health Reports, 134*(1), 17–26.
- Bennett, M. E., Bradshaw, K. R., & Catalano, L. T. (2017). Treatment of substance use disorders in schizophrenia. *American Journal of Drug and Alcohol Abuse, 43*(4), 377–390. doi:10.1080/00952990.2016.1200592
- Benningfield, M. M., Arria, A. M., Kaltenbach, K., Heil, S. H., Stine, S. M., Coyle, M. G., . . . Martin, P. R. (2010). Co-occurring psychiatric symptoms are associated with increased psychological, social, and medical impairment in opioid dependent pregnant women. *American Journal on Addictions, 19*(5), 416–421. doi:10.1111/j.1521-0391.2010.00064.x
- Benston, E. A. (2015). Housing programs for homeless individuals with mental illness: Effects on housing and mental health outcomes. *Psychiatric Services, 66*(8), 806–816. doi:10.1176/appi.ps.201400294
- Bentley, K. H., Franklin, J. C., Ribeiro, J. D., Kleiman, E. M., Fox, K. R., & Nock, M. K. (2016). Anxiety and its disorders as risk factors for suicidal thoughts and behaviors: A meta-analytic review. *Clinical Psychology Review, 43*, 30–46. doi:10.1016/j.cpr.2015.11.008
- Ben-Zeev, D., Kaiser, S. M., & Krzos, I. M. (2014). Remote “hovering” with individuals with psychotic disorders and substance use: Feasibility, engagement, and therapeutic alliance with a text-messaging mobile interventionist. *Journal of Dual Diagnosis, 10*(4), 197–203.
- Berenz, E. C., & Coffey, S. F. (2012). Treatment of co-occurring posttraumatic stress disorder and substance use disorders. *Current Psychiatry Reports, 14*(5), 469–477. doi:10.1007/s11920-012-0300-0
- Bergink, V., Rasgon, N., & Wisner, K. L. (2016). Postpartum psychosis: Madness, mania, and melancholia in motherhood. *American Journal of Psychiatry, 173*(12), 1179–1188. doi:10.1176/appi.ajp.2016.16040454
- Bergman, B. G., Greene, M. C., Hoepfner, B. B., Slaymaker, V., & Kelly, J. F. (2014). Psychiatric comorbidity and 12-step participation: A longitudinal investigation of treated young adults. *Alcoholism: Clinical and Experimental Research, 38*(2), 501–510. doi:10.1111/acer.12249
- Bernert, R. A., Hom, M. A., & Roberts, L. W. (2014). A review of multidisciplinary clinical practice guidelines in suicide prevention: Toward an emerging standard in suicide risk assessment and management, training and practice. *Academic Psychiatry, 38*(5), 585–592. doi:10.1007/s40596-014-0180-1
- Bernstein, J., Derrington, T. M., Belanoff, C., Cabral, H. J., Babakhanlou-Chase, H., Diop, H., . . . Kotelchuck, M. (2015). Treatment outcomes for substance use disorder among women of reproductive age in Massachusetts: A population-based approach. *Drug and Alcohol Dependence, 147*, 151–159. doi:10.1016/j.drugalcdep.2015.03.002
- Bhugra, D. (2005). The global prevalence of schizophrenia. *PLoS Medicine, 2*(5), e151. doi:10.1371/journal.pmed.0020151
- Black, D. W. (2015). The natural history of antisocial personality disorder. *Canadian Journal of Psychiatry, 60*(7), 309–314. doi:10.1177/070674371506000703
- Black, D. W. (2017). The treatment of antisocial personality disorder. *Current Treatment Options in Psychiatry, 4*(4), 295–302.




- Blanco, C., Alegria, A. A., Liu, S. M., Secades-Villa, R., Sugaya, L., Davies, C., & Nunes, E. V. (2012). Differences among major depressive disorder with and without co-occurring substance use disorders and substance-induced depressive disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry, 73*(6), 865–873. doi:10.4088/JCP.10m06673
- Blanco, C., Compton, W. M., Saha, T. D., Goldstein, B. I., Ruan, W. J., Huang, B., & Grant, B. F. (2017). Epidemiology of DSM-5 bipolar I disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions – III. *Journal of Psychiatric Research, 84*, 310–317. doi:10.1016/j.jpsychires.2016.10.003
- Blanco, C., Okuda, M., Markowitz, J. C., Liu, S. M., Grant, B. F., & Hasin, D. S. (2010). The epidemiology of chronic major depressive disorder and dysthymic disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry, 71*(12), 1645–1656. doi:10.4088/JCP.09m05663gry
- Blanco, C., Xu, Y., Brady, K., Perez-Fuentes, G., Okuda, M., & Wang, S. (2013). Comorbidity of posttraumatic stress disorder with alcohol dependence among US adults: Results from National Epidemiological Survey on Alcohol and Related Conditions. *Drug and Alcohol Dependence, 132*(3), 630–638. doi:S0376-8716(13)00145-2 [pii];10.1016/j.drugalcdep.2013.04.016 [doi]
- Blodgett, J. C., Maisel, N. C., Fuh, I. L., Wilbourne, P. L., & Finney, J. W. (2014). How effective is continuing care for substance use disorders? A meta-analytic review. *Journal of Substance Abuse Treatment, 46*(2), 87–97. doi:10.1016/j.jsat.2013.08.022
- Boden, M. T., & Hoggatt, K. J. (2018). Substance use disorders among veterans in a nationally representative sample: Prevalence and associated functioning and treatment utilization. *Journal of Studies on Alcohol and Drugs, 79*(6), 853–861.
- Bogenschutz, M. P., Donovan, D. M., Mandler, R. N., Perl, H. I., Forcehimes, A. A., Crandall, C., . . . Douaihy, A. (2014a). Brief intervention for patients with problematic drug use presenting in emergency departments: A randomized clinical trial. *JAMA Internal Medicine, 174*(11), 1736–1745. doi:10.1001/jamainternmed.2014.4052
- Bogenschutz, M. P., Rice, S. L., Tonigan, J. S., Vogel, H. S., Nowinski, J., Hume, D., & Arenella, P. B. (2014b). 12-step facilitation for the dually diagnosed: A randomized clinical trial. *Journal of Substance Abuse Treatment, 46*(4), 403–411. doi:10.1016/j.jsat.2013.12.009
- Boggs, J. M., Beck, A., Hubley, S., Peterson, E. L., Hu, Y., Williams, L. K., . . . Ahmedani, B. K. (2018). General medical, mental health, and demographic risk factors associated with suicide by firearm compared with other means. *Psychiatric Services, 69*(6), 677–684. doi:10.1176/appi.ps.201700237
- Bohnert, K. M., Ilgen, M. A., Louzon, S., McCarthy, J. F., & Katz, I. R. (2017). Substance use disorders and the risk of suicide mortality among men and women in the US Veterans Health Administration. *Addiction, 112*(7), 1193–1201. doi:10.1111/add.13774
- Bolton, J. M., Gunnell, D., & Turecki, G. (2015). Suicide risk assessment and intervention in people with mental illness. *BMJ, 351*, h4978. doi:10.1136/bmj.h4978
- Bond, G. R., & Drake, R. E. (2015). The critical ingredients of assertive community treatment. *World Psychiatry, 14*(2), 240–242. doi:10.1002/wps.20234
- Bonsack, C., Gibellini Manetti, S., Favrod, J., Montagrin, Y., Besson, J., Bovet, P., & Conus, P. (2011). Motivational intervention to reduce cannabis use in young people with psychosis: A randomized controlled trial. *Psychotherapy and Psychosomatics, 80*(5), 287–297. doi:10.1159/000323466
- Boothroyd, R. A., Peters, R. H., Armstrong, M. I., Rynearson-Moody, S., & Caudy, M. (2015). The psychometric properties of the simple screening instrument for substance abuse. *Evaluation and the Health Professions, 38*(4), 538–562. doi:10.1177/0163278713490165
- Borges, G., Bagge, C. L., Cherpitel, C. J., Conner, K. R., Orozco, R., & Rossow, I. (2017). A meta-analysis of acute use of alcohol and the risk of suicide attempt. *Psychological Medicine, 47*(5), 949–957. doi:10.1017/S0033291716002841
- Bowen, S., Witkiewitz, K., Clifasefi, S. L., Grow, J., Chawla, N., Hsu, S. H., . . . Larimer, M. E. (2014). Relative efficacy of mindfulness-based relapse prevention, standard relapse prevention, and treatment as usual for substance use disorders: A randomized clinical trial. *JAMA Psychiatry, 71*(5), 547–556. doi:10.1001/jamapsychiatry.2013.4546
- Bradizza, C. M., Stasiewicz, P. R., & Dermen, K. H. (2014). Behavioral interventions for individuals dually-diagnosed with a severe mental illness and a substance use disorder. *Current Addiction Reports, 1*(4), 243–250. doi:10.1007/s40429-014-0032-9
- Brady, K. T., Back, S. E., & Coffey, S. F. (2004). Substance abuse and posttraumatic stress disorder. *Current Directions in Psychological Science, 13*(5), 206–209. doi:10.1111/j.0963-7214.2004.00309.x
- Brady, K. T., Haynes, L. F., Hartwell, K. J., & Killeen, T. K. (2013). Substance use disorders and anxiety: A treatment challenge for social workers. *Social Work in Public Health, 28*(3–4), 407–423. doi:10.1080/19371918.2013.774675
- Brazil, I. A., van Dongen, J. D. M., Maes, J. H. R., Mars, R. B., & Baskin-Sommers, A. R. (2018). Classification and treatment of antisocial individuals: From behavior to biocognition. *Neuroscience and Biobehavioral Reviews, 91*, 259–277. doi:10.1016/j.neubiorev.2016.10.010

- Brewerton, T. D. (2014). Are eating disorders addictions? In T. Brewerton & A. Baker Dennis (Eds.), *Eating disorders, addictions and substance use disorders: Research, clinical and treatment perspectives* (pp. 267–299). New York: Springer-Verlag Publishing.
- Briggs, C. A., & Reneson, S. (2010). Counseling addicted veterans: What to know and how to help. Retrieved from <https://pdfs.semanticscholar.org/9742/967aac815ca02c4f599b36be996d0b10d3d9.pdf>
- Brockington, I. (2017). Suicide and filicide in postpartum psychosis. *Archives of Women's Mental Health, 20*(1), 63–69. doi:10.1007/s00737-016-0675-8
- Broderick, K. B., Kaplan, B., Martini, D., & Caruso, E. (2015). Emergency physician utilization of alcohol/substance screening, brief advice and discharge: A 10-year comparison. *Journal of Emergency Medicine, 49*(4), 400–407. doi:10.1016/j.jemermed.2015.05.014
- Bromberg, S. R., Backman, T. L., Krow, J., & Frankel, K. A. (2010). The Haven Mother's House Modified Therapeutic Community: Meeting the gap in infant mental health services for pregnant and parenting mothers with drug addiction. *Infant Mental Health Journal, 31*(3), 255–276. doi:10.1002/imhj.20255
- Brook, J. S., Zhang, C., Rubenstone, E., Primack, B. A., & Brook, D. W. (2016). Comorbid trajectories of substance use as predictors of antisocial personality disorder, major depressive episode, and generalized anxiety disorder. *Addictive Behaviors, 62*, 114–121. doi:10.1016/j.addbeh.2016.06.003
- Bronner, R. K., Kidorf, M. S., King, V. L., Peirce, J., Neufeld, K., Stoller, K., & Kolodner, K. (2013). Managing psychiatric comorbidity within versus outside of methadone treatment settings: A randomized and controlled evaluation. *Addiction, 108*(11), 1942–1951.
- Brown, C. H., Bennett, M. E., Li, L., & Bellack, A. S. (2011). Predictors of initiation and engagement in substance abuse treatment among individuals with co-occurring serious mental illness and substance use disorders. *Addictive Behaviors, 36*(5), 439–447. doi:10.1016/j.addbeh.2010.12.001
- Brown, G. K., & Green, K. L. (2014). A review of evidence-based follow-up care for suicide prevention: Where do we go from here? *American Journal of Preventive Medicine, 47*(3)(Suppl. 2), S209–S215. doi:10.1016/j.amepre.2014.06.006
- Brown, V. B., Harris, M., & Fallot, R. (2013). Moving toward trauma-informed practice in addiction treatment: A collaborative model of agency assessment. *Journal of Psychoactive Drugs, 45*(5), 386–393. doi:10.1080/02791072.2013.844381
- Bryant, J. B., Darkes, J., & Rahal, C. (2012). College students' compensatory eating and behaviors in response to alcohol consumption. *Journal of American College Health, 60*(5), 350–356. doi:10.1080/07448481.2011.630702
- Buck, K. D., & Lysaker, P. H. (2010). Clinical supervision for the treatment of adults with severe mental illness: Pertinent issues when assisting graduate nursing students. *Perspectives in Psychiatric Care, 46*(3), 234–243. doi:10.1111/j.1744-6163.2010.00258.x
- Buckner, J. D., Heimberg, R. G., Ecker, A. H., & Vinci, C. (2013). A biopsychosocial model of social anxiety and substance use. *Depression and Anxiety, 30*(3), 276–284. doi:10.1002/da.22032
- Bukach, A. M., Ejaz, F. K., Dawson, N., & Gitter, R. J. (2017). Turnover among community mental health workers in Ohio. *Administration and Policy in Mental Health and Mental Health Services Research, 44*(1), 115–122. doi:10.1007/s10488-015-0706-1
- Bureau of Labor Statistics. (2019, March 7). *Labor force statistics from the Current Population Survey. Databases, tables & calculators by subject*. Retrieved from <https://data.bls.gov/timeseries/lms14000000>
- Bureau of Labor Statistics (BLS). (2020, February 11). *Job openings and labor turnover—August 2019*. Retrieved from [www.bls.gov/news.release/pdf/jolts.pdf](http://www.bls.gov/news.release/pdf/jolts.pdf)
- Bureau of Labor Statistics. (2020, March 3). *Databases, tables & calculators by subject. Labor force statistics from the Current Population Survey*. Retrieved from <https://data.bls.gov/timeseries/LNS14000000>
- Burke, S. C., Cremeens, J., Vail-Smith, K., & Woolsey, C. (2010). Drunkorexia: Calorie restriction prior to alcohol consumption among college freshman. *Journal of Alcohol and Drug Education, 54*(2), 17–34.
- Bush, K., Kivlahan, D. R., McDonell, M. B., Fihn, S. D., & Bradley, K. A. (1998). The AUDIT alcohol consumption questions (AUDIT-C): An effective brief screening test for problem drinking. *Archives of Internal Medicine, 158*(16), 1789–1795.
- Buttner, M., O'Hara, M. W., & Watson, D. (2012). The structure of women's mood in the early postpartum. *Assessment, 19*, 247–256.
- Cabassa, L. J., & Baumann, A. A. (2013). A two-way street: Bridging implementation science and cultural adaptations of mental health treatments. *Implementation Science: IS, 8*, 90. doi:10.1186/1748-5908-8-90
- Campbell, B. K., Guydish, J., Le, T., Wells, E. A., & McCarty, D. (2015). The relationship of therapeutic alliance and treatment delivery fidelity with treatment retention in a multisite trial of twelve-step facilitation. *Psychology of Addictive Behaviors, 29*(1), 106–113. doi:10.1037/adb0000008
- Cardno, A. G., & Owen, M. J. (2014). Genetic relationships between schizophrenia, bipolar disorder, and schizoaffective disorder. *Schizophrenia Bulletin, 40*(3), 504–515. doi:10.1093/schbul/sbu016



- Carpenter, R. W., Wood, P. K., & Trull, T. J. (2016). Comorbidity of borderline personality disorder and lifetime substance use disorders in a nationally representative sample. *Journal of Personality Disorders, 30*(3), 336–350. doi:10.1521/pedi\_2015\_29\_197
- Carra, G., Bartoli, F., Crocarno, C., Brady, K. T., & Clerici, M. (2014). Attempted suicide in people with co-occurring bipolar and substance use disorders: Systematic review and meta-analysis. *Journal of Affective Disorders, 167*, 125–135. doi:10.1016/j.jad.2014.05.066
- Carroll, J. F. X., & McGinley, J. J. (2000). Mental health screening form-iii (MHSF-III). Unpublished screening instrument, Project Return Foundation, Inc., New York, NY.
- Carroll, J. F. X., & McGinley, J. J. (2001). A screening form for identifying mental health problems in alcohol/other drug dependent persons. *Alcoholism Treatment Quarterly, 19*(4), 33–47. doi:10.1300/J020v19n04\_02
- Carroll, T. D., Currier, J. M., McCormick, W. H., & Drescher, K. D. (2017). Adverse childhood experiences and risk for suicidal behavior in male Iraq and Afghanistan veterans seeking PTSD treatment. *Psychological Trauma, 9*(5), 583–586. doi:10.1037/tra0000250
- Carter, A. C., Capone, C., & Short, E. E. (2011). Co-occurring posttraumatic stress disorder and alcohol use disorders in veteran populations. *Journal of Dual Diagnosis, 7*(4), 285–299. doi:10.1080/15504263.2011.620453
- Center for Behavioral Health Statistics and Quality (CBHSQ). (2019). *2018 National Survey on Drug Use and Health: Detailed tables*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <https://www.samhsa.gov/data/>
- Center for Mental Health Services. (1998). Cooccurring psychiatric and substance disorders in managed care systems: Standards of care, practice guidelines, workforce competencies, and training curricula. Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.493.5621&rep=rep1&type=pdf>
- Center for Quality Assessment and Improvement in Mental Health. (2007). *The Suicide Behaviors Questionnaire-Revised (SBQ-R) – Overview*. Retrieved from [http://www.cqaimh.org/pdf/tool\\_sbq-r.pdf](http://www.cqaimh.org/pdf/tool_sbq-r.pdf)
- Center for Substance Abuse Treatment. (1994). *Simple screening instruments for outreach for alcohol and other drug abuse and infectious diseases*. Treatment Improvement Protocol (TIP) Series 11 (DHHS Publication No. (SMA) 94-2094). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Substance Abuse Treatment. (1995). *Alcohol and other drug screening of hospitalized trauma patients*. Treatment Improvement Protocol (TIP) Series 16 (DHHS Publication No. (SMA) 95-3041). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Substance Abuse Treatment. (1997). *A guide to substance abuse services for primary care clinicians*. Treatment Improvement Protocol (TIP) Series 24 (DHHS Publication No. (SMA) 97-3139). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (1998a). *Comprehensive case management for substance abuse treatment*. Treatment Improvement Protocol (TIP) Series 27 (DHHS Publication No. (SMA) 15-4215). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (1998b). *Substance use disorder treatment for people with physical and cognitive disabilities*. Treatment Improvement Protocol (TIP) Series 29 (DHHS Publication No. (SMA) 98-3249). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (1999a). *Brief interventions and brief therapies for substance abuse*. Treatment Improvement Protocol (TIP) Series 34 (DHHS Publication No. (SMA) 99-3353). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (1999b). *Enhancing motivation for change in substance abuse treatment*. Treatment Improvement Protocol (TIP) Series 35 (DHHS Publication No. (SMA) 99-3354). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2000a). *Changing the conversation: Improving substance abuse treatment*. The National Treatment Improvement Plan. Panel reports, public hearings, and participant acknowledgements. HHS Publication No. (SMA) 003479. Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2000b). *Comprehensive case management for substance abuse treatment*. Treatment Improvement Protocol (TIP) Series 27 (DHHS Publication No. (SMA) 15-4215). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2000c). *Substance abuse treatment for persons with child abuse and neglect issues*. Treatment Improvement Protocol (TIP) Series 36 (DHHS Publication No. (SMA) 00-3357). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2005a). 9 substance-induced disorders. In *Substance abuse treatment for persons with co-occurring disorders*. Treatment Improvement Protocol (TIP) Series, No. 42. Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2005b). *Substance abuse treatment for adults in the criminal justice system*. Treatment Improvement Protocol (TIP) Series 44 (DHHS Publication No. (SMA) 05-4056). Rockville, MD: Center for Substance Abuse Treatment.


- Center for Substance Abuse Treatment. (2006a). *Addiction counseling competencies: The knowledge, skills, and attitudes of professional practice*. Technical Assistance Publication (TAP) Series 21 (DHHS Publication No. (SMA) 06-4171). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2006b). *Detoxification from alcohol and other drugs*. Treatment Improvement Protocol (TIP) Series 45 (DHHS Publication No. (SMA) 06-4131). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Substance Abuse Treatment. (2008). *Managing depressive symptoms in substance abuse clients during early recovery*. Treatment Improvement Protocol (TIP) Series 48. (DHHS Publication No. (SMA) 08-4353). Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2009). *Addressing suicidal thoughts and behaviors in substance abuse treatment*. Treatment Improvement Protocol (TIP) Series 50 (HHS Publication No. (SMA) 09-4381). Rockville, MD: Center for Substance Abuse Treatment.
- Centers for Disease Control and Prevention (CDC). (2014). *Healthy People 2020*. Retrieved from [www.cdc.gov/dhdsp/hp2020.htm](http://www.cdc.gov/dhdsp/hp2020.htm)
- Centers for Disease Control and Prevention. (2018). *Suicide rising across the US*. Retrieved from [www.cdc.gov/vitalsigns/suicide/index.html](http://www.cdc.gov/vitalsigns/suicide/index.html)
- Centers for Disease Control and Prevention. (2020). Underlying Cause of Death 1999–2018 on CDC WONDER Online Database. Retrieved from <https://wonder.cdc.gov/ucd-icd10.html>
- Chan, Y. F., Huang, H., Bradley, K., & Unutzer, J. (2014). Referral for substance abuse treatment and depression improvement among patients with co-occurring disorders seeking behavioral health services in primary care. *Journal of Substance Abuse Treatment, 46*(2), 106–112. doi:10.1016/j.jsat.2013.08.016
- Chan, Y. F., Huang, H., Sieu, N., & Unutzer, J. (2013). Substance screening and referral for substance abuse treatment in an integrated mental health care program. *Psychiatric Services, 64*(1), 88–90. doi:10.1176/appi.ps.201200082
- Chaple, M., Sacks, S., Randell, J., & Kang, B. (2016). A technical assistance framework to facilitate the delivery of integrated behavioral health services in Federally Qualified Health Centers (FQHCs). *Journal of Substance Abuse Treatment, 60*, 62–69. doi:10.1016/j.jsat.2015.08.006
- Chapman, S. A., Blash, L. K., Mayer, K., & Spetz, J. (2018). Emerging roles for peer providers in mental health and substance use disorders. *American Journal of Preventive Medicine, 54*(6S3), S267–S274. doi:10.1016/j.amepre.2018.02.019
- Chapman, S. L., & Wu, L. T. (2013). Postpartum substance use and depressive symptoms: A review. *Women and Health, 53*(5), 479–503. doi:10.1080/03630242.2013.804025
- Charzynska, K., Kucharska, K., & Mortimer, A. (2015). Does employment promote the process of recovery from schizophrenia? A review of the existing evidence. *International Journal of Occupational Medicine and Environmental Health 28*(3), 407–418. doi:10.13075/ijom.1896.00341
- Cherry, D., Albert, M., & McCaig, L. F. (2018). Mental health-related physician office visits by adults aged 18 and over: United States, 2012–2014. *NCHS Data Brief, June* (311), 1–8.
- Chhatre, S., Cook, R., Mallik, E., & Jayadevappa, R. (2017). Trends in substance use admissions among older adults. *BMC Health Services Research, 17*(1), 584. doi:10.1186/s12913-017-2538-z
- Chinman, M., George, P., Dougherty, R. H., Daniels, A. S., Ghose, S. S., Swift, A., & Delphin-Rittmon, M. E. (2014). Peer support services for individuals with serious mental illnesses: Assessing the evidence. *Psychiatric Services, 65*(4), 429–441.
- Choi, N. G., DiNitto, D. M., Marti, C. N., & Choi, B. Y. (2017). Association of adverse childhood experiences with lifetime mental and substance use disorders among men and women aged 50+ years. *International Psychogeriatrics, 29*(3), 359–372. doi:10.1017/s1041610216001800
- Choi, S., Adams, S. M., MacMaster, S. A., & Seiters, J. (2013). Predictors of residential treatment retention among individuals with co-occurring substance abuse and mental health disorders. *Journal of Psychoactive Drugs, 45*(2), 122–131. doi:10.1080/02791072.2013.785817
- Chow, C. M., Wieman, D., Cichocki, B., Qvicklund, H., & Hiersteiner, D. (2013). Mission impossible: Treating serious mental illness and substance use co-occurring disorder with integrated treatment: A meta-analysis. *Mental Health and Substance Use: Dual Diagnosis, 6*(2), 150–168. doi:10.1080/17523281.2012.693130
- Clark, C., Guenther, C. C., & Mitchell, J. N. (2016). Case management models in permanent supported housing programs for people with complex behavioral issues who are homeless. *Journal of Dual Diagnosis, 12*(2), 185–192. doi:10.1080/15504263.2016.1176852
- Clark, R. E., Samnaliev, M., & McGovern, M. P. (2007). Treatment for co-occurring mental and substance use disorders in five state Medicaid programs. *Psychiatric Services, 58*(7), 942–948. doi:10.1176/ps.2007.58.7.942
- Cleary, M., Hunt, G. E., Matheson, S., & Walter, G. (2009). Psychosocial treatments for people with co-occurring severe mental illness and substance misuse: Systematic review. *Journal of Advanced Nursing, 65*(2), 238–258. doi:10.1111/j.1365-2648.2008.04879.x



- Coffey, S. F., Schumacher, J. A., Nosen, E., Littlefield, A. K., Henslee, A. M., Lappen, A., & Stasiewicz, P. R. (2016). Trauma-focused exposure therapy for chronic posttraumatic stress disorder in alcohol and drug dependent patients: A randomized controlled trial. *Psychology of Addictive Behaviors, 30*(7), 778–790. doi:10.1037/adb0000201
- Cohen, A., Freeborn, B., & McManus, B. (2013). Competition and crowding out in the market for outpatient substance abuse treatment. *International Economic Review, 54*(1), 159–184. doi:10.1111/j.1468-2354.2012.00729.x
- Cohen, L. R., Field, C., Campbell, A. N., & Hien, D. A. (2013). Intimate partner violence outcomes in women with PTSD and substance use: A secondary analysis of NIDA Clinical Trials Network “Women and Trauma” multi-site study. *Addictive Behaviors, 38*(7), 2325–2332. doi:10.1016/j.addbeh.2013.03.006
- Colby, S. L., & Ortman, J. M. (2014). Projections of the size and composition of the U.S. population: 2014 to 2060. *Current Population Reports, P25-1143*, Washington, DC: U.S. Census Bureau.
- Collins, S. E., Malone, D. K., & Clifasefi, S. L. (2013). Housing retention in single-site housing first for chronically homeless individuals with severe alcohol problems. *American Journal of Public Health, 103*(Suppl. 2), S269–S274. doi:10.2105/ajph.2013.301312
- Conner, K. R., Gamble, S. A., Bagge, C. L., He, H., Swogger, M. T., Watts, A., & Houston, R. J. (2014). Substance-induced depression and independent depression in proximal risk for suicidal behavior. *Journal of Studies on Alcohol and Drugs, 75*(4), 567–572.
- Connors, G. J., Maisto, S. A., Schlauch, R. C., Dearing, R. L., Prince, M. A., & Duerr, M. R. (2016). Therapeutic alliances predict session by session drinking behavior in the treatment of alcohol use disorders. *Journal of Consulting and Clinical Psychology, 84*(11), 972–982. doi:10.1037/ccp0000130
- Cook, B. L., Trinh, N. H., Li, Z., Hou, S. S., & Progovac, A. M. (2017). Trends in racial-ethnic disparities in access to mental health care, 2004–2012. *Psychiatric Services, 68*(1), 9–16. doi:10.1176/appi.ps.201500453
- Cook, T. B. (2013). Recent criminal offending and suicide attempts: A national sample. *Social Psychiatry and Psychiatric Epidemiology, 48*(5), 767–774. doi:10.1007/s00127-012-0567-9
- Cogle, J. R., Hakes, J. K., Macatee, R. J., Chavarria, J., & Zvolensky, M. J. (2015). Quality of life and risk of psychiatric disorders among regular users of alcohol, nicotine, and cannabis: An analysis of the National Epidemiological Survey on Alcohol and Related Conditions (NESARC). *Journal of Psychiatric Research, 66–67*, 135–141. doi: 10.1016/j.jpsychires.(2015). .05.004
- Cox, K. B., Malte, C. A., & Saxon, A. J. (2017). Characteristics and service utilization of homeless veterans entering VA substance use treatment. *Psychological Services, 14*(2), 208–213. doi:10.1037/ser0000133
- Craske, M. G., & Stein, M. B. (2016). Anxiety. *Lancet, 388*(10063), 3048–3059. doi:10.1016/s0140-6736(16)30381-6
- Creswell, K. G., Bachrach, R. L., Wright, A. G., Pinto, A., & Ansell, E. (2016). Predicting problematic alcohol use with the DSM-5 alternative model of personality pathology. *Personality Disorders, 7*(1), 103–111. doi:10.1037/per0000131
- Crisanti, A. S., Duran, D., Greene, R. N., Reno, J., Luna-Anderson, C., & Altschul, D. B. (2017). A longitudinal analysis of peer-delivered permanent supportive housing: Impact of housing on mental and overall health in an ethnically diverse population. *Psychological Services, 14*(2), 141–153. doi:10.1037/ser0000135
- Crits-Christoph, P., Hamilton, J. L., Ring-Kurtz, S., Gallop, R., McClure, B., Kulaga, A., & Rotrosen, J. (2011). Program, counselor, and patient variability in the alliance: A multilevel study of the alliance in relation to substance use outcomes. *Journal of Substance Abuse Treatment, 40*(4), 405–413. doi:10.1016/j.jsat.2011.01.003
- Crowley, R. A., & Kirschner, N. (2015). The integration of care for mental health, substance abuse, and other behavioral health conditions into primary care: Executive summary of an American College of Physicians position paper. *Annals of Internal Medicine, 163*(4), 298–299. doi:10.7326/m15-0510
- Crunelle, C. L., van den Brink, W., Moggi, F., Konstenius, M., Franck, J., Levin, F. R., . . . Matthys, F. (2018). International consensus statement on screening, diagnosis and treatment of substance use disorder patients with comorbid attention deficit/hyperactivity disorder. *European Addiction Research, 24*(1), 43–51. doi:10.1159/000487767
- Cunill, R., Castells, X., Tobias, A., & Capella, D. (2015). Pharmacological treatment of attention deficit hyperactivity disorder with co-morbid drug dependence. *Journal of Psychopharmacology, 29*(1), 15–23. doi:10.1177/0269881114544777
- Cunningham, K. C., Farmer, C., LoSavio, S. T., Dennis, P. A., Clancy, C. P., Hertzberg, M. A., . . . Beckham, J. C. (2017). A model comparison approach to trauma-related guilt as a mediator of the relationship between PTSD symptoms and suicidal ideation among veterans. *Journal of Affective Disorders, 221*, 227–231. doi:10.1016/j.jad.2017.06.046
- Curtis, M. A., Garlington, S., & Schottenfield, L. S. (2013). Alcohol, drug, and criminal history restrictions in public housing. *Cityscape, 15*, 37–52.




- Cusack, K. J., Morrissey, J. P., Cuddeback, G. S., Prins, A., & Williams, D. M. (2010). Criminal justice involvement, behavioral health service use, and costs of forensic assertive community treatment: A randomized trial. *Community Mental Health Journal, 46*(4), 356–363. doi:10.1007/s10597-010-9299-z
- Cusack, M., & Montgomery, A. E. (2017). Examining the bidirectional association between veteran homelessness and incarceration within the context of permanent supportive housing. *Psychological Services, 14*(2), 250–256. doi:10.1037/ser0000110
- Cutcliffe, J. R., Travale, R., Richmond, M. M., & Green, T. (2016). Considering the contemporary issues and unresolved challenges facing therapeutic communities for clients with alcohol and substance abuse. *Issues in Mental Health Nursing, 37*(9), 642–650. doi:10.3109/01612840.2016.1169465
- Daley, D. C., & Marlatt, G. A. (1992). Relapse prevention: Cognitive and behavioral interventions. In J. G. Lowinson, P. Ruiz, R. B. Millman, & J. G. Langrod (Eds.), *Substance abuse: A comprehensive textbook* (pp. 533–542). Baltimore, MD: Williams and Wilkins.
- Danielson, M. L., Bitsko, R. H., Ghandour, R. M., Holbrook, J. R., Kogan, M. D., & Blumberg, S. J. (2018). Prevalence of parent-reported ADHD diagnosis and associated treatment among US children and adolescents, 2016. *Journal of Clinical Child & Adolescent Psychology, 47*(2), 199–212.
- Darvishi, N., Farhadi, M., Haghtalab, T., & Poorolajal, J. (2015). Alcohol-related risk of suicidal ideation, suicide attempt, and completed suicide: A meta-analysis. *PLoS ONE, 10*(5), e0126870. doi:10.1371/journal.pone.0126870
- Dass-Brailsford, P., & Safilian, C. M. (2017). Integrated approaches to treating psychological trauma and substance abuse in women: An update. *Trauma & Acute Care, 2*(2), 41.
- Daughters, S. B., Magidson, J. F., Lejuez, C. W., & Chen, Y. (2016). LETS ACT: A behavioral activation treatment for substance use and depression. *Advances in Dual Diagnosis, 9*(2–3), 74–84. doi:10.1108/ADD-02-2016-0006
- Davidson, L., Bellamy, C., Guy, K., & Miller, R. (2012). Peer support among persons with severe mental illnesses: A review of evidence and experience. *World Psychiatry, 11*(2), 123–128.
- Davies, W. (2017). Understanding the pathophysiology of postpartum psychosis: Challenges and new approaches. *World Journal of Psychiatry, 7*(2), 77–88. doi:10.5498/wjp.v7.i2.77
- Davis, H., & Attia, E. (2017). Pharmacotherapy of eating disorders. *Current Opinion in Psychiatry, 30*(6), 452–457. doi:10.1097/YCO.0000000000000358
- Dawson, D. A., Smith, S. M., Saha, T. D., Rubinsky, A. D., & Grant, B. F. (2012). Comparative performance of the AUDIT-C in screening for DSM-IV and DSM-5 alcohol use disorders. *Drug and Alcohol Dependence, 126*(3), 384–388. doi:10.1016/j.drugalcdep.2012.05.029
- De Alwis, D., Lynskey, M. T., Reiersen, A. M., & Agrawal, A. (2014). Attention-deficit/hyperactivity disorder subtypes and substance use and use disorders in NESARC. *Addictive Behaviors, 39*(8), 1278–1285. doi:10.1016/j.addbeh.2014.04.003
- De Crescenzo, F., Cortese, S., Adamo, N., & Janiri, L. (2017). Pharmacological and non-pharmacological treatment of adults with ADHD: A meta-review. *Evidence Based Mental Health, 20*(1), 4–11. doi:10.1136/eb-2016-102415
- De Hert, M., Cohen, D., Bobes, J., Cetkovich-Bakmas, M., Leucht, S., Ndeti, D. M., . . . Correll, C. U. (2011). Physical illness in patients with severe mental disorders. II. Barriers to care, monitoring and treatment guidelines, plus recommendations at the system and individual level. *World Psychiatry, 10*(2), 138–151.
- de Jonge, P., Roest, A. M., Lim, C. C., Florescu, S. E., Bromet, E. J., Stein, D. J., . . . Scott, K. M. (2016). Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. *Depression and Anxiety, 33*(12), 1155–1177. doi:10.1002/da.22572
- de la Sierra, L. R. (2002). Countertransference: Our difficulties in the treatment of substance abuse. In *The psychodynamics of addiction* (pp. 141–152). Philadelphia, PA: Whurr Publishers.
- De Leon, G. (1996). Integrative recovery: A stage paradigm. *Substance Abuse, 17*(1), 51–63. doi:10.1080/08897079609444728
- De Leon, G. (2000). Modified therapeutic community for homeless mentally ill chemical abusers: Treatment outcomes. *American Journal of Drug and Alcohol Abuse, 26*(3), 461–480.
- De Leon, G. (2015). “The gold standard” and related considerations for a maturing science of substance abuse treatment. Therapeutic communities; a case in point. *Substance Use and Misuse, 50*(8–9), 1106–1109. doi:10.3109/10826084.2015.1012846
- De Leon, G., Sacks, S., Staines, G., & McKendrick, K. (2000). Modified therapeutic community for homeless mentally ill chemical abusers: Treatment outcomes. *American Journal of Drug and Alcohol Abuse, 26*(3), 461–480.
- DeMarce, J. M., Lash, S. J., Stephens, R. S., Grambow, S. C., & Burden, J. L. (2008). Promoting continuing care adherence among substance abusers with co-occurring psychiatric disorders following residential treatment. *Addictive Behaviors, 33*(9), 1104–1112. doi:10.1016/j.addbeh.2008.02.008




- Department of Veterans Affairs & Department of Defense. (2015). *VA/DoD clinical practice guideline for the management of substance use disorders*. Version 3. 0. Retrieved from [www.healthquality.va.gov/guidelines/MH/sud/VADODSUDCPGRevised22216.pdf](http://www.healthquality.va.gov/guidelines/MH/sud/VADODSUDCPGRevised22216.pdf)
- Department of Veterans Affairs & Department of Defense. (2017). *VA/DoD clinical practice guideline for the management of posttraumatic stress disorder and acute stress disorder*. Version 3.0. Retrieved from [www.healthquality.va.gov/guidelines/MH/ptsd/VADoDPTSDCPGFinal012418.pdf](http://www.healthquality.va.gov/guidelines/MH/ptsd/VADoDPTSDCPGFinal012418.pdf)
- Detweiler, M. B., Pagadala, B., Candelario, J., Boyle, J. S., Detweiler, J. G., & Lutgens, B. W. (2016). Treatment of post-traumatic stress disorder nightmares at a Veterans Affairs medical center. *Journal of Clinical Medicine*, 5(12). pii: E117. doi:10.3390/jcm5120117
- De Witte, N. A., Crunelle, C. L., Sabbe, B., Moggi, F., & Dom, G. (2014). Treatment for outpatients with comorbid schizophrenia and substance use disorders: A review. *European Addiction Research*, 20(3), 105–114. doi:10.1159/000355267
- Diaz, N., Horton, E. G., & Weiner, M. (2012). Dysthymia, major depression, and double depression among individuals receiving substance abuse treatment. *Health*, 4(12), 1–9. doi:10.4236/health.2012.412181
- Dickey, B., & Ware, N. C. (2008). Therapeutic communities and mental health system reform. *Psychiatric Rehabilitation Journal*, 32(2), 105–109. doi:10.2975/32.2.2008.105.109
- DiClemente, C. C., Corno, C. M., Graydon, M. M., Wiprovnick, A. E., & Knoblach, D. J. (2017). Motivational interviewing, enhancement, and brief interventions over the last decade: A review of reviews of efficacy and effectiveness. *Psychology of Addictive Behaviors*, 31(8), 862–887. doi:10.1037/adb0000318
- Dieterich, M., Irving, C. B., Bergman, H., Khokhar, M. A., Park, B., & Marshall, M. (2017). Intensive case management for severe mental illness. *Schizophrenia Bulletin*, 43(4), 698–700. doi:10.1093/schbul/sbx061
- Ding, K., Slate, M., & Yang, J. (2017). History of co-occurring disorders and current mental health status among homeless veterans. *BMC Public Health*, 18, 751.
- Ding, K., Yang, J., Cheng, G., Schiltz, T., Summers, K. M., & Skinstad, A. H. (2011). Hospitalizations and hospital charges for co-occurring substance use and mental disorders. *Journal of Substance Abuse Treatment*, 40(4), 366–375. doi:10.1016/j.jsat.2010.12.005
- Dixon, L. B., Holoshitz, Y., & Nossel, I. (2016). Treatment engagement of individuals experiencing mental illness: Review and update. *World Psychiatry*, 15(1), 13–20. doi:doi:10.1002/wps.20306
- Domenico, L. H., Lewis, B., Hazarika, M., & Nixon, S. J. (2018). Characterizing anxiety among individuals receiving treatment for alcohol and substance use disorders. *Journal of the American Psychiatric Nurses Association*, 24(4), 343–351. doi:10.1177/1078390317739106
- Doucet, S., Jones, I., Letourneau, N., Dennis, C. L., & Blackmore, E. R. (2011). Interventions for the prevention and treatment of postpartum psychosis: A systematic review. *Archives of Women's Mental Health*, 14(2), 89–98. doi:10.1007/s00737-010-0199-6
- Drainoni, M. L., Farrell, C., Sorensen-Alawad, A., Palmisano, J. N., Chaisson, C., & Walley, A. Y. (2014). Patient perspectives of an integrated program of medical care and substance use treatment. *AIDS Patient Care and STDs*, 28(2), 71–81. doi:10.1089/apc.2013.0179
- Drake, R. E., Bond, G. R., Goldman, H. H., Hogan, M. F., & Karakus, M. (2016). Individual placement and support services boost employment for people with serious mental illnesses, but funding is lacking. *Health Affairs (Millwood)*, 35(6), 1098–1105. doi:10.1377/hlthaff.2016.0001
- Drake, R. E., Luciano, A. E., Mueser, K. T., Covell, N. H., Essock, S. M., Xie, H., & McHugo, G. J. (2016). Longitudinal course of clients with co-occurring schizophrenia-spectrum and substance use disorders in urban mental health centers: A 7-year prospective study. *Schizophrenia Bulletin*, 42(1), 202–211. doi:10.1093/schbul/sbv110
- Drymalski, W. M., & Campbell, T. C. (2009). A review of Motivational Interviewing to enhance adherence to antipsychotic medication in patients with schizophrenia: Evidence and recommendations. *Journal of Mental Health*, 18(1), 6–15. doi:10.1080/09638230802052161
- Drymalski, W. M., & Nunley, M. R. (2016). The use of the Addiction Severity Index psychiatric composite scores to predict psychiatric inpatient admissions. *Journal of Addictions Nursing*, 27(3), 190–196. doi:10.1097/jan.0000000000000134
- Drymalski, W. M., & Nunley, M. R. (2018). Sensitivity of the ASAM criteria to psychiatric need. *International Journal of Mental Health and Addiction*, 16(3), 617–629. doi:10.1007/s11469-017-9801-8
- Duijkers, J. C., Vissers, C. T., & Egger, J. I. (2016). Unraveling executive functioning in dual diagnosis. *Frontiers in Psychology*, 7, 979.
- Dundon, W. D., Pettinati, H. M., Lynch, K. G., Xie, H., Varillo, K. M., Makadon, C., & Oslin, D. W. (2008). The therapeutic alliance in medical-based interventions impacts outcome in treating alcohol dependence. *Drug and Alcohol Dependence*, 95(3), 230–236. doi:10.1016/j.drugalcdep.2008.01.010

- Dunne, E. M., Burrell, L. E., 2nd, Diggins, A. D., Whitehead, N. E., & Latimer, W. W. (2015). Increased risk for substance use and health-related problems among homeless veterans. *American Journal of Addictions, 24*(7), 676–680. doi:10.1111/ajad.12289
- Dursa, E. K., Barth, S. K., Schneiderman, A. I., & Bossarte, R. M. (2016). Physical and mental health status of Gulf War and Gulf Era veterans: Results from a large population-based epidemiological study. *Journal of Occupational and Environmental Medicine, 58*(1), 41–46. doi:10.1097/jom.0000000000000627
- Dye, M. H., Roman, P. M., Knudsen, H. K., & Johnson, J. A. (2012). The availability of integrated care in a national sample of therapeutic communities. *Journal of Behavioral Health Services & Research, 39*(1), 17–27. doi:10.1007/s11414-011-9251-1
- Dykstra, R. E., Schumacher, J. A., Mota, N., & Coffey, S. F. (2015). Examining the role of antisocial personality disorder in intimate partner violence among substance use disorder treatment seekers with clinically significant trauma histories. *Violence Against Women, 21*(8), 958–974. doi:10.1177/1077801215589377
- Eby, L. T., Burk, H., & Maher, C. P. (2010). How serious of a problem is staff turnover in substance abuse treatment? A longitudinal study of actual turnover. *Journal of Substance Abuse Treatment, 39*(3), 264–271. doi:10.1016/j.jsat.2010.06.009
- Eby, L. T., Laschober, T. C., & Curtis, S. L. (2014). Substance abuse-specific knowledge transfer or loss? Treatment program turnover versus professional turnover among substance abuse clinicians. *Journal of Addictive Diseases, 33*(3), 243–252. doi:10.1080/10550887.2014.950022
- Edwards, R. (2006). The role and competencies of staff in the treatment of coexisting problems of mental health and substance misuse. In R. G. Hussein (Ed.), *Dual diagnosis nursing* (pp. 285–295). Hoboken, NJ: Blackwell Publishing.
- Egan, T. E., Dawson, A. E., & Wymbs, B. T. (2017). Substance use in undergraduate students with histories of attention-deficit/hyperactivity disorder (ADHD): The role of impulsivity. *Substance Use and Misuse, 52*(10), 1375–1386. doi:10.1080/10826084.2017.1281309
- Ellenhorn, R. (2015). Assertive community treatment: A “living-systems” alternative to hospital and residential care. *Psychiatric Annals, 45*(3), 120–125. doi:10.3928/00485713-20150304-06
- Elmqvist, J., Shorey, R. C., Anderson, S., & Stuart, G. L. (2015). Eating disorder symptoms and length of stay in residential treatment for substance use: A brief report. *Journal of Dual Diagnosis, 11*(3–4), 233–237. doi:10.1080/15504263.2015.1104480
- Epstein, A. J., Barry, C. L., Fiellin, D. A., & Busch, S. H. (2015). Consumers’ valuation of primary care-based treatment options for mental and substance use disorders. *Psychiatric Services, 66*(8), 772–774. doi:10.1176/appi.ps.201500077
- Evans, E., Padwa, H., Li, L., Lin, V., & Hser, Y. I. (2015). Heterogeneity of mental health service utilization and high mental health service use among women eight years after initiating substance use disorder treatment. *Journal of Substance Abuse Treatment, 59*, 10–19. doi:10.1016/j.jsat.2015.06.021
- Ewing, G., Austin, L., Diffin, J., & Grande, G. (2015). Developing a person-centred approach to career assessment and support. *British Journal of Community Nursing, 20*(12), 580–584. doi:10.12968/bjcn.2015.20.12.580
- Farren, C. K., Hill, K. P., & Weiss, R. D. (2012). Bipolar disorder and alcohol use disorder: A review. *Current Psychiatry Reports, 14*(6), 659–666. doi:10.1007/s11920-012-0320-9
- Fazel, S., Yoon, I. A., & Hayes, A. J. (2017). Substance use disorders in prisoners: An updated systematic review and meta-regression analysis in recently incarcerated men and women. *Addiction, 112*(10), 1725–1739. doi:10.1111/add.13877
- Fearn, N. E., Vaughn, M. G., Nelson, E. J., Salas-Wright, C. P., DeLisi, M., & Qian, Z. (2016). Trends and correlates of substance use disorders among probationers and parolees in the United States 2002–2014. *Drug and Alcohol Dependence, 167*, 128–139. doi:10.1016/j.drugalcdep.2016.08.003
- Fisher, W. H., Geller, J. L., & Pandiani, J. A. (2009). The changing role of the state psychiatric hospital. *Health Affairs, 28*(3), 676–684. doi:10.1377/hlthaff.28.3.676
- Flanagan, J. C., Korte, K. J., Killeen, T. K., & Back, S. E. (2016). Concurrent treatment of substance use and PTSD. *Current Psychiatry Reports, 18*(8). doi:10.1007/s11920-016-0709-y
- Food and Drug Administration (FDA). (March 2007). Strattera. Patient information. [www.accessdata.fda.gov/drugsatfda\\_docs/label/2007/021411s004s012s013s015s021lbl.pdf](http://www.accessdata.fda.gov/drugsatfda_docs/label/2007/021411s004s012s013s015s021lbl.pdf)
- Food and Drug Administration. (2010). Kapvay. Prescribing information. [www.accessdata.fda.gov/drugsatfda\\_docs/label/2010/022331s001s002lbl.pdf](http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/022331s001s002lbl.pdf)
- Food and Drug Administration. (2013). Intuniv. Prescribing information. [www.accessdata.fda.gov/drugsatfda\\_docs/label/2013/022037s009lbl.pdf](http://www.accessdata.fda.gov/drugsatfda_docs/label/2013/022037s009lbl.pdf)
- Food and Drug Administration. (April 28, 2017). *Depression: FDA-approved medications may help. Consumer updates*. Retrieved from [www.fda.gov/forconsumers/consumerupdates/ucm095980.htm](http://www.fda.gov/forconsumers/consumerupdates/ucm095980.htm)




- Food and Drug Administration. (March 5, 2019). *FDA approves new nasal spray medication for treatment-resistant depression; available only at a certified doctor's office or clinic*. Retrieved from [www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm632761.htm](http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm632761.htm)
- Ford, J. A., & Perna, D. (2015). Prescription drug misuse and suicidal ideation: Findings from the National Survey on Drug Use and Health. *Drug and Alcohol Dependence, 157*, 192–196. doi:10.1016/j.drugalcdep.2015.10.010
- Fouladi, F., Mitchell, J. E., Crosby, R. D., Engel, S. G., Crow, S., Hill, L., . . . Steffen, K. J. (2015). Prevalence of alcohol and other substance use in patients with eating disorders. *European Eating Disorders Review, 23*(6), 531–536. doi:10.1002/erv.2410
- Fountoulakis, K. N., Grunze, H., Vieta, E., Young, A., Yatham, L., Blier, P., . . . Moeller, H. J. (2017). The International College of Neuro-Psychopharmacology (CINP) treatment guidelines for bipolar disorder in adults (CINP-BD-2017), Part 3: The clinical guidelines. *International Journal of Neuropsychopharmacology, 20*(2), 180–195. doi:10.1093/ijnp/pyw109
- Fowler, K. A., Jack, S. P. D., Lyons, B. H., Betz, C. J., & Petrosky, E. (2018). Surveillance for violent deaths—National Violent Death Reporting System, 18 states, 2014. *MMWR Surveillance Summaries, 67*(2), 1–36. doi:10.15585/mmwr.ss6702a1
- Franko, D. L., Keshaviah, A., Eddy, K. T., Krishna, M., Davis, M. C., Keel, P. K., & Herzog, D. B. (2013). A longitudinal investigation of mortality in anorexia nervosa and bulimia nervosa. *American Journal of Psychiatry, 170*(8), 917–925. doi:10.1176/appi.ajp.2013.12070868
- Fries, H. P., & Rosen, M. I. (2011). The efficacy of assertive community treatment to treat substance use. *Journal of the American Psychiatric Nurses Association, 17*(1), 45–50. doi:10.1177/1078390310393509
- Frisman, L. K., Mueser, K. T., Covell, N. H., Lin, H. J., Crocker, A., Drake, R. E., & Essock, S. M. (2009). Use of integrated dual disorder treatment via assertive community treatment versus clinical case management for persons with co-occurring disorders and antisocial personality disorder. *Journal of Nervous and Mental Disease, 197*(11), 822–828. doi:10.1097/NMD.0b013e3181beac52
- Frounfelker, R. L., Wilkniss, S. M., Bond, G. R., Devitt, T. S., & Drake, R. E. (2011). Enrollment in supported employment services for clients with a co-occurring disorder. *Psychiatric Services, 62*(5), 545–547. doi:10.1176/ps.62.5.pss6205\_0545
- Fruzzetti, A. E. (October 03, 2017). *Why borderline personality disorder is misdiagnosed*. Retrieved from [www.nami.org/Blogs/NAMI-Blog/October-2017/Why-Borderline-Personality-Disorder-is-Misdiagnose](http://www.nami.org/Blogs/NAMI-Blog/October-2017/Why-Borderline-Personality-Disorder-is-Misdiagnose)
- Fulton, J. J., Calhoun, P. S., Wagner, H. R., Schry, A. R., Hair, L. P., Feeling, N., . . . Beckham, J. C. (2015). The prevalence of posttraumatic stress disorder in Operation Enduring Freedom/Operation Iraqi Freedom (OEF/OIF) veterans: A meta-analysis. *Journal of Anxiety Disorders, 31*, 98–107. doi:10.1016/j.janxdis.2015.02.003
- Gademmann, A. M., Alonso, J., Vilagut, G., Zaslavsky, A. M., & Kessler, R. C. (2012). Comorbidity and disease burden in the National Comorbidity Survey Replication (NCS-R). *Depression and Anxiety, 29*(9), 797–806. doi:10.1002/da.21924
- Gainsbury, S. M. (2017). Cultural competence in the treatment of addictions: Theory, practice and evidence. *Clinical Psychology & Psychotherapy, 24*(4), 987–1001. doi:10.1002/cpp.2062
- Galán, C. A., & Humphreys, K. L. (Aug 2, 2017). ADHD and substance use: Current evidence and treatment considerations. *Psychiatric Times, 34*(8), 1–3.
- García, S., Martínez-Cengotitabengoa, M., López-Zurbano, S., Zorrilla, I., López, P., Vieta, E., & González-Pinto, A. (2016). Adherence to antipsychotic medication in bipolar disorder and schizophrenic patients: A systematic review. *Journal of Clinical Psychopharmacology, 36*(4), 355–371. doi:10.1097/jcp.0000000000000523
- Garner, B. R., & Hunter, B. D. (2014). Predictors of staff turnover and turnover intentions within addiction treatment settings: Change over time matters. *Substance Abuse, 8*, 63–71. doi:10.4137/SART.S17133
- GBD 2016 Disease and Injury Incidence and Prevalence Collaborators. (2017). Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: A systematic analysis for the Global Burden of Disease Study 2016. *Lancet, 390*(10100), 1211–1259. doi:10.1016/s0140-6736(17)32154-2
- Gentile, S. (2017). Untreated depression during pregnancy: Short- and long-term effects in offspring. A systematic review. *Neuroscience, 342*, 154–166. doi:10.1016/j.neuroscience.2015.09.001
- Ghafoori, B., Barragan, B., & Palinkas, L. (2014). Mental health service use among trauma-exposed adults: A mixed-methods study. *Journal of Nervous and Mental Disease, 202*(3), 239–246. doi:10.1097/nmd.0000000000000108
- Gibbon, S., Duggan, C., Stoffers, J., Huband, N., Vollm, B. A., Ferriter, M., & Lieb, K. (2010). Psychological interventions for antisocial personality disorder. *Cochrane Database of Systematic Reviews, 6*, CD007668. doi:10.1002/14651858.CD007668.pub2
- Gilmer, T. P., Manning, W. G., & Ettner, S. L. (2009). A cost analysis of San Diego County's REACH program for homeless persons. *Psychiatric Services, 60*(4), 445–450. doi:10.1176/appi.ps.60.4.445

- Gilmore, A. K., Brignone, E., Painter, J. M., Lehavot, K., Fargo, J., Suo, Y., . . . Gundlapalli, A. V. (2016). Military sexual trauma and co-occurring posttraumatic stress disorder, depressive disorders, and substance use disorders among returning Afghanistan and Iraq veterans. *Women's Health Issues, 26*(5), 546–554. doi:10.1016/j.whi.2016.07.001
- Glenn, A. L., Johnson, A. K., & Raine, A. (2013). Antisocial personality disorder: A current review. *Current Psychiatry Reports, 15*(12), 427. doi:10.1007/s11920-013-0427-7
- Gold, A. K., Otto, M. W., Deckersbach, T., Sylvia, L. G., Nierenberg, A. A., & Kinrys, G. (2018). Substance use comorbidity in bipolar disorder: A qualitative review of treatment strategies and outcomes. *American Journal of Addictions, 27*(3), 188–201. doi:10.1111/ajad.12713
- Gold, L. H. (2014). DSM-5 and the assessment of functioning: The World Health Organization disability assessment schedule 2.0 (WHODAS 2.0). *Journal of the American Academy of Psychiatry and the Law, 42*(2), 173–181.
- Goldstein, R. B., Smith, S. M., Chou, S. P., Saha, T. D., Jung, J., Zhang, H., . . . Grant, B. F. (2016). The epidemiology of DSM-5 posttraumatic stress disorder in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions-III. *Social Psychiatry and Psychiatric Epidemiology, 51*(8), 1137–1148. doi:10.1007/s00127-016-1208-5
- Goodman, D. J., Milliken, C. U., Theiler, R. N., Nordstrom, B. R., & Akerman, S. C. (2015). A multidisciplinary approach to the treatment of co-occurring opioid use disorder and posttraumatic stress disorder in pregnancy: A case report. *Journal of Dual Diagnosis, 11*(3–4), 248–257. doi:10.1080/15504263.2015.1104484
- Goodrich, D. E., Kilbourne, A. M., Nord, K. M., & Bauer, M. S. (2013). Mental health collaborative care and its role in primary care settings. *Current Psychiatry Reports, 15*(8), 383. doi:10.1007/s11920-013-0383-2
- Goodwin, R. D., & Stein, D. J. (2013). Anxiety disorders and drug dependence: Evidence on sequence and specificity among adults. *Psychiatry and Clinical Neurosciences, 67*(3), 167–173. doi:10.1111/pcn.12030
- Grant, B. F., Chou, S. P., Goldstein, R. B., Huang, B., Stinson, F. S., Saha, T. D., . . . Ruan, W. J. (2008). Prevalence, correlates, disability, and comorbidity of DSM-IV borderline personality disorder: Results from the Wave 2 National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry, 69*(4), 533–545. doi:ej07m03916
- Grant, B. F., Goldstein, R. B., Saha, T. D., Chou, S. P., Jung, J., Zhang, H., . . . Hasin, D. S. (2015). Epidemiology of DSM-5 alcohol use disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions III. *JAMA Psychiatry, 72*(8), 757–766. doi:10.1001/jamapsychiatry.2015.0584
- Grant, B. F., Hasin, D. S., Stinson, F. S., Dawson, D. A., Chou, S. P., Ruan, W. J., & Pickering, R. P. (2004). Prevalence, correlates, and disability of personality disorders in the United States: Results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Clinical Psychiatry, 65*(7), 948–958.
- Grant, B. F., Saha, T. D., Ruan, W. J., Goldstein, R. B., Chou, S. P., Jung, J., . . . Hasin, D. S. (2016). Epidemiology of DSM-5 drug use disorder: Results from the National Epidemiologic Survey on Alcohol and Related Conditions-III. *JAMA Psychiatry, 73*(1), 39–47. doi:10.1001/jamapsychiatry.2015.2132
- Grattan, A., Sullivan, M. D., Saunders, K. W., Campbell, C. I., & Von Korff, M. R. (2012). Depression and prescription opioid misuse among chronic opioid therapy recipients with no history of substance abuse. *Annals of Family Medicine, 10*(4), 304–311. doi:10.1370/afm.1371
- Green, C. A., Yarborough, M. T., Polen, M. R., Janoff, S. L., & Yarborough, B. J. (2015). Dual recovery among people with serious mental illnesses and substance problems: A qualitative analysis. *Journal of Dual Diagnosis, 11*(1), 33–41. doi:10.1080/15504263.2014.975004
- Green, K. L., Brown, G. K., Jager-Hyman, S., Cha, J., Steer, R. A., & Beck, A. T. (2015). The predictive validity of the Beck Depression Inventory suicide item. *Journal of Clinical Psychiatry, 76*(12), 1683–1686. doi:10.4088/JCP.14m09391
- Gregorowski, C., Seedat, S., & Jordaan, G. P. (2013). A clinical approach to the assessment and management of co-morbid eating disorders and substance use disorders. *BMC Psychiatry, 13*, 289. doi:10.1186/1471-244x-13-289
- Grella, C. E. (2008). From generic to gender-responsive treatment: Changes in social policies, treatment services, and outcomes of women in substance abuse treatment. *Journal of Psychoactive Drugs, 40*(Suppl. 5), 327–343.
- Grella, C. E., & Shi, Y. (2011). Stability of outcomes following residential drug treatment for patients with co-occurring disorders. *Journal of Dual Diagnosis, 7*(1–2), 103–112. doi:10.1080/15504263.2011.566067
- Grewal, R. S., & George, T. P. (July 14, 2017). Cannabis-induced psychosis: A review. *Psychiatric Times, 34*(7), 1–5.
- Group, W. A. W. (2002). The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): Development, reliability and feasibility. *Addiction, 97*(9), 1183–1194.
- Guerrero, E., & Andrews, C. M. (2011). Cultural competence in outpatient substance abuse treatment: Measurement and relationship to wait time and retention. *Drug and Alcohol Dependence, 119*(1–2), e13–e22. doi:10.1016/j.drugalcdep.2011.05.020
- Guerrero, E. G. (2013). Enhancing access and retention in substance abuse treatment: The role of Medicaid payment acceptance and cultural competence. *Drug and Alcohol Dependence, 132*(3), 555–561. doi:10.1016/j.drugalcdep.2013.04.005



- Guerrero, E. G., Padwa, H., Lengnick-Hall, R., Kong, Y., & Perrigo, J. L. (2015). Leadership and licensure for drug treatment and the implementation of co-occurring disorder treatment in community mental health centers. *Community Mental Health Journal, 51*(5), 554–566. doi:10.1007/s10597-015-9886-0
- Guille, C., Newman, R., Fryml, L. D., Lifton, C. K., & Epperson, C. N. (2013). Management of postpartum depression. *Journal of Midwifery & Women's Health, 58*(6), 643–653. doi:10.1111/jmwh.12104
- Habel, L. A., Cooper, W. O., Sox, C. M., Chan, K. A., Fireman, B. H., Arbogast, P. G., . . . Selby, J. V. (2011). ADHD medications and risk of serious cardiovascular events in young and middle-aged adults. *JAMA, 306*(24), 2673–2683. doi:10.1001/jama.2011.1830
- Hagler, K. J., Rice, S. L., Munoz, R. E., Salvador, J. G., Forcehimes, A. A., & Bogenschutz, M. P. (2015). "It Might Actually Work This Time": Benefits and barriers to adapted 12-step facilitation therapy and mutual-help group attendance from the perspective of dually diagnosed individuals. *Journal of Addictions Nursing, 26*(3), 120–128. doi:10.1097/jan.0000000000000083
- Haller, M., Colvonen, P. J., Davis, B. C., Trim, R. S., Bogner, R., Sevcik, J., & Norman, S. B. (2016). Examining pretreatment differences between veterans in residential versus outpatient treatment for alcohol use disorder and comorbid combat-related PTSD. *Journal of Dual Diagnosis, 12*(3–4), 282–289. doi:10.1080/15504263.2016.1256516
- Haller, M., Norman, S. B., Cummins, K., Trim, R. S., Xu, X., Cui, R., . . . Tate, S. R. (2016). Integrated cognitive behavioral therapy versus cognitive processing therapy for adults with depression, substance use disorder, and trauma. *Journal of Substance Abuse Treatment, 62*, 38–48. doi:10.1016/j.jsat.2015.11.005
- Halloran, L. (2013). Substance abuse in primary care. *Journal for Nurse Practitioners, 9*(7), 475–476.
- Hamdi, N. R., & Iacono, W. G. (2014). Lifetime prevalence and co-morbidity of externalizing disorders and depression in prospective assessment. *Psychological Medicine, 44*(2), 315–324. doi:10.1017/s0033291713000627
- Han, B., Compton, W. M., Blanco, C., & Colpe, L. J. (2017). Prevalence, treatment, and unmet treatment needs of US adults with mental health and substance use disorders. *Health Affairs (Millwood), 36*(10), 1739–1747.
- Han, B., Olfson, M., & Mojtabai, R. (2017). Depression care among adults with co-occurring major depressive episodes and substance use disorders in the United States. *Journal of Psychiatric Research, 91*, 47–56. doi:10.1016/j.jpsychires.2017.02.026
- Harrison, J., Cousins, L., Spybrook, J., & Curtis, A. (2017). Peers and co-occurring research-supported interventions. *Journal of Evidence-Informed Social Work, 14*(3), 201–215. doi:10.1080/23761407.2017.1316220
- Harrison, M. L., Moore, K. A., Young, S., Flink, D., & Ochshorn, E. (2008). Implementing the comprehensive, continuous, integrated system of care model for individuals with co-occurring disorders: Preliminary findings from a residential facility serving homeless individuals. *Journal of Dual Diagnosis, 4*(3), 238–259.
- Harrold, S. A., Libet, J., Pope, C., Lauerer, J. A., Johnson, E., & Edlund, B. J. (2018). Increasing physical activity for veterans in the Mental Health Intensive Case Management Program: A community-based intervention. *Perspectives in Psychiatric Care, 54*(2), 266–273. doi:10.1111/ppc.12233
- Harrop, E. N., & Marlatt, G. A. (2010). The comorbidity of substance use disorders and eating disorders in women: Prevalence, etiology, and treatment. *Addictive Behaviors, 35*(5), 392–398. doi:10.1016/j.addbeh.2009.12.016
- Hartz, S. M., Pato, C. N., Medeiros, H., Cavazos-Rehg, P., Sobell, J. L., Knowles, J. A., . . . Pato, M. T. (2014). Comorbidity of severe psychotic disorders with measures of substance use. *JAMA Psychiatry, 71*(3), 248–254. doi:10.1001/jamapsychiatry.2013.3726
- Harvard Medical School. (2005). *National Comorbidity Survey (NCS)*. Retrieved from <https://www.hcp.med.harvard.edu/ncs/>
- Hasin, D., Fenton, M. C., Skodol, A., Krueger, R., Keyes, K., Geier, T., . . . Grant, B. (2011). Personality disorders and the 3-year course of alcohol, drug, and nicotine use disorders. *Archives of General Psychiatry, 68*(11), 1158–1167. doi:10.1001/archgenpsychiatry.2011.78
- Hasin, D., & Kilcoyne, B. (2012). Comorbidity of psychiatric and substance use disorders in the United States: Current issues and findings from the NESARC. *Current Opinion in Psychiatry, 25*(3), 165–171. doi:10.1097/YCO.0b013e3283523dcc
- Hasin, D. S., & Grant, B. F. (2015). The National Epidemiologic Survey on Alcohol and Related Conditions (NESARC) Waves 1 and 2: Review and summary of findings. *Social Psychiatry and Psychiatric Epidemiology, 50*(11), 1609–1640. doi:10.1007/s00127-015-1088-0
- Hasin, D. S., Kerridge, B. T., Saha, T. D., Huang, B., Pickering, R., Smith, S. M., . . . Grant, B. F. (2016). Prevalence and correlates of DSM-5 cannabis use disorder, 2012–2013: Findings from the National Epidemiologic Survey on Alcohol and Related Conditions-III. *American Journal of Psychiatry, 173*(6), 588–599. doi:10.1176/appi.ajp.2015.15070907
- Hasin, D. S., O'Brien, C. P., Auriacombe, M., Borges, G., Bucholz, K., Budney, A., . . . Grant, B. F. (2013). DSM-5 criteria for substance use disorders: Recommendations and rationale. *American Journal of Psychiatry, 170*(8), 834–851. doi:10.1176/appi.ajp.2013.12060782


- Hasin, D. S., Sarvet, A. L., Meyers, J. L., Saha, T. D., Ruan, W. J., Stohl, M., & Grant, B. F. (2018). Epidemiology of Adult DSM-5 major depressive disorder and its specifiers in the United States. *JAMA Psychiatry*, *75*(4), 336–346. doi:10.1001/jamapsychiatry.2017.4602
- Haug, N. A., Duffy, M., & McCaul, M. E. (2014). Substance abuse treatment services for pregnant women: Psychosocial and behavioral approaches. *Obstetrics and Gynecology Clinics of North America*, *41*(2), 267–296. doi:10.1016/j.ogc.2014.03.001
- Havassy, B. E., & Mericle, A. A. (2013). Recent violence among persons entering short-term residential mental health and substance abuse treatment. *Journal of Dual Diagnosis*, *9*(3). doi:10.1080/15504263.2013.804773
- Haviland, M. G., Banta, J. E., Sonne, J. L., & Przekop, P. (2016). Posttraumatic stress disorder-related hospitalizations in the United States (2002–2011): Rates, co-occurring illnesses, suicidal ideation/self-harm, and hospital charges. *Journal of Nervous and Mental Disease*, *204*(2), 78–86. doi:10.1097/NMD.0000000000000432
- Hawk, K., & D'Onofrio, G. (2018). Emergency department screening and interventions for substance use disorders. *Addiction Science & Clinical Practice*, *13*(1), 18. doi:10.1186/s13722-018-0117-1
- Healey, P., Stager, M. L., Woodmass, K., Dettlaff, A. J., Vergara, A., Janke, R., & Wells, S. J. (2017). Cultural adaptations to augment health and mental health services: A systematic review. *BMC Health Services Research*, *17*(1), 8. doi:10.1186/s12913-016-1953-x
- Health Resources and Services Administration (HRSA). (2018). *Behavioral health workforce projections, 2016–2030: Addiction counselors*. Retrieved from <https://bhw.hrsa.gov/sites/default/files/bhw/nchwa/projections/addiction-counselors-2018.pdf>
- Health Resources and Services Administration. (2020, March 1). Shortage areas. Retrieved from <https://data.hrsa.gov/topics/health-workforce/shortage-areas>
- Heffner, J. L., Blom, T. J., & Anthenelli, R. M. (2011). Gender differences in trauma history and symptoms as predictors of relapse to alcohol and drug use. *American Journal of Addictions*, *20*(4), 307–311. doi:10.1111/j.1521-0391.2011.00141.x
- Heimberg, R. G., Hofmann, S. G., Liebowitz, M. R., Schneier, F. R., Smits, J. A. J., Stein, M. B., . . . Craske, M. G. (2014). Social anxiety disorder in DSM-5. *Depression and Anxiety*, *31*(6), 472–479. doi:10.1002/da.22231
- Hendershot, C. S., Witkiewitz, K., George, W. H., & Marlatt, G. A. (2011). Relapse prevention for addictive behaviors. *Substance Abuse Treatment, Prevention, and Policy*, *6*, 17. doi:10.1186/1747-597x-6-17
- Henry, M., Shivji, A., de Sousa, T., and Cohen, R. (2015). *The 2015 Annual Homeless Assessment Report (AHAR) to Congress. Part 1 – Point in time estimates of homelessness*. Retrieved from <https://files.hudexchange.info/resources/documents/2015-AHAR-Part-1.pdf>
- Henry, M., Watt, R., Rosenthal, L., & Shivji, A. (2016, November). *The 2016 Annual Homeless Assessment Report (AHAR) to Congress. Part 1: Point-in-time estimates of homelessness*. Retrieved from <https://files.hudexchange.info/resources/documents/2016-AHAR-Part-1.pdf>
- Henry, M., Watt, R., Mahathey, A., Ouellette, J., Sitler, A., & Abt Associates. (2020, January). *The 2019 Annual Homeless Assessment Report (AHAR) to Congress. Part 1: Point-in-time estimates of homelessness*. Retrieved from <https://files.hudexchange.info/resources/documents/2019-AHAR-Part-1.pdf>
- Hermes, E., & Rosenheck, R. (2016). Psychopharmacologic services for homeless veterans: Comparing psychotropic prescription fills among homeless and non-homeless veterans with serious mental illness. *Community Mental Health Journal*, *52*(2), 142–147. doi:10.1007/s10597-015-9904-2
- Heslin, K. C., Elixhauser, A., & Steiner, C. A. (2015, June). *Hospitalizations involving mental and substance use disorders among adults, 2012*. HCUP Statistical Brief #191. Agency for Healthcare Research and Quality, Rockville, MD. Retrieved from [www.hcup-us.ahrq.gov/reports/statbriefs/sb191-Hospitalization-Mental-Substance-Use-Disorders-2012.pdf](http://www.hcup-us.ahrq.gov/reports/statbriefs/sb191-Hospitalization-Mental-Substance-Use-Disorders-2012.pdf)
- Hien, D. A., Jiang, H., Campbell, A. N. C., Hu, M.-C., Miele, G. M., Cohen, L. R., . . . Nunes, E. V. (2010). Do treatment improvements in PTSD severity affect substance use outcomes? A secondary analysis from a randomized clinical trial in NIDA's Clinical Trials Network. *American Journal of Psychiatry*, *167*(1), 95–101. doi:10.1176/appi.ajp.2009.09091261
- Hjorthoj, C. R., Hjorthoj, A. R., & Nordentoft, M. (2012). Validity of Timeline Follow-Back for self-reported use of cannabis and other illicit substances—Systematic review and meta-analysis. *Addictive Behaviors*, *37*(3), 225–233. doi:10.1016/j.addbeh.2011.11.025
- Hogan, M. F., & Grumet, J. G. (2016). Suicide prevention: An emerging priority for health care. *Health Affairs*, *35*(6), 1084–1090. doi:10.1377/hlthaff.2015.1672
- Holden, K., McGregor, B., Thandi, P., Fresh, E., Sheats, K., Belton, A., . . . Satcher, D. (2014). Toward culturally centered integrative care for addressing mental health disparities among ethnic minorities. *Psychological Services*, *11*(4), 357–368. doi:10.1037/a0038122
- Horsfall, J., Cleary, M., Hunt, G. E., & Walter, G. (2009). Psychosocial treatments for people with co-occurring severe mental illnesses and substance use disorders (dual diagnosis): A review of empirical evidence. *Harvard Review of Psychiatry*, *17*(1), 24–34. doi:10.1080/10673220902724599



- Hudson, J. I., Hiripi, E., Pope, H. G., Jr., & Kessler, R. C. (2007). The prevalence and correlates of eating disorders in the National Comorbidity Survey Replication. *Biological Psychiatry*, *61*(3), 348–358. doi:10.1016/j.biopsych.2006.03.040
- Huggard, P., Law, J., & Newcombe, D. (2017). A systematic review exploring the presence of vicarious trauma, compassion fatigue, and secondary traumatic stress in alcohol and other drug clinicians. *Australasian Journal of Disaster and Trauma Studies*, *21*(2), 65–72.
- Hunt, E., Peters, R. H., & Kremling, J. (2015). Behavioral health treatment history among persons in the justice system: Findings from the Arrestee Drug Abuse Monitoring II Program. *Psychiatric Rehabilitation Journal*, *38*(1), 7–15. doi:10.1037/prj0000132
- Hunt, G. E., Malhi, G. S., Cleary, M., Lai, H. M. X., & Sitharthan, T. (2016a). Comorbidity of bipolar and substance use disorders in national surveys of general populations, 1990–2015: Systematic review and meta-analysis. *Journal of Affective Disorders*, *206*, 321–330. doi:10.1016/j.jad.2016.06.051
- Hunt, G. E., Malhi, G. S., Cleary, M., Lai, H. M. X., & Sitharthan, T. (2016b). Prevalence of comorbid bipolar and substance use disorders in clinical settings, 1990–2015: Systematic review and meta-analysis. *Journal of Affective Disorders*, *206*, 331–349. doi:10.1016/j.jad.2016.07.011
- Hunt, G. E., Siegfried, N., Morley, K., Sitharthan, T., & Cleary, M. (2013). Psychosocial interventions for people with both severe mental illness and substance misuse. *Cochrane Database of Systematic Reviews*, *10*, CD001088. doi:10.1002/14651858.CD001088.pub3
- Hunt, G. E., Siegfried, N., Morley, K., Sitharthan, T., & Cleary, M. (2014). Psychosocial interventions for people with both severe mental illness and substance misuse. *Schizophrenia Bulletin*, *40*(1), 18–20.
- Hunt, T. K., & Forbush, K. T. (2016). Is “drunkorexia” an eating disorder, substance use disorder, or both? *Eating Behaviors*, *22*, 40–45. doi:10.1016/j.eatbeh.2016.03.034
- Hunter, S. B., Schwartz, R. P., & Friedmann, P. D. (2016). Introduction to the Special Issue on the Studies on the Implementation of Integrated Models of Alcohol, Tobacco, and/or Drug Use Interventions and Medical Care. *Journal of Substance Abuse Treatment*, *60*, 1–5. doi:10.1016/j.jsat.2015.10.001
- Ilgen, M. A., Bohnert, A. S., Ignacio, R. V., McCarthy, J. F., Valenstein, M. M., Kim, H. M., & Blow, F. C. (2010). Psychiatric diagnoses and risk of suicide in veterans. *Archives of General Psychiatry*, *67*(11), 1152–1158. doi:10.1001/archgenpsychiatry.2010.129
- Jaffe, D. J. (2017). *What is “serious mental illness” and what is not?* Retrieved from <https://mentalillnesspolicy.org/serious-mental-illness-not/>
- Jahn, D. R., Muralidharan, A., Drapalski, A. L., Brown, C. H., Fang, L. J., & Lucksted, A. (2018). Differences in suicide and death ideation among veterans and nonveterans with serious mental illness. *Psychological Services*, *15*(1), 31–39. doi:10.1037/ser0000127
- Johnson, J. A., Lee, A., Vinson, D., & Seale, J. P. (2013). Use of AUDIT-based measures to identify unhealthy alcohol use and alcohol dependence in primary care: A validation study. *Alcoholism: Clinical and Experimental Research*, *37*(Suppl. 1), e253–e259. doi:10.1111/j.1530-0277.2012.01898.x
- Jones, C. M., & McCance-Katz, E. F. (2019). Co-occurring substance use and mental disorders among adults with opioid use disorder. *Drug and Alcohol Dependence*, *197*, 78–82. doi:10.1016/j.drugalcdep.2018.12.030
- Jones, D., & Arndt, S. (2017, October). *The Iowa Pregnant and Postpartum Women’s Residential Treatment Program: Annual report*. Retrieved from <https://idph.iowa.gov/Portals/1/userfiles/148/PPW%20Year%202%20Eval.pdf>
- Jones, I., Chandra, P. S., Dazzan, P., & Howard, L. M. (2014). Bipolar disorder, affective psychosis, and schizophrenia in pregnancy and the post-partum period. *Lancet*, *384*(9956), 1789–1799. doi:10.1016/s0140-6736(14)61278-2
- Jones, I., & Shakespeare, J. (2014). Postnatal depression. *BMJ*, *349*, g4500. doi:10.1136/bmj.g4500
- Jones, Q., Johnston, B., Biola, H., Gomez, S., & Crowder, C. (2018). Implementing standardized substance use disorder screening in primary care. *Journal of the American Academy of Physician Assistants*, *31*(10), 42–45. doi:10.1097/01.Jaa.0000511792.75301.73
- Joseph, R., Kester, R., O’Brien, C., & Huang, H. (2017). The evolving practice of psychiatry in the era of integrated care. *Psychosomatics*, *58*(5), 466–473. doi:10.1016/j.psym.2017.04.003
- Joyce, T. F., & Bailey, B. (2015). Supporting recovery in acute care and emergency settings [PowerPoint slides]. Retrieved from [www.samhsa.gov/sites/default/files/programs\\_campaigns/recovery\\_to\\_practice/supporting-recovery-in-acute-care-emergency-settings.pdf](http://www.samhsa.gov/sites/default/files/programs_campaigns/recovery_to_practice/supporting-recovery-in-acute-care-emergency-settings.pdf)
- Kaiser Family Foundation. (2017). *Uninsured rates for the nonelderly by race/ethnicity*. Retrieved from [www.kff.org/uninsured/state-indicator/rate-by-raceethnicity/?currentTImeframe=0&sortModel=%7B%22colld%22:%22Location%22,%22sort%22:%22asc%22%7D](http://www.kff.org/uninsured/state-indicator/rate-by-raceethnicity/?currentTImeframe=0&sortModel=%7B%22colld%22:%22Location%22,%22sort%22:%22asc%22%7D)
- Kaiser Permanente. (2019). Alcohol use in older adults. Retrieved from <https://wa.kaiserpermanente.org/healthAndWellness/index.jhtml?item=%2Fcommon%2FhealthAndWellness%2FhealthyLiving%2Fifestyle%2Falcohol-seniors.html>
- Kanbur, N., & Harrison, A. (2016). Co-occurrence of substance use and eating disorders: An approach to the adolescent patient in the context of family centered care. A literature review. *Substance Use and Misuse*, *51*(7), 853–860. doi:10.3109/10826084.2016.1155614




- Kang, H. K., Bullman, T. A., Smolenski, D. J., Skopp, N. A., Gahm, G. A., & Reger, M. A. (2015). Suicide risk among 1.3 million veterans who were on active duty during the Iraq and Afghanistan wars. *Annals of Epidemiology*, *25*(2), 96–100. doi:10.1016/j.annepidem.2014.11.020
- Kantor, V., Knefel, M., & Lueger-Schuster, B. (2017). Perceived barriers and facilitators of mental health service utilization in adult trauma survivors: A systematic review. *Clinical Psychology Review*, *52*, 52–68. doi:10.1016/j.cpr.2016.12.001
- Katzman, M. A., Bilkey, T. S., Chokka, P. R., Fallu, A., & Klassen, L. J. (2017). Adult ADHD and comorbid disorders: Clinical implications of a dimensional approach. *BMC Psychiatry*, *17*(1), 302. doi:10.1186/s12888-017-1463-3
- Keeley, R. D., Brody, D. S., Engel, M., Burke, B. L., Nordstrom, K., Moralez, E., . . . Emsermann, C. (2016). Motivational interviewing improves depression outcome in primary care: A cluster randomized trial. *Journal of Consulting and Clinical Psychology*, *84*(11), 993–1007. doi:10.1037/ccp0000124
- Keen, I. L., Whitehead, N. E., Clifford, L., Rose, J., & Latimer, W. (2014). Perceived barriers to treatment in a community-based sample of illicit-drug-using African American men and women. *Journal of Psychoactive Drugs*, *46*(5), 444–449. doi:10.1080/02791072.2014.964382
- Kelley, K. J., & Kelley, M. F. (2013). Teaching empathy and other compassion-based communication skills. *Journal for Nurses in Professional Development*, *29*(6), 321–324. doi:10.1097/01.nnd.0000436794.24434.90
- Kelly, J. F., Greene, M. C., & Bergman, B. G. (2016). Recovery benefits of the “therapeutic alliance” among 12-step mutual-help organization attendees and their sponsors. *Drug and Alcohol Dependence*, *162*, 64–71. doi:10.1016/j.drugalcdep.2016.02.028
- Kelly, T. M., & Daley, D. C. (2013). Integrated treatment of substance use and psychiatric disorders. *Social Work in Public Health*, *28*(3–4), 388–406. doi:10.1080/19371918.2013.774673
- Kerfoot, K. E., Rosenheck, R. A., Petrakis, I. L., Swartz, M. S., Keefe, R. S., McEvoy, J. P., & Stroup, T. S. (2011). Substance use and schizophrenia: Adverse correlates in the CATIE study sample. *Schizophrenia Research*, *132*(2–3), 177–182. doi:10.1016/j.schres.2011.07.032
- Kerner, B. (2015). Comorbid substance use disorders in schizophrenia: A latent class approach. *Psychiatry Research*, *225*(3), 395–401. doi:10.1016/j.psychres.2014.12.006
- Kertesz, S. G., Crouch, K., Milby, J. B., Cusimano, R. E., & Schumacher, J. E. (2009). Housing first for homeless persons with active addiction: Are we overreaching? *Milbank Quarterly*, *87*(2), 495–534. doi:10.1111/j.1468-0009.2009.00565.x
- Kessler, R. C. (2005). National Comorbidity Survey. Retrieved from [www.hcp.med.harvard.edu/ncs/](http://www.hcp.med.harvard.edu/ncs/)
- Kessler, R. C., Adler, L., Barkley, R., Biederman, J., Conners, C. K., Demler, O., . . . Zaslavsky, A. M. (2006). The prevalence and correlates of adult ADHD in the United States: Results from the National Comorbidity Survey Replication. *American Journal of Psychiatry*, *163*(4), 716–723. doi:10.1176/appi.ajp.163.4.716
- Kessler, R. C., Andrews, G., Colpe, L. J., Hiripi, E., Mroczek, D. K., Normand, S. L., . . . Zaslavsky, A. M. (2002). Short screening scales to monitor population prevalences and trends in non-specific psychological distress. *Psychological Medicine*, *32*(6), 959–976.
- Kessler, R. C., Barker, P. R., Colpe, L. J., Epstein, J. F., Gfroerer, J. C., Hiripi, E., . . . Zaslavsky, A. M. (2003). Screening for serious mental illness in the general population. *Archives of General Psychiatry*, *60*(2), 184–189.
- Kessler, R. C., Berglund, P., Demler, O., Jin, R., Merikangas, K. R., & Walters, E. E. (2005). Lifetime prevalence and age-of-onset distributions of DSM-IV disorders in the National Comorbidity Survey Replication. *Archives Of General Psychiatry*, *62*(6), 593–602.
- Kessler, R. C., Green, J. G., Gruber, M. J., Sampson, N. A., Bromet, E., Cuitan, M., . . . Zaslavsky, A. M. (2010). Screening for serious mental illness in the general population with the K6 screening scale: Results from the WHO World Mental Health (WMH) survey initiative. *International Journal of Methods in Psychiatric Research*, *19*(Suppl. 1), 4–22. doi:10.1002/mpr.310
- Kessler, R. C., Petukhova, M., Sampson, N. A., Zaslavsky, A. M., & Wittchen, H. U. (2012). Twelve-month and lifetime prevalence and lifetime morbid risk of anxiety and mood disorders in the United States. *International Journal of Methods in Psychiatric Research*, *21*(3), 169–184. doi:10.1002/mpr.1359
- Keyser, D. J., Watkins, K. E., Vilamovska, A. M., & Pincus, H. A. (2008). Focus on alcohol & drug abuse: Improving service delivery for individuals with co-occurring disorders: New perspectives on the quadrant model. *Psychiatric Services*, *59*(11), 1251–1253. doi:10.1176/appi.ps.59.11.1251
- Keyser-Marcus, L., Alvanzo, A., Rieckmann, T., Thacker, L., Sepulveda, A., Forcehimes, A., Islam, L. Z., . . . Svikis, D. S. (2015). Trauma, gender, and mental health symptoms in individuals with substance use disorders. *Interpersonal Violence*, *30*(1), 3–24. doi:10.1177/0886260514532523
- Khalid, M. M., & Hamilton, R. J. (2020). Beta-blocker toxicity. StatPearls [Internet]. Retrieved from [www.ncbi.nlm.nih.gov/books/NBK448097/?report=printable](http://www.ncbi.nlm.nih.gov/books/NBK448097/?report=printable)
- Kidd, S. A., Davidson, L., & McKenzie, K. (2017). Common factors in community mental health intervention: A scoping review. *Community Mental Health Journal*, *53*(6), 627–637. doi:10.1007/s10597-017-0117-8




- Kidorf, M., Brooner, R. K., Gandotra, N., Antoine, D., King, V. L., Peirce, J., & Ghazarian, S. (2013). Reinforcing integrated psychiatric service attendance in an opioid-agonist program: A randomized and controlled trial. *Drug and Alcohol Dependence*, *133*(1), 30–36.
- Killeen, T. K., Back, S. E., & Brady, K. T. (2015). Implementation of integrated therapies for comorbid post-traumatic stress disorder and substance use disorders in community substance abuse treatment programs. *Drug and Alcohol Review*, *34*(3), 234–241. doi:10.1111/dar.12229
- Kills Small, N. J., Simons, J. S., & Stricherz, M. (2007). Assessing criterion validity of the Simple Screening Instrument for Alcohol and Other Drug Abuse (SSI-AOD) in a college population. *Addictive Behaviors*, *32*(10), 2425–2431. doi:10.1016/j.addbeh.2007.04.003
- Kilpatrick, D. G., Resnick, H. S., Milanak, M. E., Miller, M. W., Keyes, K. M., & Friedman, M. J. (2013). National estimates of exposure to traumatic events and PTSD prevalence using DSM-IV and DSM-5 criteria. *Journal of Traumatic Stress*, *26*(5), 537–547. doi:10.1002/jts.21848
- Kim, G., DeCoster, J., Bryant, A. N., & Ford, K. L. (2016). Measurement equivalence of the K6 Scale: The effects of race/ethnicity and language. *Assessment*, *23*(6), 758–768. doi:10.1177/1073191115599639
- Kimerling, R., Makin-Byrd, K., Louzon, S., Ignacio, R. V., & McCarthy, J. F. (2016). Military sexual trauma and suicide mortality. *American Journal of Preventive Medicine*, *50*(6), 684–691. doi:10.1016/j.amepre.2015.10.019
- Klassen, L. J., Bilkey, T. S., Katzman, M. A., & Chokka, P. (2012). Comorbid attention deficit/hyperactivity disorder and substance use disorder: Treatment considerations. *Current Drug Abuse Reviews*, *5*(3), 190–198.
- Kline, A., Weiner, M. D., Ciccone, D. S., Interian, A., St. Hill, L., & Losonczy, M. (2014). Increased risk of alcohol dependency in a cohort of National Guard troops with PTSD: A longitudinal study. *Journal of Psychiatric Research*, *50*, 18–25. doi:10.1016/j.jpsychires.2013.11.007
- Knight, D. K., Broome, K. M., Edwards, J. R., & Flynn, P. M. (2011). Supervisory turnover in outpatient substance abuse treatment. *Journal of Behavioral Health Services & Research*, *38*(1), 80–90. doi:10.1007/s11414-009-9198-7
- Köck, P., & Walter, M. (2018). Personality disorder and substance use disorder—An update. *Mental Health and Prevention*, *12*, 82–89. doi:10.1016/j.mhp.2018.10.003
- Kolbasovsky, A. (2009). Reducing 30-day inpatient psychiatric recidivism and associated costs through intensive case management. *Professional Case Management*, *14*(2), 96–105. doi:10.1097/NCM.0b013e31819e026a
- Kondo, K., Low, A., Jindai, K., Mendelson, A., Motu'apuaka, M., Mansoor, D., . . . Hartung, D. (2015). *Interventions to improve pharmacological adherence among adults with psychotic spectrum disorders, bipolar disorder, and posttraumatic stress disorder* (Vol. VA ESP Project #05-225). Washington, DC: U.S. Department of Veterans Affairs.
- Konkoly Thege, B., Horwood, L., Slater, L., Tan, M. C., Hodgins, D. C., & Wild, T. C. (2017). Relationship between interpersonal trauma exposure and addictive behaviors: A systematic review. *BMC Psychiatry*, *17*(1), 164. doi:10.1186/s12888-017-1323-1
- Krasnova, A., Eaton, W. W., & Samuels, J. F. (2019). Antisocial personality and risks of cause-specific mortality: Results from the Epidemiologic Catchment Area study with 27 years of follow-up. *Social Psychiatry Psychiatric Epidemiology*, *54*(5), 617–625. doi: 10.1007/s00127-018-1628-5
- Krawczyk, N., Feder, K. A., Saloner, B., Crum, R. M., Kealhofer, M., & Mojtabei, R. (2017). The association of psychiatric comorbidity with treatment completion among clients admitted to substance use treatment programs in a U.S. national sample. *Drug and Alcohol Dependence*, *175*, 157–163. doi:10.1016/j.drugalcdep.2017.02.006
- Krebs, P., Norcross, J. C., Nicholson, J. M., & Prochaska, J. O. (2018). Stages of change and psychotherapy outcomes: A review and meta-analysis. *Journal of Clinical Psychology*, *74*(11), 1964–1979. doi:10.1002/jclp.22683
- Kuerbis, A. N., Neighbors, C. J., & Morgenstern, J. (2011). Depression's moderation of the effectiveness of intensive case management with substance-dependent women on temporary assistance for needy families: Outpatient substance use disorder treatment utilization and outcomes. *Journal of Studies on Alcohol and Drugs*, *72*(2), 297–307.
- Kumar, G. S., & Klein, R. (2013). Effectiveness of case management strategies in reducing emergency department visits in frequent user patient populations: A systematic review. *Journal of Emergency Medicine*, *44*(3), 717–729. doi:10.1016/j.jemermed.2012.08.035
- Kumar, N., Stowe, Z. N., Han, X., & Mancino, M. J. (2016). Impact of early childhood trauma on retention and phase advancement in an outpatient buprenorphine treatment program. *American Journal on Addictions*, *25*(7), 542–548. doi: 10.1111/ajad.12437.
- Kuo, C., Schonbrun, Y. C., Zlotnick, C., Bates, N., Todorova, R., Kao, J. C., & Johnson, J. (2013). A qualitative study of treatment needs among pregnant and postpartum women with substance use and depression. *Substance Use and Misuse*, *48*(14), 1498–1508. doi:10.3109/10826084.2013.800116
- Kupfer, D. J. (2015). Anxiety and DSM-5. *Dialogues in Clinical Neuroscience*, *17*(3), 245–246.

- Laakso, L. J. (2012). Motivational interviewing: Addressing ambivalence to improve medication adherence in patients with bipolar disorder. *Issues in Mental Health Nursing, 33*(1), 8–14. doi:10.3109/01612840.2011.618238
- Lagisetty, P. A., Maust, D., Heisler, M., & Bohnert, A. (2017). Physical and mental health comorbidities associated with primary care visits for substance use disorders. *Journal of Addiction Medicine, 11*(2), 161–162. doi:10.1097/adm.0000000000000280
- Lai, H. M., Cleary, M., Sitharthan, T., & Hunt, G. E. (2015). Prevalence of comorbid substance use, anxiety and mood disorders in epidemiological surveys, 1990–2014: A systematic review and meta-analysis. *Drug and Alcohol Dependence, 154*, 1–13. doi:10.1016/j.drugalcdep.2015.05.031
- Lally, J., & MacCabe, J. H. (2015). Antipsychotic medication in schizophrenia: A review. *British Medical Bulletin, 114*(1), 169–179. doi:10.1093/bmb/ldv017
- Lam, C. N., Arora, S., & Menchine, M. (2016). Increased 30-day emergency department revisits among homeless patients with mental health conditions. *Western Journal of Emergency Medicine, 17*(5), 607–612. doi:10.5811/westjem.2016.6.30690
- Lambert, M. J., & Simon, W. (2008). The therapeutic relationship: Central and essential in psychotherapy outcome. In S. F. Hick & T. Bien (Eds.), *Mindfulness and the therapeutic relationship* (pp.19–33). New York, NY: Guilford Press.
- Lambert-Harris, C., Saunders, E. C., McGovern, M. P., & Xie, H. (2013). Organizational capacity to address co-occurring substance use and psychiatric disorders: Assessing variation by level of care. *Journal of Addiction Medicine, 7*(1), 25–32. doi:10.1097/ADM.0b013e318276e7a4
- Lamberti, J. S., Weisman, R. L., Cerulli, C., Williams, G. C., Jacobowitz, D. B., Mueser, K. T., . . . Caine, E. D. (2017). A randomized controlled trial of the Rochester Forensic Assertive Community Treatment Model. *Psychiatric Services, 68*(10), 1016–1024. doi:10.1176/appi.ps.201600329
- Landess, J., & Holoyda, B. (2017). Mental health courts and forensic assertive community treatment teams as correctional diversion programs. *Behavioral Sciences and the Law, 35*(5–6), 501–511. doi:10.1002/bsl.2307
- Lanier, D., & Ko, S. (2008). *Screening in primary care settings for illicit drug use: Assessment of screening instruments—A supplemental evidence update for the U.S. Preventive Services Task Force*. Evidence Synthesis No. 58, Part 2. AHRQ Publication No. 08-05108-EF-2. Rockville, MD: Agency for Healthcare Research and Quality.
- Laschober, T. C., & Eby, L. T. (2013). Substance use disorder counselors' job performance and turnover after 1 year: Linear or curvilinear relationship? *Administration and Policy in Mental Health and Mental Health Services Research, 40*(4), 300–310.
- Lawson, K. M., Back, S. E., Hartwell, K. J., Moran-Santa Maria, M., & Brady, K. T. (2013). A comparison of trauma profiles among individuals with prescription opioid, nicotine, or cocaine dependence. *American Journal of Addictions, 22*(2), 127–131. doi:10.1111/j.1521-0391.2013.00319.x
- Lee King, P. A., Duan, L., & Amaro, H. (2015). Clinical needs of in-treatment pregnant women with co-occurring disorders: Implications for primary care. *Maternal and Child Health Journal, 19*(1), 180–187. doi:10.1007/s10995-014-1508-x
- Lee, M. T., Acevedo, A., Garnick, D. W., Horgan, C. M., Panas, L., Ritter, G. A., & Campbell, K. M. (2018). Impact of agency receipt of incentives and reminders on engagement and continuity of care for clients with co-occurring disorders. *Psychiatric Services, 69*(7), 804–811. doi:10.1176/appi.ps.201700465
- Lee, M. T., Horgan, C. M., Garnick, D. W., Acevedo, A., Panas, L., Ritter, G. A., . . . Reynolds, M. (2014). A performance measure for continuity of care after detoxification: Relationship with outcomes. *Journal of Substance Abuse Treatment, 47*(2), 130–139.
- Lee, N. K., Cameron, J., & Jenner, L. (2015). A systematic review of interventions for co-occurring substance use and borderline personality disorders. *Drug and Alcohol Review, 34*(6), 663–672. doi:10.1111/dar.12267
- Lee, S. S., Humphreys, K. L., Flory, K., Liu, R., & Glass, K. (2011). Prospective association of childhood attention-deficit/hyperactivity disorder (ADHD) and substance use and abuse/dependence: A meta-analytic review. *Clinical Psychology Review, 31*(3), 328–341. doi:10.1016/j.cpr.2011.01.006
- LePage, J. P., Lewis, A. A., Crawford, A. M., Parish, J. A., Ottomanelli, L., Washington, E. L., & Cipher, D. J. (2016). Incorporating individualized placement and support principles into vocational rehabilitation for formerly incarcerated veterans. *Psychiatric Services, 67*(7), 735–742. doi:10.1176/appi.ps.201500058
- Lijffijt, M., Hu, K., & Swann, A. C. (2014). Stress modulates illness-course of substance use disorders: A translational review. *Frontiers in Psychiatry, 5*, 83. doi:10.3389/fpsy.2014.00083.
- Lindsey, W. T., Stewart, D., & Childress, D. (2012). Drug interactions between common illicit drugs and prescription therapies. *American Journal of Drug and Alcohol Abuse, 38*(4), 334–343. doi:10.3109/00952990.2011.643997
- Lo, C. C., Cheng, T. C., & de la Rosa, I. A. (2015). Depression and substance use: A temporal-ordered model. *Substance Use & Misuse, 50*(10), 1274–1283.
- Lockwood, P. L. (2016). The anatomy of empathy: Vicarious experience and disorders of social cognition. *Behavioural Brain Research, 311*, 255–266. doi:10.1016/j.bbr.2016.05.048




- Lotito, M., & Cook, E. (2015). A review of suicide risk assessment instruments and approaches. *Mental Health Clinician, 5*(5), 216–223.
- Lu, W., Yanos, P. T., Silverstein, S. M., Mueser, K. T., Rosenberg, S. D., Gottlieb, J. D., . . . Giacobbe, G. (2013). Public mental health clients with severe mental illness and probable posttraumatic stress disorder: Trauma exposure and correlates of symptom severity. *Journal of Traumatic Stress, 26*(2), 266–273. doi:10.1002/jts.21791
- Lucas, C., & Martin, J. (2013). Smoking and drug interactions. *Australian Prescriber, 36*, 102–104.
- Luciano, A., Belstock, J., Malmberg, P., McHugo, G. J., Drake, R. E., Xie, H., . . . Covell, N. H. (2014). Predictors of incarceration among urban adults with co-occurring severe mental illness and a substance use disorder. *Psychiatric Services, 65*(11), 1325–1331. doi:10.1176/appi.ps.201300408
- Luciano, A., Bryan, E. L., Carpenter-Song, E. A., Woods, M., Armstrong, K., & Drake, R. E. (2014). Long-term sobriety strategies for men with co-occurring disorders. *Journal of Dual Diagnosis, 10*(4), 212–219. doi:10.1080/15504263.2014.961884
- Luciano, A., & Carpenter-Song, E. A. (2014). A qualitative study of career exploration among young adult men with psychosis and co-occurring substance use disorder. *Journal of Dual Diagnosis, 10*(4), 220–225. doi:10.1080/15504263
- Lugoboni, F., Levin, F. R., Pieri, M. C., Manfredini, M., Zamboni, L., Somaini, L., . . . Gruppo InterSert Collaborazione, S. (2017). Co-occurring attention deficit hyperactivity disorder symptoms in adults affected by heroin dependence: Patients characteristics and treatment needs. *Psychiatry Research, 250*, 210–216. doi:10.1016/j.psychres.2017.01.052
- Luo, S. X., & Levin, F. R. (2017). Towards precision addiction treatment: New findings in co-morbid substance use and attention-deficit hyperactivity disorders. *Current Psychiatry Reports, 19*(3), 14. doi:10.1007/s11920-017-0769-7
- Lusk, S. L., Koch, L. C., & Paul, T. M. (2016). Recovery-oriented vocational rehabilitation services for individuals with co-occurring psychiatric disabilities and substance use disorders. *Rehabilitation Research, Policy, and Education, 30*(3), 243–258.
- Lutterman, T., Shaw, R., Fisher, W., & Manderscheid, R. (2017, August). Trend in psychiatric inpatient capacity, United States and each state, 1970 to 2014. Retrieved from [www.nri-inc.org/media/1319/tac-paper-10-psychiatric-inpatient-capacity-final-09-05-2017.pdf](http://www.nri-inc.org/media/1319/tac-paper-10-psychiatric-inpatient-capacity-final-09-05-2017.pdf)
- Lydecker, K. P., Tate, S. R., Cummins, K. M., McQuaid, J., Granholm, E., & Brown, S. A. (2010). Clinical outcomes of an integrated treatment for depression and substance use disorders. *Psychology of Addictive Behaviors, 24*(3), 453–465. doi:10.1037/a0019943
- Ma, M., Coles, A. S., & George, T. P. (2018, September 27). Understanding and treating co-occurring bipolar disorder and substance use disorders. *Psychiatric Times*. Retrieved from [www.psychiatrictimes.com/bipolar-disorder/understanding-and-treating-co-occurring-bipolar-disorder-and-substance-use-disorders](http://www.psychiatrictimes.com/bipolar-disorder/understanding-and-treating-co-occurring-bipolar-disorder-and-substance-use-disorders)
- Macy, R. J., Renz, C., & Pelino, E. (2013). Partner violence and substance abuse are intertwined: Women's perceptions of violence-substance connections. *Violence Against Women, 19*(7), 881–902. doi:10.1177/1077801213498208
- Magidson, J. F., Liu, S.-M., Lejuez, C. W., & Blanco, C. (2012). Comparison of the course of substance use disorders among individuals with and without generalized anxiety disorder in a nationally representative sample. *Journal of Psychiatric Research, 46*(5), 659–666. doi:10.1016/j.jpsychires.2012.02.011
- Magor-Blatch, L., Bhullar, N., Thomson, B., & Thorsteinsson, E. (2014). A systematic review of studies examining effectiveness of therapeutic communities. *Therapeutic Communities, 35*(4), 168–184. doi:10.1108/TC-07-2013-0024
- Maisto, S. A., Roos, C. R., O'Sickey, A. J., Kirouac, M., Connors, G. J., Tonigan, J. S., & Witkiewitz, K. (2015). The indirect effect of the therapeutic alliance and alcohol abstinence self-efficacy on alcohol use and alcohol-related problems in Project MATCH. *Alcoholism: Clinical and Experimental Research, 39*(3), 504–513. doi:10.1111/acer.12649
- Malivert, M., Fatséas, M., Denis, C., Langlois, E., & Auriacombe, M. (2012). Effectiveness of therapeutic communities: A systematic review. *European Addiction Research, 18*(1), 1–11. doi:10.1159/000331007
- Malte, C. A., Cox, K., & Saxon, A. J. (2017). Providing intensive addiction/housing case management to homeless veterans enrolled in addictions treatment: A randomized controlled trial. *Psychology of Addictive Behaviors, 31*(3), 231–241. doi:10.1037/adb0000273
- Mandavia, A., Robinson, G. G., Bradley, B., Ressler, K. J., & Powers, A. (2016). Exposure to childhood abuse and later substance use: Indirect effects of emotion dysregulation and exposure to trauma. *Journal of Traumatic Stress, 29*(5), 422–429. doi:10.1002/jts.22131
- Mangrum, L. F. (2009). Client and service characteristics associated with addiction treatment completion of clients with co-occurring disorders. *Addictive Behaviors, 34*(10), 898–904. doi:10.1016/j.addbeh.2009.03.006
- Mansfield, A. J., Greenbaum, M. A., Schaper, K. M., Banducci, A. N., & Rosen, C. S. (2017). PTSD care among veterans with and without co-occurring substance use disorders. *Psychiatric Services, 68*(6), 632–635. doi:10.1176/appi.ps.201600128

- Manuel, J. I., Covell, N. H., Jackson, C. T., & Essock, S. M. (2011). Does assertive community treatment increase medication adherence for people with co-occurring psychotic and substance use disorders? *Journal of the American Psychiatric Nurses Association, 17*(1), 51–56. doi:10.1177/1078390310395586
- Markota, M., Rummans, T. A., Bostwick, J. M., & Lapid, M. I. (2016). Benzodiazepine use in older adults: Dangers, management, and alternative therapies. *Mayo Clinic Proceedings, 91*(11), 1632–1639. doi:10.1016/j.mayocp.2016.07.024
- Marlatt, G. A. (1985). Relapse prevention: Theoretical rationale and overview of the model. In G. A. Marlatt & J. R. Gordon (Eds.), *Relapse prevention: Maintenance strategies in the treatment of addictive behaviors* (1st ed., pp. 3–70). New York: Guilford Press.
- Marlatt, G. A., & Gordon, J. R. (Eds.). (1985). *Relapse prevention: Maintenance strategies in the treatment of addictive behaviors*. New York: Guilford Press.
- Marmar, C. R., Schlenger, W., Henn-Haase, C., Qian, M., Purchia, E., Li, M., . . . Kulka, R. A. (2015). Course of posttraumatic stress disorder 40 years after the Vietnam War: Findings from the National Vietnam Veterans Longitudinal Study. *JAMA Psychiatry, 72*(9), 875–881. doi:10.1001/jamapsychiatry.2015.0803
- Marmorstein, N. R. (2012). Anxiety disorders and substance use disorders: Different associations by anxiety disorder. *Journal of Anxiety Disorders, 26*(1), 88–94. doi:10.1016/j.janxdis.2011.09.005
- Marotta, P. L. (2017). Childhood adversities and substance misuse among the incarcerated: Implications for treatment and practice in correctional settings. *Substance Use and Misuse, 52*(6), 717–733. doi:10.1080/10826084.2016.1261899
- Marquant, T., Sabbe, B., Van Nuffel, M., & Goethals, K. (2016). Forensic assertive community treatment: A review of the literature. *Community Mental Health Journal, 52*(8), 873–881.
- Marshall, T., Goldberg, R. W., Braude, L., Dougherty, R. H., Daniels, A. S., Ghose, S. S., . . . Delphin-Rittmon, M. E. (2014). Supported employment: Assessing the evidence. *Psychiatric Services, 65*(1), 16–23. doi:10.1176/appi.ps.2013.00262
- Martinez-Raga, J., Szerman, N., Knecht, C., & de Alvaro, R. (2013). Attention deficit hyperactivity disorder and dual disorders. Educational needs for an underdiagnosed condition. *International Journal of Adolescent Medicine and Health, 25*(3), 231–243. doi:10.1515/ijamh-2013-0057
- Martínez-Vispo, C., Martínez, López-Durán, A., Fernández del Río, E., & Becoña, E. (2018). Effects of behavioural activation on substance use and depression: A systematic review. *Substance Abuse: Treatment, Prevention, and Policy, 13*(1), 36. doi:10.1186/s13011-018-0173-2
- Martino, S., Carroll, K. M., Nich, C., & Rounsaville, B. J. (2006). A randomized controlled pilot study of motivational interviewing for patients with psychotic and drug use disorders. *Addiction, 101*(10), 1479–1492. doi:10.1111/j.1360-0443.2006.01554.x
- Martins, S. S., & Gorelick, D. A. (2011). Conditional substance abuse and dependence by diagnosis of mood or anxiety disorder or schizophrenia in the U.S. population. *Drug and Alcohol Dependence, 119*(1–2), 28–36. doi:10.1016/j.drugalcdep.2011.05.010
- Mason, R., & Du Mont, J. (2015). Advancing our knowledge of the complexity and management of intimate partner violence and co-occurring mental health and substance abuse problems in women. *F1000 Prime Reports, 7*, 65. doi:10.12703/P7-65
- Masson, C. L., Shopshire, M. S., Sen, S., Hoffman, K. A., Hengl, N. S., Bartolome, J., . . . Iguchi, M. Y. (2013). Possible barriers to enrollment in substance abuse treatment among a diverse sample of Asian Americans and Pacific Islanders: Opinions of treatment clients. *Journal of Substance Abuse Treatment, 44*(3), 309–315. doi:10.1016/j.jsat.2012.08.005
- Matusow, H., Guarino, H., Rosenblum, A., Vogel, H., Uttaro, T., Khabir, S., . . . Magura, S. (2013). Consumers' experiences in dual focus mutual aid for co-occurring substance use and mental health disorders. *Substance Abuse: Research and Treatment, 7*, 39–47. doi:10.4137/SART.S11006
- Maura, J., & Weisman de Mamani, A. (2017). Mental health disparities, treatment engagement, and attrition among racial/ethnic minorities with severe mental illness: A review. *Journal of Clinical Psychology in Medical Settings, 24*(3–4), 187–210. doi:10.1007/s10880-017-9510-2
- Mauritz, M. W., Goossens, P. J., Draijer, N., & van Achterberg, T. (2013). Prevalence of interpersonal trauma exposure and trauma-related disorders in severe mental illness. *European Journal of Psychotraumatology, 4*. Published online. doi:10.3402/ejpt.v4i0.19985
- McCabe, S. E., West, B. T., Jutkiewicz, E. M., & Boyd, C. J. (2017). Multiple DSM-5 substance use disorders: A national study of US adults. *Human Psychopharmacology, 32*(5). doi:10.1002/hup.2625
- McCallum, S., Mikocka-Walus, A., Turnbull, D., & Andrews, J. M. (2015). Continuity of care in dual diagnosis treatment: Definitions, applications, and implications. *Journal of Dual Diagnosis, 11*(3–4), 217–232. doi:10.1080/15504263.2015.1104930
- McCance-Katz, E. F. (2019). *The National Survey on Drug Use and Health: 2018*. Slide Presentation. Retrieved from [https://www.samhsa.gov/data/sites/default/files/cbhsq-reports/Assistant-Secretary-nsduh2018\\_presentation.pdf](https://www.samhsa.gov/data/sites/default/files/cbhsq-reports/Assistant-Secretary-nsduh2018_presentation.pdf)



- McCarty, D., Braude, L., Lyman, D. R., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Substance abuse intensive outpatient programs: Assessing the evidence. *Psychiatric Services, 65*(6), 718–726.
- McCauley, J. L., Killeen, T., Gros, D. F., Brady, K. T., & Back, S. E. (2012). Posttraumatic stress disorder and co-occurring substance use disorders: Advances in assessment and treatment. *Clinical Psychology: Science and Practice, 19*(3), 283–304. doi:10.1111/cpsp.12006
- McCloskey, M. S., & Ammerman, B. A. (2018). Suicidal behavior and aggression-related disorders. *Current Opinion in Psychology, 22*, 54–58. doi:10.1016/j.copsyc.2017.08.010
- McConaughy, E. A., Prochaska, J., & Velicer, W. F. (1983). Stages of change in psychotherapy: Measurement and sample profiles. *Psychotherapy: Theory, Research, and Practice, 20*(3), 368–375.
- McDermid, J., Sareen, J., El-Gabalawy, R., Pagura, J., Spiwak, R., & Enns, M. W. (2015). Co-morbidity of bipolar disorder and borderline personality disorder: Findings from the National Epidemiologic Survey on Alcohol and Related Conditions. *Comprehensive Psychiatry, 58*, 18–28. doi:10.1016/j.comppsy.2015.01.004
- McDermott, K. W., Elixhauser, A., & Sun, R. (2017, June). *Trends in hospital inpatient stays in the United States, 2005–2014*. HCUP Statistical Brief #225. Agency for Healthcare Research and Quality, Rockville, MD. Retrieved from [www.hcup-us.ahrq.gov/reports/statbriefs/sb225-Inpatient-US-Stays-Trends.pdf](http://www.hcup-us.ahrq.gov/reports/statbriefs/sb225-Inpatient-US-Stays-Trends.pdf)
- McDonald, D., & Arlinghaus, S. L. (2014). The role of intensive case management services in reentry: The northern Kentucky female offender reentry project. *Women and Criminal Justice, 24*(3), 229–251. doi:10.1080/08974454.2014.909759
- McDonell, M. G., Kerbrat, A. H., Comtois, K. A., Russo, J., Lowe, J. M., & Ries, R. K. (2012). Validation of the co-occurring disorder quadrant model. *Journal of Psychoactive Drugs, 44*(3), 266–273. doi:10.1080/02791072.2012.705065
- McDonell, M. G., Srebnik, D., Angelo, F., McPherson, S., Lowe, J. M., Sugar, A., . . . Ries, R. K. (2013). Randomized controlled trial of contingency management for stimulant use in community mental health patients with serious mental illness. *American Journal of Psychiatry, 170*(1), 94–101. doi:10.1176/appi.ajp.2012.11121831
- McGovern, M. P., Clark, R. E., & Samnaliev, M. (2007). Co-occurring psychiatric and substance use disorders: A multistate feasibility study of the quadrant model. *Psychiatric Services, 58*(7), 949–954. doi:10.1176/ps.2007.58.7.949
- McGovern, M. P., Lambert-Harris, C., Alterman, A. I., Xie, H., & Meier, A. (2011). A randomized controlled trial comparing integrated cognitive behavioral therapy versus individual addiction counseling for co-occurring substance use and posttraumatic stress disorders. *Journal of Dual Diagnosis, 7*(4), 207–227.
- McGovern, M. P., Lambert-Harris, C., Gotham, H. J., Claus, R. E., & Xie, H. (2014). Dual diagnosis capability in mental health and addiction treatment services: An assessment of programs across multiple state systems. *Administration and Policy in Mental Health, 41*(2), 205–214. doi:10.1007/s10488-012-0449-1
- McGovern, M. P., Lambert-Harris, C., Xie, H., Meier, A., McLeman, B., & Saunders, E. (2015). A randomized controlled trial of treatments for co-occurring substance use disorders and post-traumatic stress disorder. *Addiction, 110*(7), 1194–1204. doi:10.1111/add.12943
- McGovern, M. P., Saunders, E. C., & Kim, E. (2013). Substance abuse treatment implementation research. *Journal of Substance Abuse Treatment, 44*(1), 1–3. doi:10.1016/j.jsat.2012.09.006
- McGrath, J., Saha, S., Welham, J., El Saadi, O., MacCauley, C., & Chant, D. (2004). A systematic review of the incidence of schizophrenia: The distribution of rates and the influence of sex, urbanicity, migrant status and methodology. *BMC Medicine, 2*, 13. doi:10.1186/1741-7015-2-13
- McHugh, R. K. (2015). Treatment of co-occurring anxiety disorders and substance use disorders. *Harvard Review of Psychiatry, 23*(2), 99–111. doi:10.1097/HRP.0000000000000058
- McHugh, R. K., Gratz, K. L., & Tull, M. T. (2017). The role of anxiety sensitivity in reactivity to trauma cues in treatment-seeking adults with substance use disorders. *Comprehensive Psychiatry, 78*, 107–114. doi:10.1016/j.comppsy.2017.07.011
- McHugh, R. K., Votaw, V. R., Sugarman, D. E., & Greenfield, S. F. (2018). Sex and gender differences in substance use disorders. *Clinical Psychology Review, 12*–23. doi:10.1016/j.cpr.2017.10.012
- McHugo, G. J., Drake, R. E., Burton, H. L., & Ackerson, T. H. (1995). A scale for assessing the stage of substance abuse treatment in persons with severe mental illness. *Journal of Nervous and Mental Disease, 183*(12), 762–767.
- McHugo, G. J., Drake, R. E., Xie, H., & Bond, G. R. (2012). A 10-year study of steady employment and non-vocational outcomes among people with serious mental illness and co-occurring substance use disorders. *Schizophrenia Research, 138*(2–3), 233–239. doi:10.1016/j.schres.2012.04.007
- McKay J. R. (2009). Continuing care research: What we have learned and where we are going. *Journal of Substance Abuse Treatment, 36*(2), 131–145.
- McKay, J. R., Knepper, C., Deneke, E., O'Reilly, C., & DuPont, R. L. (2016). An initial evaluation of a comprehensive continuing care intervention for clients with substance use disorders: My first year of recovery (MyFYR). *Journal of Substance Abuse Treatment, 67*, 50–54. doi:10.1016/j.jsat.2016.04.003


- McKee, S. A., Harris, G. T., & Cormier, C. A. (2013). Implementing residential integrated treatment for co-occurring disorders. *Journal of Dual Diagnosis, 9*(3), 249–259.
- McKenzie, K., & Chang, Y. P. (2015). The effect of nurse-led motivational interviewing on medication adherence in patients with bipolar disorder. *Perspectives in Psychiatric Care, 51*(1), 36–44. doi:10.1111/ppc.12060
- McKeown, R. E., Holbrook, J. R., Danielson, M. L., Cuffe, S. P., Wolraich, M. L., & Visser, S. N. (2015). The impact of case definition on attention-deficit/hyperactivity disorder prevalence estimates in community-based samples of school-aged children. *Journal of the American Academy of Child Adolescent Psychiatry, 54*(1), 53–61. doi:10.1016/j.jaac.2014.10.014
- McKetin, R., Voce, A., Burns, R., Ali, R., Lubman, D. I., Baker, A. L., & Castle, D. J. (2018). Latent psychotic symptom profiles amongst people who use methamphetamine: What do they tell us about existing diagnostic categories? *Frontiers in Psychiatry, 9*, 578. doi:10.3389/fpsy.2018.00578
- McKinney, J. M., Hirsch, J. K., & Britton, P. C. (2017). PTSD symptoms and suicide risk in veterans: Serial indirect effects via depression and anger. *Journal of Affective Disorders, 214*, 100–107. doi:10.1016/j.jad.2017.03.008
- McLellan, A. T., Kushner, H., Metzger, D., Peters, R., Smith, I., Grissom, G., . . . Argeriou, M. (1992). The fifth edition of the Addiction Severity Index. *Journal of Substance Abuse Treatment, 9*(3), 199–213.
- Mdege, N. D., & Lang, J. (2011). Screening instruments for detecting illicit drug use/abuse that could be useful in general hospital wards: A systematic review. *Addictive Behaviors, 36*(12), 1111–1119. doi:10.1016/j.addbeh.2011.07.007
- Mee-Lee, D., Shulman, G. D., Fishman, M. J., Gastfriend, D. R., & Miller, M. M. (Eds.). (2013). *The ASAM criteria: Treatment for addictive, substance-related, and co-occurring conditions* (3rd ed.). Carson City, NV: The Change Companies.
- Meier, A., McGovern, M. P., Lambert-Harris, C., McLeman, B., Franklin, A., Saunders, E. C., & Xie, H. (2015). Adherence and competence in two manual-guided therapies for co-occurring substance use and posttraumatic stress disorders: Clinician factors and patient outcomes. *American Journal of Drug and Alcohol Abuse, 41*(6), 527–534. doi:10.3109/00952990.2015.1062894
- Meier, P. S., & Barrowclough, C. (2009). Mental health problems: Are they or are they not a risk factor for dropout from drug treatment? A systematic review of the evidence. *Drugs: Education, Prevention and Policy, 16*(1), 7–38. doi:10.1080/09687630701741030
- Melemis, S. M. (2015). Relapse prevention and the five rules of recovery. *Yale Journal of Biology and Medicine, 88*(3), 325–332.
- Mentalhelp.Net. (2019a). *Mental Health, Dual-Diagnosis, & Behavioral Addictions*. Retrieved from [www.mentalhelp.net/articles/behavioral-addictions-mental-health-dual-diagnosis/](http://www.mentalhelp.net/articles/behavioral-addictions-mental-health-dual-diagnosis/)
- MentalHelp.Net. (2019b). *Schizophrenia*. Retrieved from [www.mentalhelp.net/articles/schizophrenia/](http://www.mentalhelp.net/articles/schizophrenia/)
- Mericle, A. A., Ta Park, V. M., Holck, P., & Arria, A. M. (2012). Prevalence, patterns, and correlates of co-occurring substance use and mental disorders in the United States: Variations by race/ethnicity. *Comprehensive Psychiatry, 53*(6), 657–665. doi:10.1016/j.comppsy.2011.10.002
- Merrick, M. T., Ports, K. A., Ford, D. C., Afifi, T. O., Gershoff, E. T., & Grogan-Kaylor, A. (2017). Unpacking the impact of adverse childhood experiences on adult mental health. *Child Abuse and Neglect, 69*, 10–19. doi:10.1016/j.chiabu.2017.03.016
- Meyer, R. E., Salzman, C., Youngstrom, E. A., Clayton, P. J., Goodwin, F. K., Mann, J. J., . . . Sheehan, D. V. (2010). Suicidality and risk of suicide—Definition, drug safety concerns, and a necessary target for drug development: A consensus statement. *Journal of Clinical Psychiatry, 71*(8), e1–e21. doi:10.4088/JCP.10cs06070blu
- Miller, J. M., & Khey, D. N. (2016). An implementation and process evaluation of the Louisiana 22nd judicial district's behavioral health court. *American Journal of Criminal Justice, 41*(1). doi:10.1007/s12103-015-9326-2
- Miller, W. R., & Rollnick, S. (2013). *Motivational interviewing: Helping people change* (3rd ed.). New York: Guilford Press.
- Miller, W. R., & Tonigan, J. S. (1996). Assessing drinkers' motivation for change: The Stages of Change Readiness and Treatment Eagerness Scale (SOCRATES). *Psychology of Addictive Behaviors, 10*(2), 81–89. doi:10.1037/0893-164X.10.2.81
- Minassian, A., Vilke, G. M., & Wilson, M. P. (2013). Frequent emergency department visits are more prevalent in psychiatric, alcohol abuse, and dual diagnosis conditions than in chronic viral illnesses such as hepatitis and human immunodeficiency virus. *Journal of Emergency Medicine, 45*(4), 520–525. doi:10.1016/j.jemermed.2013.05.007
- Minkoff, K. (1989). An integrated treatment model for dual diagnosis of psychosis and addiction. *Hospital and Community Psychiatry, 40*(10), 1031–1036.
- Minnich, A., Erford, B. T., Bardhoshi, G., & Atalay, Z. (2018). Systematic review of the Michigan Alcoholism Screening Test. *Journal of Counseling and Development, 96*(3), 335–344. doi:10.1002/jcad.12207
- Mitchell, F. M. (2015). Racial and ethnic health disparities in an era of health care reform. *Health and Social Work, 40*(3), e66–e74. doi:10.1093/hsw/hlv038



- Mitchell, M. S., Leon, C. L. K., Byrne, T. H., Lin, W. C., & Bharel, M. (2017). Cost of health care utilization among homeless frequent emergency department users. *Psychological Services, 14*(2), 193–202. doi:10.1037/ser0000113
- Mohamed, S. (2013). Dual diagnosis among intensive case management participants in the Veterans Health Administration: Correlates and outcomes. *Journal of Dual Diagnosis, 9*(4), 311–321. doi:10.1080/15504263.2013.835162
- Molina, B. S. G., Howard, A. L., Swanson, J. M., Stehli, A., Mitchell, J. T., Kennedy, T. M., ... Hoza, B. (2018). Substance use through adolescence into early adulthood after childhood-diagnosed ADHD: Findings from the MTA longitudinal study. *Journal of Child Psychology and Psychiatry, 59*(6), 692–702. doi:10.1111/jcpp.12855
- Monica, C., Nikkel, R. E., & Drake, R. E. (2010). Dual Diagnosis Anonymous of Oregon. *Psychiatric Services, 61*, 738–740.
- Moore, K. A., Young, M. S., Barrett, B., & Ochshorn, E. (2009). A 12-month follow-up evaluation of integrated treatment for homeless individuals with co-occurring disorders. *Journal of Social Service Research, 35*(4), 322–335. doi:10.1080/01488370903110829
- Morgan, O., Kuramoto, F., Emmet, W., Stange, J. L., & Nobunaga, E. (2014). The impact of the Affordable Care Act on behavioral health care for individuals from racial and ethnic communities. *Journal of Social Work in Disability and Rehabilitation, 13*(1–2), 139–161. doi:10.1080/1536710X.2013.870518
- Morgenstern, J., Neighbors, C. J., Kuerbis, A., Riordan, A., Blanchard, K. A., McVeigh, K. H., . . . McCrady, B. (2009). Improving 24-month abstinence and employment outcomes for substance-dependent women receiving temporary assistance for needy families with intensive case management. *American Journal of Public Health, 99*(2), 328–333. doi:10.2105/ajph.2007.133553
- Morisano, D., Babor, T. F., & Robaina, K. A. (2014). Co-occurrence of substance use disorders with other psychiatric disorders: Implications for treatment services. *Nordic Studies on Alcohol and Drugs, 31*(1), 5–25.
- Morrens, M., Dewilde, B., Sabbe, B., Dom, G., De Cuyper, R., & Moggi, F. (2011). Treatment outcomes of an integrated residential programme for patients with schizophrenia and substance use disorder. *European Addiction Research, 17*(3), 154–163. doi:10.1159/000324480
- Morse, G., Salyers, M. P., Rollins, A. L., Monroe-DeVita, M., & Pfahler, C. (2012). Burnout in mental health services: A review of the problem and its remediation. *Administration and Policy in Mental Health, 39*(5), 341–352. doi:10.1007/s10488-011-0352-1
- Morse, G. A., York, M. M., Dell, N., Blanco, J., & Birchmier, C. (2017). Improving outcomes for homeless people with alcohol disorders: A multi-program community-based approach. *Journal of Mental Health, 1*–8. doi:10.1080/09638237.2017.1340617
- Morse, S., & Bride, B. E. (2017). Decrease in healthcare utilization and costs for opioid users following residential integrated treatment for co-occurring disorders. *Healthcare (Basel), 5*(3), 54. doi:10.3390/healthcare5030054
- Morse, S. A., Watson, C., MacMaster, S. A., & Bride, B. E. (2015). Differences between older and younger adults in residential treatment for co-occurring disorders. *Journal of Dual Diagnosis, 11*(1), 75–82. doi:10.1080/15504263.2014.993263
- Moulin, A., Evans, E. J., Xing, G., & Melnikow, J. (2018). Substance use, homelessness, mental illness and Medicaid coverage: A set-up for high emergency department utilization. *Western Journal of Emergency Medicine, 19*(6), 902–906. doi:10.5811/westjem.2018.9.38954
- Mueser, K. T., Campbell, K., & Drake, R. E. (2011). The effectiveness of supported employment in people with dual disorders. *Journal of Dual Diagnosis, 7*(1–2), 90–102.
- Mueser, K. T., & Gingerich, S. (2013). Treatment of co-occurring psychotic and substance use disorders. *Social Work in Public Health, 28*(3–4), 424–439. doi:10.1080/19371918.2013.774676
- Muhuri, P. K., & Gfroerer, J. C. (2009). Substance use among women: Associations with pregnancy, parenting, and race/ethnicity. *Maternal and Child Health Journal, 13*(3), 376–385. doi:10.1007/s10995-008-0375-8
- Mundon, C. R., Anderson, M. L., & Najavits, L. M. (2015). Attitudes toward substance abuse clients: An empirical study of clinical psychology trainees. *Journal of Psychoactive Drugs, 47*(4), 293–300. doi:10.1080/02791072.2015.1076090
- Munn-Chernoff, M. A., & Baker, J. H. (2016). A primer on the genetics of comorbid eating disorders and substance use disorders. *European Eating Disorders Review, 24*(2), 91–100. doi:10.1002/erv.2424
- Munn-Chernoff, M. A., Grant, J. D., Agrawal, A., Sartor, C. E., Werner, K. B., Bucholz, K. K., . . . Duncan, A. E. (2015). Genetic overlap between alcohol use disorder and bulimic behaviors in European American and African American women. *Drug and Alcohol Dependence, 153*, 335–340. doi:10.1016/j.drugalcdep.2015.05.043
- Nam, E., Matejkowski, J., & Lee, S. (2017). Racial/ethnic differences in contemporaneous use of mental health and substance use treatment among individuals experiencing both mental illness and substance use disorders. *Psychiatric Quarterly, 88*(1), 185–198. doi:10.1007/s11126-016-9444-0




- Nanni, V., Uher, R., & Danese, A. (2012). Childhood maltreatment predicts unfavorable course of illness and treatment outcome in depression: A meta-analysis. *American Journal of Psychiatry*, 169(2), 141–151.
- National Academies of Sciences, Engineering, and Medicine. (2016). Part 3: Instruments available for measuring specific mental illness diagnoses with functional impairment. In *Measuring specific mental illness diagnoses with functional impairment: Workshop summary*. Washington, DC: National Academies Press.
- National Association of State Mental Health Program Directors (NASMHPD). (June 2012). *Fact sheet on accelerating integration of primary care, behavioral health and prevention: The SBHA role*. Retrieved from [www.nasmhpd.org/sites/default/files/Behavioral%20Health%20Primary\\_Fact%20Sheet%20Accelerating%20Integration%20of%20Primary%20Care.pdf](http://www.nasmhpd.org/sites/default/files/Behavioral%20Health%20Primary_Fact%20Sheet%20Accelerating%20Integration%20of%20Primary%20Care.pdf)
- National Association of State Mental Health Program Directors, & National Association of State Alcohol and Drug Abuse Directors (NASADAD). (March 1999). *National dialogue on co-occurring mental health and substance abuse disorders*. Retrieved from <http://nasadad.org/2015/03/national-dialogue-on-co-occurring-mental-health-and-substance-abuse-disorders/>
- National Institute of Mental Health (NIMH). (n.d.). Ask Suicide-Screening Questions (ASQ) Toolkit. Retrieved from <https://www.nimh.nih.gov/research/research-conducted-at-nimh/asq-toolkit-materials/index.shtml>
- National Institute of Mental Health. (2016, February). *Schizophrenia*. Retrieved from [www.nimh.nih.gov/health/topics/schizophrenia/index.shtml](http://www.nimh.nih.gov/health/topics/schizophrenia/index.shtml)
- National Institute of Mental Health. (2016, October). *Mental health medications: Overview*. Retrieved from [www.nimh.nih.gov/health/topics/mental-health-medications/index.shtml](http://www.nimh.nih.gov/health/topics/mental-health-medications/index.shtml)
- National Institute of Mental Health. (2017, November). *Attention-deficit/hyperactivity disorder (ADHD)*. Retrieved from [www.nimh.nih.gov/health/statistics/attention-deficit-hyperactivity-disorder-adhd.shtml - part\\_154905](http://www.nimh.nih.gov/health/statistics/attention-deficit-hyperactivity-disorder-adhd.shtml-part_154905)
- National Institute of Mental Health. (2019). *Suicide*. Retrieved from [www.nimh.nih.gov/health/statistics/suicide.shtml](http://www.nimh.nih.gov/health/statistics/suicide.shtml)
- National Institute on Alcohol Abuse and Alcoholism. (n.d.). *Drinking levels defined*. Retrieved from <https://www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking>
- National Institute on Drug Abuse. (2012a). *Adoption of NIDA's evidence-based treatments in real world settings—A National Advisory Council on Drug Abuse Workgroup report*. Retrieved from [www.drugabuse.gov/sites/default/files/files/evidence-based\\_treatments\\_in\\_real\\_world\\_settings\\_workgroup\\_report.pdf](http://www.drugabuse.gov/sites/default/files/files/evidence-based_treatments_in_real_world_settings_workgroup_report.pdf)
- National Institute on Drug Abuse. (2012b). *Resource guide: Screening for drug use in general medical settings*. Retrieved from [www.drugabuse.gov/publications/resource-guide-screening-drug-use-in-general-medical-settings/nida-quick-screen](http://www.drugabuse.gov/publications/resource-guide-screening-drug-use-in-general-medical-settings/nida-quick-screen)
- National Institute on Drug Abuse. (2015, July). *How are therapeutic communities adapting to the current environment?* Retrieved from [www.drugabuse.gov/publications/research-reports/therapeutic-communities/how-are-therapeutic-communities-adapting-to-current-environment](http://www.drugabuse.gov/publications/research-reports/therapeutic-communities/how-are-therapeutic-communities-adapting-to-current-environment)
- National Institute on Drug Abuse. (2018a). *Common comorbidities with substance use disorders*. Retrieved from <https://d14rmgtrwzf5a.cloudfront.net/sites/default/files/1155-common-comorbidities-with-substance-use-disorders.pdf>
- National Institute on Drug Abuse. (2018b). *Principles of drug addiction treatment: A research-based guide* (3rd ed.). Rockville, MD: National Institute on Drug Abuse, National Institutes of Health, U.S. Department of Health and Human Services.
- National Institute on Drug Abuse. (2018c). *Treatment and recovery*. In *Drugs, brains, and behavior: The science of addiction* (pp. 22–25). Bethesda, MD: National Institute on Drug Abuse.
- National Institute on Drug Abuse. (2018d, July). *Sex and gender differences in substance use disorder treatment*. Retrieved from [www.drugabuse.gov/publications/research-reports/substance-use-in-women/sex-gender-differences-in-substance-use-disorder-treatment](http://www.drugabuse.gov/publications/research-reports/substance-use-in-women/sex-gender-differences-in-substance-use-disorder-treatment)
- National Institute on Drug Abuse. (Revised March 2018). *Benzodiazepines and opioids*. Retrieved from [www.drugabuse.gov/drugs-abuse/opioids/benzodiazepines-opioids](http://www.drugabuse.gov/drugs-abuse/opioids/benzodiazepines-opioids)
- Neumiller, S., Bennett-Clark, F., Young, M. S., Dates, B., Broner, N., Leddy, J., . . . De Jong, F. (2009). Implementing assertive community treatment in diverse settings for people who are homeless with co-occurring mental and addictive disorders: A series of case studies. *Journal of Dual Diagnosis*, 5(3–4), 239–263. doi:10.1080/15504260903175973
- Newell, J. M., Nelson-Gardell, D., & MacNeil, G. (2016). Clinician responses to client traumas: A chronological review of constructs and terminology. *Trauma, Violence, & Abuse*, 17(3), 306–13. doi: 10.1177/1524838015584365
- Newton-Howes, G., & Foulds, J. (2018). Personality disorder and treatment outcome in alcohol use disorder. *Current Opinion in Psychiatry*, 31(1), 50–56. doi:10.1097/YCO.0000000000000375
- Nicosia, N., Macdonald, J. M., & Arkes, J. (2013). Disparities in criminal court referrals to drug treatment and prison for minority men. *American Journal of Public Health*, 103(6), e77–e84. doi:10.2105/ajph.2013.301222




- Noel, V., Woods, M., Routhier, J., & Drake, R. (2016). Planning treatment and assessing recovery in participants with dual diagnosis: Preliminary evaluation of a new clinical tool. *Journal of Dual Diagnosis, 12*(1), 55–62. doi:10.1080/15504263.2016.1146555
- Norman, R. E., Byambaa, M., De, R., Butchart, A., Scott, J., & Vos, T. (2012). The long-term health consequences of child physical abuse, emotional abuse, and neglect: A systematic review and meta-analysis. *PLoS Medicine, 9*(11), e1001349. doi:10.1371/journal.pmed.1001349
- Nowotny, K. M. (2015). Race/ethnic disparities in the utilization of treatment for drug dependent inmates in U.S. state correctional facilities. *Addictive Behaviors, 40*, 148–153. doi:10.1016/j.addbeh.2014.09.005
- O'Connell, M., Kaspro, W., & Rosenheck, R. A. (2010). National dissemination of supported housing in the VA: Model adherence versus model modification. *Psychiatric Rehabilitation Journal, 33*(4), 308–319. doi:10.2975/33.4.2010.308.319
- O'Connell, M. J., Flanagan, E. H., Delphin-Rittmon, M. E., & Davidson, L. (2017). Enhancing outcomes for persons with co-occurring disorders through skills training and peer recovery support. *Journal of Mental Health, 1–6*. doi:10.1080/09638237.2017.1294733
- O'Connor, R., & Pirkis, J. (2016). *The international handbook of suicide prevention* (2nd ed.). Chichester, UK: Wiley Blackwell.
- O'Grady, M. A., Kapoor, S., Kwon, N., Morley, J., Auerbach, M., Neighbors, C. J., . . . Morgenstern, J. (2019). Substance use screening and brief intervention: Evaluation of patient and implementation differences between primary care and emergency department settings. *Journal of Evaluation in Clinical Practice 25*(3), 441–447. doi:10.1111/jep.13060
- O'Grady, M. A., Neighbors, C. J., Lincourt, P., Burke, C., & Maldonado, A. (2019). Development and testing of an addiction treatment level of care determination tool. *Journal of Behavioral Health Services & Research, 46*, 487–496. doi:10.1007/s11414-018-9623-x
- O'Hara, M. W., & Engeldinger, J. (2018). Treatment of postpartum depression: Recommendations for the clinician. *Clinical Obstetrics and Gynecology, 61*(3), 604–614. doi:10.1097/grf.0000000000000353
- O'Hara, M. W., & McCabe, J. E. (2013). Postpartum depression: Current status and future directions. *Annual Review of Clinical Psychology, 9*, 379–407. doi:10.1146/annurev-clinpsy-050212-185612
- Office of Disease Prevention and Health Promotion. (2019). *Topics & objectives A–Z. Healthy People 2020*. Retrieved from [www.healthypeople.gov/2020/topics-objectives](http://www.healthypeople.gov/2020/topics-objectives)
- Office of Minority Health. (October 2018). *The national CLAS standards*. Retrieved from <https://minorityhealth.hhs.gov/omh/browse.aspx?lvl=2&lvlid=53>
- Oldham, J. M. (March 2005). *Guideline watch: Practice guideline for the treatment of patients with borderline personality disorder*. Arlington, VA: American Psychiatric Association. Retrieved from [https://psychiatryonline.org/pb/assets/raw/sitewide/practice\\_guidelines/guidelines/bpd-watch.pdf](https://psychiatryonline.org/pb/assets/raw/sitewide/practice_guidelines/guidelines/bpd-watch.pdf)
- Olfson, M. (2016). Building the mental health workforce capacity needed to treat adults with serious mental illnesses. *Health Affairs, 35*(6), 983–990. doi:10.1377/hlthaff.2015.1619
- Oquendo, M. A., Currier, D., Liu, S. M., Hasin, D. S., Grant, B. F., & Blanco, C. (2010). Increased risk for suicidal behavior in comorbid bipolar disorder and alcohol use disorders: Results from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). *Journal of Clinical Psychiatry, 71*(7), 902–909. doi:10.4088/JCP.09m05198gry
- Oser, C. B., Biebel, E. P., Pullen, E., & Harp, K. L. (2013). Causes, consequences, and prevention of burnout among substance abuse treatment counselors: A rural versus urban comparison. *Journal of Psychoactive Drugs, 45*(1), 17–27. doi:10.1080/02791072.2013.763558
- Osman, A., Bagge, C. L., Gutierrez, P. M., Konick, L. C., Kopper, B. A., & Barrios, F. X. (2001). The Suicidal Behaviors Questionnaire-Revised (SBQ-R): Validation with clinical and nonclinical samples. *Assessment, 8*(4), 443–454. doi:10.1177/107319110100800409
- Paddock, S. M., Hunter, S. B., & Leininger, T. J. (2014). Does group cognitive-behavioral therapy module type moderate depression symptom changes in substance abuse treatment clients? *Journal of Substance Abuse Treatment, 47*(1), 78–85. doi:10.1016/j.jsat.2014.02.005
- Padgett, D. K., Stanhope, V., Henwood, B. F., & Stefancic, A. (2011). Substance use outcomes among homeless clients with serious mental illness: Comparing Housing First with Treatment First programs. *Community Mental Health Journal, 47*(2), 227–232. doi:10.1007/s10597-009-9283-7
- Padwa, H., Guerrero, E. G., Braslow, J. T., & Fenwick, K. M. (2015). Barriers to serving clients with co-occurring disorders in a transformed mental health system. *Psychiatric Services, 66*(5), 547–550. doi:10.1176/appi.ps.201400190
- Padwa, H., Larkins, S., Crevecoeur-MacPhail, D. A., & Grella, C. E. (2013). Dual diagnosis capability in mental health and substance use disorder treatment programs. *Journal of Dual Diagnosis, 9*(2), 179–186. doi:10.1080/15504263.2013.778441
- Palmer, R. H., Nugent, N. R., Brick, L. A., Bidwell, C. L., McGeary, J. E., Keller, M. C., & Knopik, V. S. (2016). Evidence of shared genome-wide additive genetic effects on interpersonal trauma exposure and generalized vulnerability to drug dependence in a population of substance users. *Journal of Traumatic Stress, 29*(3), 197–204. doi:10.1002/jts.22103

- Paquette, K., & Pannella Winn, L. A. (2016). The role of recovery housing: Prioritizing choice in homeless services. *Journal of Dual Diagnosis, 12*(2), 153–162. doi:10.1080/15504263.2016.1175262
- Paris, J. (2014). After DSM-5: Where does personality disorder research go from here? *Harvard Review of Psychiatry, 22*(4), 216–221. doi:10.1097/HRP.0000000000000041
- Park, T. W., Cheng, D. M., Samet, J. H., Winter, M. R., & Saitz, R. (2015). Chronic care management for substance dependence in primary care among patients with co-occurring disorders. *Psychiatric Services, 66*(1), 72–79. doi:10.1176/appi.ps.201300414
- Parks, J., & Radke, A. Q. (Eds.) (July 2014). *The vital role of state psychiatric hospitals*. Retrieved from <https://www.nasmhpd.org/sites/default/files/The%20Vital%20Role%20of%20State%20Psychiatric%20HospitalsTechnical%20Report%20July%202014.pdf>
- Pasche, S. (2012). Exploring the comorbidity of anxiety and substance use disorders. *Current Psychiatry Reports, 14*(3), 176–181. doi:10.1007/s11920-012-0264-0
- Patel, K. R., Cherian, J., Gohil, K., & Atkinson, D. (2014). Schizophrenia: Overview and treatment options. *Pharmacy & Therapeutics, 39*(9), 638–645.
- Pathways to Housing DC. (2017). *Program updates*. Retrieved from <https://pathwaystohousingdc.org/wp-content/uploads/financials/Annual%20Highlights%202016-2017.pdf>
- Pathways to Housing PA. (2018). *Reclaiming lives. Triennial Report 2018*. Retrieved from <https://pathwaystohousingpa.org/sites/pathwaystohousingpa.org/files/PTH%20Triennial%2011.1.18.pdf>
- Peachey, J. E., & Lei, H. (1988). Assessment of opioid dependence with naloxone. *British Journal of Addiction, 83*(2), 193–201.
- Pearce, S., & Autrique, M. (2010). On the need for randomised trials of therapeutic community approaches. *Therapeutic Communities, 31*(4), 338–355.
- Pearce, S., & Pickard, H. (2013). How therapeutic communities work: Specific factors related to positive outcome. *International Journal of Social Psychiatry, 59*(7), 636–645. doi:10.1177/0020764012450992
- Pearson, C., Montgomery, A. E., & Locke, G. (2009). Housing stability among homeless individuals with serious mental illness participating in Housing First programs. *Journal of Community Psychology, 37*(3), 404–417. doi:10.1002/jcop.20303
- Penn, P. E., Brooke, D., Brooks, A. J., Gallagher, S. M., & Barnard, A. D. (2016). Co-occurring conditions clients and counselors compare 12-step and smart recovery mutual help. *Journal of Groups in Addiction and Recovery, 11*(2), 76–92. doi:10.1080/1556035X.2015.1104643
- Perry, A. E., Neilson, M., Martyn-St. James, M., Glanville, J. M., McCool, R., Duffy, S., . . . Hewitt, C. (2015). Interventions for drug-using offenders with co-occurring mental illness. *Cochrane Database of Systematic Reviews, 1*, CD010901. doi:10.1002/14651858.cd010901
- Peters, R. H., Young, M. S., Rojas, E. C., & Gorey, C. M. (2017). Evidence-based treatment and supervision practices for co-occurring mental and substance use disorders in the criminal justice system. *American Journal of Drug and Alcohol Abuse, 43*(4), 475–488. doi:10.1080/00952990.2017.1303838
- Petrakis, I. L., & Simpson, T. L. (2017). Posttraumatic stress disorder and alcohol use disorder: A critical review of pharmacologic treatments. *Alcoholism: Clinical and Experimental Research, 41*(2), 226–237. doi:10.1111/acer.13297
- Petrakis, M., Robinson, R., Myers, K., Kroes, S., & O'Connor, S. (2018). Dual diagnosis competencies: A systematic review of staff training literature. *Addictive Behaviors Reports, 7*, 53–57. doi:10.1016/j.abrep.2018.01.003
- Pew Research Center. (2018, January 12). *Blacks and Hispanics are overrepresented in U.S. prisons*. Retrieved from <http://www.pewresearch.org/fact-tank/2018/01/12/shrinking-gap-between-number-of-blacks-and-whites-in-prison/ft-18-01-10-prisonracegaps-2/>
- Pierre, J. M. (2018). Real world challenges in managing dual diagnosis patients. *Current Psychiatry, 17*(9), 24–30.
- Pietrzak, R. H., Goldstein, R. B., Southwick, S. M., & Grant, B. F. (2011). Prevalence and Axis I comorbidity of full and partial posttraumatic stress disorder in the United States: Results from Wave 2 of the National Epidemiologic Survey on Alcohol and Related Conditions. *Journal of Anxiety Disorders, 25*(3), 456–465. doi:10.1016/j.janxdis.2010.11.010
- Pinedo, M., Zemore, S., & Rogers, S. (2018). Understanding barriers to specialty substance abuse treatment among Latinos. *Journal of Substance Abuse Treatment, 94*, 1–8. doi:10.1016/j.jsat.2018.08.004
- Plakun, E. M. (2018). Clinical and insurance perspectives on intermediate levels of care in psychiatry. *Journal of Psychiatric Practice, 24*(2), 111–116. doi:10.1097/pra.0000000000000291
- Polcin, D. L. (2016). Co-occurring substance abuse and mental health problems among homeless persons: Suggestions for research and practice. *Journal of Social Distress and the Homeless, 26*(1), 1–10. doi:10.1179/1573658X15Y.0000000004
- Polcin, D. L., Galloway, G. P., Bond, J., Korcha, R., & Greenfield, T. K. (2010). How do residents of recovery houses experience confrontation between entry and 12-month follow-up? *Journal of Psychoactive Drugs, 42*(1), 49–62. doi:10.1080/02791072.2010.10399785




- Polcin, D. L., Mulia, N., & Laura, J. M. A. (2012). Substance users' perspectives on helpful and unhelpful confrontation: Implications for recovery. *Journal of Psychoactive Drugs, 44*(2), 144–152. doi:10.1080/02791072.2012.684626
- Pompili, M., Serafini, G., Innamorati, M., Dominici, G., Ferracuti, S., Kotzalidis, G. D., . . . Lester, D. (2010). Suicidal behavior and alcohol abuse. *International Journal of Environmental Research and Public Health, 7*(4), 1392–1431. doi:10.3390/ijerph7041392
- Pompili, M., Sher, L., Serafini, G., Forte, A., Innamorati, M., Dominici, G., . . . Girardi, P. (2013). Posttraumatic stress disorder and suicide risk among veterans: A literature review. *Journal of Nervous and Mental Disease, 201*(9), 802–812. doi:10.1097/NMD.0b013e3182a21458
- Posner, K., Brown, G. K., Stanley, B., Brent, D. A., Yershova, K. V., Oquendo, M. A., . . . Mann, J. J. (2011). The Columbia-Suicide Severity Rating Scale: Initial validity and internal consistency findings from three multisite studies with adolescents and adults. *American Journal of Psychiatry, 168*(12), 1266–1277. doi:10.1176/appi.ajp.2011.10111704
- Post, L. M., Feeny, N. C., Zoellner, L. A., & Connell, A. M. (2016). Post-traumatic stress disorder and depression co-occurrence: Structural relations among disorder constructs and trait and symptom dimensions. *Psychology and Psychotherapy, 89*(4), 418–434. doi:10.1111/papt.12087
- Powell, D. J., & Brodsky, A. (2004). *Clinical supervision in alcohol and drug abuse counseling: Principles, models, methods* (Revised ed.). San Francisco: Jossey-Bass.
- Priester, M. A., Browne, T., Iachini, A., Clone, S., DeHart, D., & Seay, K. D. (2016). Treatment access barriers and disparities among individuals with co-occurring mental health and substance use disorders: An integrative literature review. *Journal of Substance Abuse Treatment, 61*, 47–59. doi:10.1016/j.jsat.2015.09.006
- Pringle, J., Grasso, K., & Lederer, L. (2017). Integrating the integrated: Merging Integrated Dual Diagnosis Treatment (IDDT) with Housing First. *Community Mental Health Journal, 53*(6), 672–678. doi:10.1007/s10597-017-0107-x
- Pringsheim, T., & Gardner, D. M. (2014). Dispensed prescriptions for quetiapine and other second-generation antipsychotics in Canada from 2005 to 2012: A descriptive study. *CMAJ Open, 2*(4), e225–e232. doi:10.9778/cmajo.20140009
- Prins, A., Bovin, M. J., Kimerling, R., Kaloupek, D. G., Marx, B. P., Pless Kaiser, A., & Schnurr, P. P. (2015). *Primary Care PTSD Screen for DSM-5 (PC-PTSD-5)* [Measurement instrument]. Retrieved from [www.ptsd.va.gov/professional/assessment/documents/pc-ptsd5-screen.pdf](http://www.ptsd.va.gov/professional/assessment/documents/pc-ptsd5-screen.pdf)
- Prins, A., Bovin, M. J., Smolenski, D. J., Marx, B. P., Kimerling, R., Jenkins-Guarnieri, M. A., . . . Tiet, Q. Q. (2016). The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5): Development and evaluation within a veteran primary care sample. *Journal of General Internal Medicine, 31*(10), 1206–1211. doi:10.1007/s11606-016-3703-5
- Prins, S. J. (2014). Prevalence of mental illnesses in US state prisons: A systematic review. *Psychiatric Services, 65*(7), 862–872. doi:10.1176/appi.ps.201300166
- Prochaska, J. J., Sung, H. Y., Max, W., Shi, Y., & Ong, M. (2012). Validity study of the K6 scale as a measure of moderate mental distress based on mental health treatment need and utilization. *International Journal of Methods in Psychiatric Research, 21*(2), 88–97. doi:10.1002/mpr.1349
- Prochaska, J. O., & DiClemente, C. C. (1992). Stages of change in the modification of problem behaviors. *Progress in Behavior Modification, 28*, 183–218.
- Prochaska, J. O., DiClemente, C. C., & Norcross, J. C. (1992). In search of how people change: Applications to addictive behaviors. *American Psychologist, 47*(9), 1102–1114.
- Proctor, S. L., & Herschman, P. L. (2014). The continuing care model of substance use treatment: What works, and when is "enough," "enough?" *Psychiatry Journal, 69*2423. doi:10.1155/2014/692423
- Puntis, S., Rugkåsa, J., Forrest, A., Mitchell, A., & Burns, T. (2015). Associations between continuity of care and patient outcomes in mental health care: A systematic review. *Psychiatric Services, 66*(4), 354–363.
- Quinn, K., Boone, L., Scheidell, J. D., Mateu-Gelabert, P., McGorray, S. P., Beharie, N., . . . Khan, M. R. (2016). The relationships of childhood trauma and adulthood prescription pain reliever misuse and injection drug use. *Drug and Alcohol Dependence, 169*, 190–198. doi:10.1016/j.drugalcdep.2016.09.021
- Raza, G. T., DeMarce, J. M., Lash, S. J., & Parker, J. D. (2014). Paranoid personality disorder in the United States: The role of race, illicit drug use, and income. *Journal of Ethnic Substance Abuse, 13*(3), 247–257. doi:10.1080/15332640.2013.850463
- Regnard, J., Truter, I., & Meyer, A. (2017). Critical exploration of co-occurring attention-deficit/hyperactivity disorder, mood disorder and substance use disorder. *Expert Review of Pharmacoeconomics & Outcomes Research, 17*(3), 275–282. doi:10.1080/14737167.2017.1351878
- Reif, S., Braude, L., Lyman, D. R., Dougherty, R. H., Daniels, A. S., Ghose, S. S., . . . Delphin-Rittmon, M. E. (2014). Peer recovery support for individuals with substance use disorders: Assessing the evidence. *Psychiatric Services, 65*(7), 853–861. doi:10.1176/appi.ps.201400047

- Reif, S., George, P., Braude, L., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Residential treatment for individuals with substance use disorders: assessing the evidence. *Psychiatric Services, 65*(3), 301–312. doi:10.1176/appi.ps.201300242
- Reingle Gonzalez, J. M., & Connell, N. M. (2014). Mental health of prisoners: Identifying barriers to mental health treatment and medication continuity. *American Journal of Public Health, 104*(12), 2328–2333. doi:10.2105/AJPH.2014.302043
- Ries, R. K. (1993). The dually diagnosed patient with psychotic symptoms. *Journal of Addictive Diseases, 12*(3), 103–122. doi:10.1300/J069v12n03\_09
- Riper, H., Andersson, G., Hunter, S. B., de Wit, J., Berking, M., & Cuijpers, P. (2014). Treatment of comorbid alcohol use disorders and depression with cognitive-behavioural therapy and motivational interviewing: A meta-analysis. *Addiction, 109*(3), 394–406. doi:10.1111/add.12441
- Ritschel, L. A., Lim, N. E., & Stewart, L. M. (2015). Transdiagnostic applications of DBT for adolescents and adults. *American Journal of Psychotherapy, 69*(2), 111–128. doi:10.1176/appi.psychotherapy.2015.69.2.111
- Ritter, S., & Platt, L. M. (2016). What's new in treating inpatients with personality disorders?: Dialectical behavior therapy and old-fashioned, good communication. *Journal of Psychosocial Nursing and Mental Health Services, 54*(1), 38–45. doi:10.3928/02793695-20151216-03
- Roberts, N. P., Roberts, P. A., Jones, N., & Bisson, J. I. (2016). Psychological therapies for post-traumatic stress disorder and comorbid substance use disorder. *Cochrane Database of Systematic Reviews, 4*, CD010204. doi:10.1002/14651858.CD010204.pub2
- Rog, D. J., Marshall, T., Dougherty, R. H., George, P., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Permanent supportive housing: Assessing the evidence. *Psychiatric Services, 65*(3), 287–294. doi:10.1176/appi.ps.201300261
- Rojas, E. C., & Peters, R. H. (2015). Evidence-based practices for co-occurring disorders in offenders. *Addiction Research & Theory, 24*(3), 223–235.
- Romano, M., & Peters, L. (2015). Evaluating the mechanisms of change in motivational interviewing in the treatment of mental health problems: A review and meta-analysis. *Clinical Psychology Review, 38*, 1–12. doi:10.1016/j.cpr.2015.02.008
- Root, T. L., Pinheiro, A. P., Thornton, L., Strober, M., Fernandez-Aranda, F., Brandt, H., . . . Bulik, C. M. (2010). Substance use disorders in women with anorexia nervosa. *International Journal of Eating Disorders, 43*(1), 14–21. doi:10.1002/eat.20670
- Rosenblum, A., Matusow, H., Fong, C., Vogel, H., Uttaro, T., Moore, T. L., & Magura, S. (2014). Efficacy of dual focus mutual aid for persons with mental illness and substance misuse. *Drug and Alcohol Dependence, 135*, 78–87. doi:10.1016/j.drugalcdep.2013.11.012
- Rosenthal, R. J. (1992). Pathological gambling. *Psychiatric Annals, 22*(2), 72–78. doi:10.3928/0048-5713-19920201-09
- Ross, L. E., & Dennis, C. L. (2009). The prevalence of postpartum depression among women with substance use, an abuse history, or chronic illness: A systematic review. *Journal of Women's Health, 18*(4), 475–486. doi:10.1089/jwh.2008.0953
- Roush, S., Monica, C., Carpenter-Song, E., & Drake, R. E. (2015). First-person perspectives on Dual Diagnosis Anonymous (DDA): A qualitative study. *Journal of Dual Diagnosis, 11*(2), 136–141. doi:10.1080/15504263.2015.1025215
- Rowe, J. (2012). Great expectations: A systematic review of the literature on the role of family carers in severe mental illness, and their relationships and engagement with professionals. *Journal of Psychiatric and Mental Health Nursing, 19*(1), 70–82. doi:10.1111/j.1365-2850.2011.01756.x
- Rubinsky, A. D., Ellerbe, L. S., Gupta, S., Phelps, T. E., Bowe, T., Burden, J. L., & Harris, A. H. S. (2017). Outpatient continuing care after residential substance use disorder treatment in the US Veterans Health Administration: Facilitators and challenges. *Substance Abuse, 39*(3), 322–330. doi:10.1080/08897077.2017.1391923
- Ruglass, L. M., Lopez-Castro, T., Papini, S., Killeen, T., Back, S. E., & Hien, D. A. (2017). Concurrent treatment with prolonged exposure for co-occurring full or subthreshold posttraumatic stress disorder and substance use disorders: A randomized clinical trial. *Psychotherapy and Psychosomatics, 86*(3), 150–161. doi:10.1159/000462977
- Ruglass, L. M., Miele, G. M., Hien, D. A., Campbell, A. N., Hu, M. C., Caldeira, N., . . . Nunes, E. V. (2012). Helping alliance, retention, and treatment outcomes: A secondary analysis from the NIDA Clinical Trials Network Women and Trauma Study. *Substance Use & Misuse, 47*(6), 695–707. doi:10.3109/10826084.2012.659789
- Ruiz, M. A., Douglas, K. S., Edens, J. F., Nikolova, N. L., & Lilienfeld, S. O. (2012). Co-occurring mental health and substance use problems in offenders: Implications for risk assessment. *Psychological Assessment, 24*(1), 77–87. doi:10.1037/a0024623
- Ruiz, M. A., Peters, R. H., Sanchez, G. M., & Bates, J. P. (2009). Psychometric properties of the Mental Health Screening Form III within a metropolitan jail. *Criminal Justice and Behavior, 36*(6), 607–619. doi:10.1177/0093854809334013
- Ruscio, A. M., Hallion, L. S., Lim, C. C. W., Aguilar-Gaxiola, S., Al-Hamzawi, A., Alonso, J., . . . Scott, K. M. (2017). Cross-sectional comparison of the epidemiology of DSM-5 Generalized Anxiety Disorder across the globe. *JAMA Psychiatry, 74*(5), 465–475. doi:10.1001/jamapsychiatry.2017.0056



- Sacks, S., Chaple, M., Sacks, J. Y., McKendrick, K., & Cleland, C. M. (2012). Randomized trial of a reentry modified therapeutic community for offenders with co-occurring disorders: Crime outcomes. *Journal of Substance Abuse Treatment, 42*(3), 247–259. doi:10.1016/j.jsat.2011.07.011
- Sacks, S., Chaple, M., Sirikantraporn, J., Sacks, J. Y., Knickman, J., & Martinez, J. (2013). Improving the capability to provide integrated mental health and substance abuse services in a state system of outpatient care. *Journal of Substance Abuse Treatment, 44*(5), 488–493. doi:10.1016/j.jsat.2012.11.001
- Sacks, S., McKendrick, K., Sacks, J. Y., & Cleland, C. M. (2010). Modified therapeutic community for co-occurring disorders: Single investigator meta analysis. *Substance Abuse, 31*(3), 146–161. doi:10.1080/08897077.2010.495662
- Sacks, S., McKendrick, K., Vazan, P., Sacks, J. Y., & Cleland, C. M. (2011). Modified therapeutic community aftercare for clients triply diagnosed with HIV/AIDS and co-occurring mental and substance use disorders. *AIDS Care, 23*(12), 1676–1686. doi:10.1080/09540121.2011.582075
- Sacks, S., & Sacks, J. Y. (2011, February 10). *Modified therapeutic community and specialized housing programs for justice-involved individuals with co-occurring mental and substance use disorders illnesses*. A presentation at the JMHP National Training and Technical Assistance Event: Achieving and Communicating Public Health and Safety Outcomes for our Communities. Baltimore, MD.
- Saha, S., Chant, D., Welham, J., & McGrath, J. (2005). A systematic review of the prevalence of schizophrenia. *PLoS Medicine, 2*(5). doi:10.1371/journal.pmed.0020141
- Saloner, B., & Le Cook, B. (2013). Blacks and Hispanics are less likely than whites to complete addiction treatment, largely due to socioeconomic factors. *Health Affairs, 32*(1), 135–145. doi:10.1377/hlthaff.2011.0983
- Samet, S., Fenton, M. C., Nunes, E., Greenstein, E., Aharonovich, E., & Hasin, D. (2013). Effects of independent and substance-induced major depressive disorder on remission and relapse of alcohol, cocaine and heroin dependence. *Addiction, 108*(1), 115–123. doi:10.1111/j.1360-0443.2012.04010.x
- Samuels, E. A., Bernstein, S. L., Marshall, B. D. L., Krieger, M., Baird, J., & Mello, M. J. (2018). Peer navigation and take-home naloxone for opioid overdose emergency department patients: Preliminary patient outcomes. *Journal of Substance Abuse Treatment, 94*, 29–34. doi:10.1016/j.jsat.2018.07.013
- Sanchez, K., Ybarra, R., Chapa, T., & Martinez, O. N. (2016). Eliminating behavioral health disparities and improving outcomes for racial and ethnic minority populations. *Psychiatric Services, 67*(1), 13–15. doi:10.1176/appi.ps.201400581
- Sanchez-Moreno, J., Martinez-Aran, A., & Vieta, E. (2017). Treatment of functional impairment in patients with bipolar disorder. *Current Psychiatry Reports, 19*(1), 3. doi:10.1007/s11920-017-0752-3
- Sansone, R. A., & Sansone, L. A. (2011a). Gender patterns in borderline personality disorder. *Innovations in Clinical Neuroscience, 8*(5), 16–20.
- Sansone, R. A., & Sansone, L. A. (2011b). Substance use disorders and borderline personality. *Innovations in Clinical Neuroscience, 8*(9), 10–13.
- Sansone, R. A., & Sansone, L. A. (2015). Borderline personality in the medical setting. *Primary Care Companion for CNS Disorders, 17*(3). doi:10.4088/PCC.14r01743
- Sarkar, J., & Duggan, C. (2010). Diagnosis and classification of personality disorder: Difficulties, their resolution and implications for practice. *Advances in Psychiatric Treatment, 16*(5), 388–396. doi:10.1192/apt.16.6.476a
- Sarvet, A. L., Wall, M. M., Keyes, K. M., Olfson, M., Cerdá, M., & Hasin, D. S. (2018). Self-medication of mood and anxiety disorders with marijuana: Higher in states with medical marijuana laws. *Drug and Alcohol Dependence, 186*, 10–15. doi:10.1016/j.drugalcdep.2018.01.009
- Savic, M., Best, D., Manning, V., & Lubman, D. I. (2017). Strategies to facilitate integrated care for people with alcohol and other drug problems: A systematic review. *Substance Abuse: Treatment, Prevention, and Policy, 12*(1). doi:10.1186/s13011-017-0104-7
- Schaffer, A., Isometsa, E. T., Tondo, L., H. Moreno, D., Turecki, G., Reis, C., . . . Yatham, L. N. (2015). International Society for Bipolar Disorders Task Force on Suicide: Meta-analyses and meta-regression of correlates of suicide attempts and suicide deaths in bipolar disorder. *Bipolar Disorders, 17*(1), 1–16. doi:10.1111/bdi.12271
- Schaumberg, K., Welch, E., Breithaupt, L., Hubel, C., Baker, J. H., Munn-Chernoff, M. A., . . . Bulik, C. M. (2017). The science behind the Academy for Eating Disorders' nine truths about eating disorders. *European Eating Disorders Review, 25*(6), 432–450. doi:10.1002/erv.2553
- Schneier, F. R., Foose, T. E., Hasin, D. S., Heimberg, R. G., Liu, S. M., Grant, B. F., & Blanco, C. (2010). Social anxiety disorder and alcohol use disorder co-morbidity in the National Epidemiologic Survey on Alcohol and Related Conditions. *Psychological Medicine, 40*(6), 977–988. doi:10.1017/S0033291709991231
- Schoenthaler, S. J., Blum, K., Fried, L., Oscar-Berman, M., Giordano, J., Modestino, E. J., & Badgaiyan, R. (2017). The effects of residential dual diagnosis treatment on alcohol abuse. *Journal of Systems and Integrative Neuroscience, 3*(4). doi:10.15761/jsin.1000169
- Schulte, S. J., Meier, P. S., & Stirling, J. (2011). Dual diagnosis clients' treatment satisfaction – A systematic review. *BMC Psychiatry, 11*, 64.


- Schulz, P. E., & Arora, G. (2015). Depression. *Behavioral Neurology and Neuropsychiatry*, 21(3), 756–771. doi:10.1212/01.CON.0000466664.35650.b4
- Schumm, J. A., & Gore, W. L. (2016). Simultaneous treatment of co-occurring posttraumatic stress disorder and substance use disorder. *Current Treatment Options in Psychiatry*, 3(1), 28–36. doi:10.1007/s40501-016-0071-z
- Scott, E. L., & Hulvershorn, L. (2011, September 7). Anxiety disorders with comorbid substance abuse. *Psychiatric Times*, 28(9), 1–2.
- Seal, K. H., Cohen, G., Waldrop, A., Cohen, B. E., Maguen, S., & Ren, L. (2011). Substance use disorders in Iraq and Afghanistan veterans in VA healthcare, 2001–2010: Implications for screening, diagnosis and treatment. *Drug and Alcohol Dependence*, 116(1–3), 93–101. doi:10.1016/j.drugalcdep.2010.11.027
- Selzer, M. L. (1971). The Michigan Alcoholism Screening Test: The quest for a new diagnostic instrument. *American Journal of Psychiatry*, 127(12), 1653–1658. doi:10.1176/ajp.127.12.1653
- Shapiro, B., Coffa, D., & McCance-Katz, E. F. (2013). A primary care approach to substance misuse. *American Family Physician*, 88(2), 113–121.
- Shattock, L., Berry, K., Degnan, A., & Edge, D. (2018). Therapeutic alliance in psychological therapy for people with schizophrenia and related psychoses: A systematic review. *Clinical Psychology & Psychotherapy*, 25(1), e60–e85. doi:10.1002/cpp.2135
- Sheehan, D. V., Harnett-Sheehan, K., & Raj, B. A. (1996). The measurement of disability. *International Clinical Psychopharmacology*, 11(Suppl. 3), 89–95.
- Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E., . . . Dunbar, G. C. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I.): The development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *Journal of Clinical Psychiatry*, 59(Suppl. 20), 22–33; quiz 34–57.
- Sheehan, L., Niewegłowski, K., & Corrigan, P. (2016). The stigma of personality disorders. *Current Psychiatry Reports*, 18(1), 1–7. doi:10.1007/s11920-015-0654-1
- Shenoy, A., & Appel, J. M. (2017). Safeguarding confidentiality in electronic health records. *Cambridge Quarterly of Healthcare Ethics*, 26(2), 337–341. doi:10.1017/s0963180116000931
- Sher, L., Siever, L. J., Goodman, M., McNamara, M., Hazlett, E. A., Koenigsberg, H. W., & New, A. S. (2015). Gender differences in the clinical characteristics and psychiatric comorbidity in patients with antisocial personality disorder. *Psychiatry Research*, 229(3), 685–689. doi:10.1016/j.psychres.2015.08.022
- Sherman, L. J., Lynch, S. E., Greeno, C. G., & Hoeffel, E. M. (2017, July 11). *Behavioral health workforce: Quality assurance practices in substance abuse treatment facilities. SAMHSA CBHSQ report*. Retrieved from [www.samhsa.gov/data/sites/default/files/report\\_3059/ShortReport-3059.html](http://www.samhsa.gov/data/sites/default/files/report_3059/ShortReport-3059.html)
- Shinn, G., & Brose, M. (2017). *Building partnerships and collaboration between housing providers and behavioral health practitioners*. Mental Health Association Oklahoma. Retrieved from [www.samhsa.gov/sites/default/files/programs\\_campaigns/recovery\\_to\\_practice/homelessness-3-building-partnerships.pdf](http://www.samhsa.gov/sites/default/files/programs_campaigns/recovery_to_practice/homelessness-3-building-partnerships.pdf)
- Shionogi Pharma Inc. (2010). KAPVAY (clonidine hydrochloride) extended-release tablets, oral Initial U.S. approval: 1974. Prescribing information. Retrieved from [www.accessdata.fda.gov/drugsatfda\\_docs/label/2010/022331s001s002lbl.pdf](http://www.accessdata.fda.gov/drugsatfda_docs/label/2010/022331s001s002lbl.pdf)
- Shire US Inc. (Revised February 2013). INTUNIV® (guanfacine) extended-release tablets, for oral use. Initial U.S. approval: 1986 Retrieved from [www.accessdata.fda.gov/drugsatfda\\_docs/label/2013/022037s009lbl.pdf](http://www.accessdata.fda.gov/drugsatfda_docs/label/2013/022037s009lbl.pdf)
- Simon, R. I., Hales, R. E., & American Psychiatric Publishing. (2012). *The American Psychiatric Publishing textbook of suicide assessment and management* (2nd ed.). Washington, DC: American Psychiatric Publishing.
- Simon, V., Czobor, P., Balint, S., Meszaros, A., & Bitter, I. (2009). Prevalence and correlates of adult attention-deficit hyperactivity disorder: Meta-analysis. *British Journal of Psychiatry*, 194(3), 204–211. doi:10.1192/bjp.bp.107.048827
- Simpson, T. L., Lehavot, K., & Petrakis, I. L. (2017). No wrong doors: Findings from a critical review of behavioral randomized clinical trials for individuals with co-occurring alcohol/drug problems and posttraumatic stress disorder. *Alcoholism: Clinical and Experimental Research*, 41(4), 681–702. doi:10.1111/acer.13325
- Simpson, T. L., Stappenbeck, C. A., Luterek, J. A., Lehavot, K., & Kaysen, D. L. (2014). Drinking motives moderate daily relationships between PTSD symptoms and alcohol use. *Journal of Abnormal Psychology*, 123(1), 237–247. doi:10.1037/a0035193
- Sinha, A., Lewis, O., Kumar, R., Yeruva, S. L. H., & Curry, B. H. (2016). Adult ADHD medications and their cardiovascular implications. *Case Reports in Cardiology*, 2016, 2343691. doi: 10.1155/2016/2343691
- Skinner, H. A. (1982). The Drug Abuse Screening Test. *Addictive Behaviors*, 7(4), 363–371. doi:10.1016/0306-4603(82)90005-3
- Smelson, D., Farquhar, I., Fisher, W., Pressman, K., Pinals, D. A., Samek, B., . . . Sawh, L. (2018). Integrating a co-occurring disorders intervention in drug courts: An open pilot trial. *Community Mental Health Journal*, 55(2), 222–231. doi:10.1007/s10597-018-0255-7



- Smelson, D. A., Zaykowski, H., Guevermont, N., Siegfriedt, J., Sawh, L., Modzelewski, D., ... Kane, V. (2016). Integrating permanent supportive housing and co-occurring disorders treatment for individuals who are homeless. *Journal of Dual Diagnosis, 12*(2), 193–201. doi:10.1080/15504263.2016.1174010
- Smink, F. R. E., van Hoeken, D., & Hoek, H. W. (2013). *Epidemiology, course, and outcome of eating disorders. Current Opinion in Psychiatry, 26*(6), 543–548. doi:10.1097/YCO.0b013e328365a24f
- Smith, D. E. (2012). Editor's note: The medicalization of therapeutic communities in the era of health care reform. *Journal of Psychoactive Drugs, 44*(2), 93–95. doi:10.1080/02791072.2012.684608
- Smith, J. D., Mittal, D., Chekuri, L., Han, X., & Sullivan, G. (2017). A comparison of provider attitudes toward serious mental illness across different health care disciplines. *Stigma and Health, 2*(4), 327–337.
- Smith, J. P., & Book, S. W. (2008). Anxiety and substance use disorders: A review. *Psychiatric Times, 25*(10), 19–23.
- Smith, J. P., & Randall, C. L. (2012). Anxiety and alcohol use disorders: Comorbidity and treatment considerations. *Alcohol Research, 34*(4), 414–431.
- Smith, M. W., Stocks, C., & Santora, P. B. (2015). Hospital readmission rates and emergency department visits for mental health and substance abuse conditions. *Community Mental Health Journal, 51*(2), 190–197. doi:10.1007/s10597-014-9784-x
- Smith, R. J., Jennings, J. L., & Cimino, A. (2010). Forensic continuum of care with Assertive Community Treatment (ACT) for persons recovering from co-occurring disabilities: Long-term outcomes. *Psychiatric Rehabilitation Journal, 33*(3), 207–218.
- Smith, S. M., Goldstein, R. B., & Grant, B. F. (2016). The association between post-traumatic stress disorder and lifetime DSM-5 psychiatric disorders among veterans: Data from the National Epidemiologic Survey on Alcohol and Related Conditions-III (NESARC-III). *Journal of Psychiatric Research, 82*, 16–22. doi:10.1016/j.jpsychires.2016.06.022
- Sohal, H., Eldridge, S., & Feder, G. (2007). The sensitivity and specificity of four questions (HARK) to identify intimate partner violence: A diagnostic accuracy study in general practice. *BMC Family Practice, 8*, 49. doi:10.1186/1471-2296-8-49
- Sohn, H. (2017). Racial and ethnic disparities in health insurance coverage: Dynamics of gaining and losing coverage over the life-course. *Population Research and Policy Review, 36*(2), 181–201. doi:10.1007/s11113-016-9416-y
- Solari, C. D., Morris, S., Shivji, A., & Souza, T. D. (2016, October). *The 2015 Annual Homeless Assessment Report (AHAR) to Congress. Part 1 - PIT estimates of homelessness in the U.S.* Retrieved from <https://files.hudexchange.info/resources/documents/2015-AHAR-Part-1.pdf>
- Sowers, W. (2016). *Level of Care Utilization System for psychiatric and addiction services (LOCUS), Adult version 20. Task Force on Level of Care Determinations of the American Association of Community Psychiatrists (AACP).* Dallas, TX: AACP. Retrieved from <https://drive.google.com/file/d/0B89glzXJnn4cV1dESWI2eFEzc3M/view>
- Spinelli, M. A., Ponath, C., Tieu, L., Hurstak, E. E., Guzman, D., & Kushel, M. (2017). Factors associated with substance use in older homeless adults: Results from the HOPE HOME study. *Substance Abuse, 38*(1), 88–94. doi:10.1080/08897077.2016.1264534
- Stahler, G. J., Mennis, J., & DuCette, J. P. (2016). Residential and outpatient treatment completion for substance use disorders in the U.S.: Moderation analysis by demographics and drug of choice. *Addictive Behaviors, 58*, 129–135. doi:10.1016/j.addbeh.2016.02.030
- Stefancic, A., Henwood, B. F., Melton, H., Shin, S. M., Lawrence-Gomez, R., & Tsemberis, S. (2013). Implementing housing first in rural areas: Pathways Vermont. *American Journal of Public Health, 103*(Suppl. 2), S206–S209. doi:10.2105/ajph.2013.301606
- Stein, L. I., & Test, M. A. (1980). Alternative to mental hospital treatment: I. Conceptual model, treatment program, and clinical evaluation. *Archives of General Psychiatry, 37*(4), 392–397.
- Sterling, S., Chi, F., & Hinman, A. (2011). Integrating care for people with co-occurring alcohol and other drug, medical, and mental health conditions. *Alcohol Research & Health, 33*(4), 338–349.
- Stice, E., Marti, C. N., & Rohde, P. (2013). Prevalence, incidence, impairment, and course of the proposed DSM-5 eating disorder diagnoses in an 8-year prospective community study of young women. *Journal of Abnormal Psychology, 122*(2), 445–457. doi:10.1037/a0030679
- Stinson, J. D., Quinn, M. A., & Levenson, J. S. (2016). The impact of trauma on the onset of mental health symptoms, aggression, and criminal behavior in an inpatient psychiatric sample. *Child Abuse and Neglect, 61*, 13–22. doi:10.1016/j.chiabu.2016.09.005
- Stirman, S. W., Gutner, C. A., Langdon, K., & Graham, J. R. (2016). Bridging the gap between research and practice in mental health service settings: An overview of developments in implementation theory and research. *Behavior Therapy, 47*(6), 920–936. doi:10.1016/j.beth.2015.12.001




- Stone, D. M., Simon, T. R., Fowler, K. A., Kegler, S. R., Yuan, K., Holland, K. M., . . . Crosby, A. E. (2018). Vital signs: Trends in state suicide rates — United States, 1999–2016 and circumstances contributing to suicide — 27 states, 2015. *Morbidity and Mortality Weekly Report*, *67*(22), 617–624. doi:10.15585/mmwr.mm6722a1
- Stone, E. M., Chen, L. N., Daumit, G. L., Linden, S., & McGinty, E. E. (2019). General medical clinicians' attitudes toward people with serious mental illness: A scoping review. *Journal of Behavioral Health Services & Research*, *18*. doi:10.1007/s11414-019-09652-w
- Stringfellow, E. J., Kim, T. W., Gordon, A. J., Pollio, D. E., Gruzca, R. A., Austin, E. L., . . . Kertesz, S. G. (2016). Substance use among persons with homeless experience in primary care. *Substance Abuse*, *37*(4), 534–541. doi:10.1080/08897077.2016.1145616
- Strom, J. B., Kramer, D. B., Wang, Y., Shen, C., Wasfy, J. H., Landon, B. E., . . . Yeh, R. W. (2017). Short-term rehospitalization across the spectrum of age and insurance types in the United States. *PLoS ONE*, *12*(7), e0180767. doi:10.1371/journal.pone.0180767
- Subodh, B. N., Sharma, N., & Shah, R. (2018). Psychosocial interventions in patients with dual diagnosis. *Indian Journal of Psychiatry*, *60*(Suppl. 4), S494–S500. doi:10.4103/psychiatry.IndianJPsychiatry\_18\_18
- Substance Abuse and Mental Health Services Administration. (n.d.) Recruitment and Retention Toolkit.
- Substance Abuse and Mental Health Services Administration. (2000). *Integrating substance abuse treatment and vocational services*. Treatment Improvement Protocol (TIP) Series, No. 38. HHS Publication No. (SMA) 12-4216. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2008). Assertive Community Treatment (ACT) Evidence-Based Practices (EBP) KIT. Retrieved from <https://store.samhsa.gov/product/Assertive-Community-Treatment-ACT-Evidence-Based-Practices-EBP-KIT/sma08-4344>
- Substance Abuse and Mental Health Services Administration. (2009a). *Integrated treatment for co-occurring disorders: training frontline staff*. DHHS Pub. No. SMA-08-4366. Rockville, MD: Center for Mental Health Services, Substance Abuse and Mental Health Services Administration, U.S. Department of Health and Human Services.
- Substance Abuse and Mental Health Services Administration. (2009b). *SAFE-T – Suicide assessment five-step evaluation and triage*. Pocket card. Retrieved from <https://store.samhsa.gov/system/files/sma09-4432.pdf>
- Substance Abuse and Mental Health Services Administration. (2009c). *Substance abuse treatment: Addressing the specific needs of women*. Revised 2013. Treatment Improvement Protocol (TIP) Series 51 (HHS Publication No. (SMA)13-4426). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2011a). Clients with substance use and eating disorders. *Advisory*, *10*(1), 1–11. Retrieved from <https://store.samhsa.gov/product/clients-with-substance-use-and-eating-disorders/SMA10-4617>
- Substance Abuse and Mental Health Services Administration. (2011b). *Dual diagnosis capability in mental health treatment toolkit version 4.0*. (HHS Publication No. SMA-XX-XXXX). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2012). *SAMHSA's working definition of recovery*. Retrieved from <https://store.samhsa.gov/system/files/pep12-recdef.pdf>
- Substance Abuse and Mental Health Services Administration. (2013). *Behavioral health services for people who are homeless*. (HHS Publication No. (SMA) 13-4734). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2014a). *Improving cultural competence*. Treatment Improvement Protocol (TIP) Series No. 59 (HHS Publication No. (SMA) 14-4849). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2014b). *Trauma-informed care in behavioral health services*. Treatment Improvement Protocol (TIP) Series 57. (HHS Publication No. (SMA) 14-4816.). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration (2014c). *SAMHSA's concept of trauma and guidance for a trauma-informed approach*. HHS Publication No. (SMA) 14-4884. Rockville, MD: Substance Abuse and Mental Health Services Administration, 2014.
- Substance Abuse and Mental Health Services Administration. (2015a). Adults with attention deficit hyperactivity disorder and substance use disorders. *Advisory* 14(3). Retrieved from <https://store.samhsa.gov/product/Advisory-Adults-With-Attention-Deficit-Hyperactivity-Disorder-and-Substance-Use-Disorders/SMA15-4925>
- Substance Abuse and Mental Health Services Administration. (2015b). *Screening and assessment of co-occurring disorders in the justice system*. (HHS Publication No. (SMA)-15-4930). Rockville, MD: Substance Abuse and Mental Health Services Administration.




- Substance Abuse and Mental Health Services Administration. (2015c, March). *Women in the mirror: Addressing co-occurring mental health issues and trauma in women with substance use disorders*. Retrieved from [https://www.samhsa.gov/sites/default/files/programs\\_campaigns/women\\_children\\_families/women-in-mirror.pdf](https://www.samhsa.gov/sites/default/files/programs_campaigns/women_children_families/women-in-mirror.pdf)
- Substance Abuse and Mental Health Services Administration. (2016). An introduction to bipolar disorder and co-occurring substance use disorders. *Advisory*, 15(2). Retrieved from <https://store.samhsa.gov/system/files/sma16-4960.pdf>
- Substance Abuse and Mental Health Services Administration. (2017). *Suicide prevention*. Retrieved from <https://www.samhsa.gov/suicide-prevention>
- Substance Abuse and Mental Health Services Administration. (2018a). *Behavioral health services for American Indians and Alaska Natives*. Treatment Improvement Protocol (TIP) Series 61 (HHS Publication No. (SMA) 18-5070). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2018b). *Key substance use and mental health indicators in the United States: Results from the 2017 National Survey on Drug Use and Health* (HHS Publication No. SMA 18-5068, NSDUH Series H-53). Rockville, MD: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2018c). *Medications for opioid use disorder*. Treatment Improvement Protocol (TIP) Series 63 (HHS Publication No. (SMA) 18-5063FULLDOC). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2018d). *National Mental Health Services Survey (N-MHSS): 2017. Data on mental health treatment facilities*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2018e). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2017. Data on substance abuse treatment facilities*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2019a). *National Survey of Substance Abuse Treatment Services (N-SSATS): 2018. Data on substance abuse treatment facilities*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2019b). *National Mental Health Services Survey (N-MHSS): 2018. Data on mental health treatment facilities*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration. (2019c). *Enhancing motivation for change in substance use disorder treatment*. Treatment Improvement Protocol (TIP) Series 35. (SAMHSA Publication No. PEP19-02-01-003). Rockville, MD: Center for Substance Abuse Treatment.
- Substance Abuse and Mental Health Services Administration. (2019d). *Mental health annual report: 2017. Use of mental health services: National client level data*. Rockville, MD: Center for Behavioral Health Statistics and Quality.
- Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. (2017). *Treatment Episode Data Set (TEDS): 2005–2015. National admissions to substance abuse treatment services*. BHSIS Series S-91, HHS Publication No. (SMA) 17-5037. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. (2019). *Treatment Episode Data Set (TEDS): 2017. Admissions to and discharges from publicly-funded substance use treatment*. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Sullivan, J. T., Sykora, K., Schneiderman, J., Naranjo, C. A., & Sellers, E. M. (1989). Assessment of alcohol withdrawal: The revised Clinical Institute Withdrawal Assessment for Alcohol scale (CIWA-Ar). *British Journal of Addiction*, 84(11), 1353–1357.
- Sun, A. P. (2012). Helping homeless individuals with co-occurring disorders: The four components. *Social Work*, 57(1), 23–37.
- Sung, Y. K., La Flair, L. N., Mojtabai, R., Lee, L. C., Spivak, S., & Crum, R. M. (2016). The association of alcohol use disorders with suicidal ideation and suicide attempts in a population-based sample with mood symptoms. *Archives of Suicide Research*, 20(2), 219–232. doi:10.1080/13811118.2015.1004489
- Swann, A. C. (2010). The strong relationship between bipolar and substance-use disorder. *Annals of the New York Academy of Sciences*, 1187, 276–293. doi:10.1111/j.1749-6632.2009.05146.x
- Swopes, R. M., Davis, J. L., & Scholl, J. A. (2017). Treating substance abuse and trauma symptoms in incarcerated women: An effectiveness study. *Journal of Interpersonal Violence*, 32(7), 1143–1165. doi:10.1177/0886260515587668

- Szaflarski, M., Bauldry, S., Cubbins, L. A., & Meganathan, K. (2017). Nativity, race-ethnicity, and dual diagnosis among US adults. *Research in the Sociology of Health Care, 35*, 171–191.
- Tang, Z., Claus, R. E., Orwin, R. G., Kissin, W. B., & Arieira, C. (2012). Measurement of gender-sensitive treatment for women in mixed-gender substance abuse treatment programs. *Drug and Alcohol Dependence, 123*(1–3), 160–166. doi:10.1016/j.drugalcdep.2011.11.003
- Taylor, O. D. (2010). Barriers to treatment for women with substance use disorders. *Journal of Human Behavior in the Social Environment, 20*(3), 393–409. doi:10.1080/10911351003673310
- Teeters, J. B., Lancaster, C. L., Brown, D. G., & Back, S. E. (2017). Substance use disorders in military veterans: Prevalence and treatment challenges. *Substance Abuse and Rehabilitation, 8*, 69–77. doi:10.2147/sar.S116720
- Test, M. A. (1992). Training in community living. In R. P. Lieberman (Ed.), *Handbook of psychiatric rehabilitation* (pp. 153–170). New York, NY: MacMillan Publishing.
- Thiel, N., Hertenstein, E., Nissen, C., Herbst, N., Külz, A. K., & Voderholzer, U. (2013). The effect of personality disorders on treatment outcomes in patients with obsessive-compulsive disorders. *Journal of Personality Disorders, 27*(6), 697–715. doi:10.1521/pedi\_2013\_27\_104
- Thomson, M., & Sharma, V. (2017). Therapeutics of postpartum depression. *Expert Review of Neurotherapeutics, 17*(5), 495–507. doi:10.1080/14737175.2017.1265888
- Thronson, L. R., & Pagalilauan, G. L. (2014). Psychopharmacology. *Medical Clinics of North America, 98*(5), 927–958. doi:10.1016/j.mcna.2014.06.001
- Thurber, S., Wilson, A., Realmuto, G., & Specker, S. (2018). The relationship between the INTERMED patient complexity instrument and Level of Care Utilisation System (LOCUS). *International Journal of Psychiatry in Clinical Practice, 22*(1), 80–82. doi:10.1080/13651501.2017.1353635
- Tiet, Q. Q., & Schutte, K. K. (2012). Treatment setting and outcomes of patients with co-occurring disorders. *Journal of Groups in Addiction & Recovery, 7*(1), 53–76. doi:10.1080/1556035X.2012.632330
- Timko, C., Sutkowi, A., & Moos, R. (2010). Patients with dual diagnoses or substance use disorders only: 12-step group participation and 1-year outcomes. *Substance Use & Misuse, 45*(4), 613–627. doi:10.3109/10826080903452421
- Tolliver, B. K., & Anton, R. F. (2015). Assessment and treatment of mood disorders in the context of substance abuse. *Dialogues in Clinical Neuroscience, 17*(2), 181–190.
- Tonigan, J. S., Pearson, M. R., Magill, M., & Hagler, K. J. (2018). AA attendance and abstinence for dually diagnosed patients: A meta-analytic review. *Addiction, 113*(11), 1970–1981. doi:10.1111/add.14268
- Trivedi, R. B., Post, E. P., Sun, H., Pomerantz, A., Saxon, A. J., Piette, J. D., . . . Nelson, K. (2015). Prevalence, comorbidity, and prognosis of mental health among US veterans. *American Journal of Public Health, 105*(12), 2564–2569. doi:10.2105/ajph.2015.302836
- Trudeau, K. J., Burtner, J., Villapiano, A. J., Jones, M., Butler, S. F., & Joshi, K. (2018). Burden of schizophrenia or psychosis-related symptoms in adults undergoing substance abuse evaluation. *Journal of Nervous and Mental Disease, 206*(7), 528–536. doi:10.1097/NMD.0000000000000835
- Trull, T. J., Freeman, L. K., Vebares, T. J., Choate, A. M., Helle, A. C., & Wyckoff, A. M. (2018). Borderline personality disorder and substance use disorders: An updated review. *Borderline Personality Disorder and Emotion Dysregulation, 5*, 15. doi:10.1186/s40479-018-0093-9
- Trull, T. J., Jahng, S., Tomko, R. L., Wood, P. K., & Sher, K. J. (2010). Revised NESARC personality disorder diagnoses: Gender, prevalence, and comorbidity with substance dependence disorders. *Journal of Personality Disorders, 24*(4), 412–426. doi:10.1521/pedi.2010.24.4.412
- Tsai, J. (2018). Lifetime and 1-year prevalence of homelessness in the US population: Results from the National Epidemiologic Survey on Alcohol and Related Conditions-III. *Journal of Public Health (Oxford, England), 40*(1), 65–74. doi:10.1093/pubmed/idx034
- Tsai, J., & Cao, X. (2019). Association between suicide attempts and homelessness in a population-based sample of US veterans and non-veterans. *Journal of Epidemiology and Community Health, 73*(4), 346–352. doi:10.1136/jech-2018-211065
- Tsai, J., Kaspro, W. J., & Rosenheck, R. A. (2014). Alcohol and drug use disorders among homeless veterans: Prevalence and association with supported housing outcomes. *Addictive Behaviors, 39*(2), 455–460. doi:10.1016/j.addbeh.2013.02.002
- Tsai, J., Lee, C. Y. S., Byrne, T., Pietrzak, R. H., & Southwick, S. M. (2017). Changes in public attitudes and perceptions about homelessness between 1990 and 2016. *American Journal of Community Psychology, 60*(3–4), 599–606. doi:10.1002/ajcp.12198
- Tsai, J., & Rosenheck, R. A. (2012). Outcomes of a group intensive peer-support model of case management for supported housing. *Psychiatric Services, 63*(12), 1186–1194.
- Tsemberis, S., & Eisenberg, R. F. (2000). Pathways to housing: Supported housing for street-dwelling homeless individuals with psychiatric disabilities. *Psychiatric Services, 51*(4), 487–493. doi:10.1176/appi.ps.51.4.487




- Tsemberis, S. J. (2010). *Housing First: The Pathways model to end homelessness for people with mental health and substance use disorders*. Center City, Minnesota: Hazelden Publishing.
- Tsemberis, S. J., Moran, L., Shinn, M., Asmussen, S. M., & Shern, D. L. (2003). Consumer preference programs for individuals who are homeless and have psychiatric disabilities: A drop-in center and a supported housing program. *American Journal of Community Psychology*, 32(3–4), 305–317.
- Turner, S. B., & Stanton, M. P. (2015). Psychiatric case management in the emergency department. *Professional Case Management*, 20(5), 217–227; quiz 228–219. doi:10.1097/ncm.0000000000000106
- Tyrer, P., Sharfstein, S., O'Reilly, R., Allison, S., & Bastiampillai, T. (2017). Psychiatric hospital beds: An Orwellian crisis. *Lancet*, 389(10067), 363. doi:10.1016/s0140-6736(17)30149-6
- U.S. Department of Health and Human Services (HHS) Office of the Surgeon General and National Action Alliance for Suicide Prevention. (2012, September). *2012 National Strategy for Suicide Prevention: Goals and objectives for action*. Washington, DC: HHS.
- U.S. Department of Health and Human Services, Office of the Surgeon General. (2016, November). *Facing Addiction in America: The Surgeon General's Report on Alcohol, Drugs, and Health*. Washington, DC: HHS.
- U.S. Department of Housing and Urban Development. (2018). 2018 Continuum of Care Homeless Populations and Subpopulations Report - All states, territories, Puerto Rico, and DC. Washington, DC: Author. Retrieved May 29, 2018, from [https://files.hudexchange.info/reports/published/CoC\\_PopSub\\_NatlTerrDC\\_2018.pdf](https://files.hudexchange.info/reports/published/CoC_PopSub_NatlTerrDC_2018.pdf)
- U.S. Interagency Council on Homelessness. (2014, June). *Implementing Housing First in Permanent Supportive Housing*. Fact Sheet from USICH with assistance from the Substance Abuse and Mental Health Services Administration. Retrieved from [www.usich.gov/resources/uploads/asset\\_library/Implementing\\_Housing\\_First\\_in\\_Permanent\\_Supportive\\_Housing.pdf](http://www.usich.gov/resources/uploads/asset_library/Implementing_Housing_First_in_Permanent_Supportive_Housing.pdf)
- U.S. Preventive Services Task Force (USPTSF). (2013). Archived: *Intimate partner violence and abuse of elderly and vulnerable adults: Screening*. Retrieved from [www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/intimate-partner-violence-and-abuse-of-elderly-and-vulnerable-adults-screening](http://www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/intimate-partner-violence-and-abuse-of-elderly-and-vulnerable-adults-screening)
- Udo, T., & Grilo, C. M. (2018). Prevalence and correlates of DSM-5-defined eating disorders in a nationally representative sample of U.S. adults. *Biological Psychiatry*, 84(5), 345–354. doi:10.1016/j.biopsych.2018.03.014
- Ullman, S. E., Relyea, M., Peter-Hagene, L., & Vasquez, A. L. (2013). Trauma histories, substance use coping, PTSD, and problem substance use among sexual assault victims. *Addictive Behaviors*, 38(6), 2219–2223. doi:10.1016/j.addbeh.2013.01.027
- University of Michigan Behavioral Health Workforce Research Center. (2018). *Scopes of practice and reimbursement patterns of addiction counselors, community health workers, and peer recovery specialists in the behavioral health workforce*. Ann Arbor, MI: University of Michigan School of Public Health.
- Upshur, C. C., Jenkins, D., Weinreb, L., Gelberg, L., & Orvek, E. A. (2017). Prevalence and predictors of substance use disorders among homeless women seeking primary care: An 11 site survey. *American Journal of Addictions*, 26(7), 680–688. doi:10.1111/ajad.12582
- Üstün, T. B., & World Health Organization. (2010). *Measuring health and disability: Manual for WHO Disability Assessment Schedule WHODAS 2.0*. Geneva: World Health Organization.
- Vallejo, Z., & Amaro, H. (2009). Adaptation of mindfulness-based stress reduction program for addiction relapse prevention. *The Humanistic Psychologist*, 37(2), 192–206. doi:10.1080/08873260902892287
- van de Glind, G., Van Emmerik-van Oortmerssen, K., Carpentier, P. J., Levin, F. R., Koeter, M. W. J., Barta, C., . . . van den Brink, W. (2013). The International ADHD in Substance Use Disorders Prevalence (IASP) study: Background, methods and study population. *International Journal of Methods in Psychiatric Research*, 22(3), 232–244.
- Vanderplasschen, W., Colpaert, K., Autrique, M., Rapp, R. C., Pearce, S., Broekaert, E., & Vandeveld, S. (2013). Therapeutic communities for addictions: A review of their effectiveness from a recovery-oriented perspective. *Scientific World Journal*, 13, 427817. doi:10.1155/2013/427817
- Vanderwaal, F. M. (2015). Impact of motivational interviewing on medication adherence in schizophrenia. *Issues in Mental Health Nursing*, 36(11), 900–904. doi:10.3109/01612840.2015.1058445
- van Emmerik-van Oortmerssen, K., van de Glind, G., van den Brink, W., Smit, F., Crunelle, C. L., Swets, M., & Schoevers, R. A. (2012). Prevalence of attention-deficit hyperactivity disorder in substance use disorder patients: A meta-analysis and meta-regression analysis. *Drug and Alcohol Dependence*, 122(1–2), 11–19. doi:10.1016/j.drugalcdep.2011.12.007
- Vega, W. A., Canino, G., Cao, Z., & Alegria, M. (2009). Prevalence and correlates of dual diagnoses in U.S. Latinos. *Drug and Alcohol Dependence*, 100(1–2), 32–38. doi:10.1016/j.drugalcdep.2008.08.018

- Verges, A., Jackson, K. M., Bucholz, K. K., Trull, T. J., Lane, S. P., & Sher, K. J. (2014). Personality disorders and the persistence of substance use disorders: A reanalysis of published NESARC findings. *Journal of Abnormal Psychology, 123*(4), 809–820. doi:10.1037/abn0000011
- Vest, B. M., Hoopsick, R. A., Homish, D. L., Daws, R. C., & Homish, G. G. (2018). Childhood trauma, combat trauma, and substance use in National Guard and reserve soldiers. *Substance Abuse, 39*(4), 452–460. doi:10.1080/08897077.2018.1443315
- Veterans Administration/Department of Defense (VA/DoD). (2015). *VA/DoD clinical practice guideline for the management of substance use disorders*. Version 3.0. Retrieved from [www.healthquality.va.gov/guidelines/MH/sud/VADoDSUDCPGRevised22216.pdf](http://www.healthquality.va.gov/guidelines/MH/sud/VADoDSUDCPGRevised22216.pdf)
- Veterans Administration/Department of Defense. (2017). *VA/DoD clinical practice guideline for the management of posttraumatic stress disorder and acute stress disorder*. Version 3.0. Retrieved from [www.healthquality.va.gov/guidelines/MH/ptsd/VADoDPTSDCPGFinal012418.pdf](http://www.healthquality.va.gov/guidelines/MH/ptsd/VADoDPTSDCPGFinal012418.pdf)
- Vigod, S. N., Wilson, C. A., & Howard, L. M. (2016). Depression in pregnancy. *BMJ (Online), 352*. doi:10.1136/bmj.i1547
- Volkert, J., Gablonski, T.-C., & Rabung, S. (2018). Prevalence of personality disorders in the general adult population in Western countries: Systematic review and meta-analysis. *British Journal of Psychiatry, 213*(6), 709–715. doi:10.1192/bjp.2018.202
- Volpi-Abadie, J., Kaye, A. M., & Kaye, A. D. (2013). Serotonin syndrome. *Ochsner Journal, 13*(4), 533–540.
- Vorspan, F., Mehtelli, W., Dupuy, G., Bloch, V., & Lépine, J. P. (2015). Anxiety and substance use disorders: Co-occurrence and clinical issues. *Current Psychiatry Reports, 17*(2). doi:10.1007/s11920-014-0544-y
- Vrana, C., Killeen, T., Brant, V., Mastrogiovanni, J., & Baker, N. L. (2017). Rationale, design, and implementation of a clinical trial of a mindfulness-based relapse prevention protocol for the treatment of women with comorbid post traumatic stress disorder and substance use disorder. *Contemporary Clinical Trials, 61*, 108–114. doi:10.1016/j.cct.2017.07.024
- Vujanovic, A. A., Bonn-Miller, M. O., & Petry, N. M. (2016). Co-occurring posttraumatic stress and substance use: Emerging research on correlates, mechanisms, and treatments—Introduction to the special issue. *Psychology of Addictive Behaviors, 30*(7), 713–719. doi:10.1037/adb0000222
- Vujanovic, A. A., Meyer, T. D., Heads, A. M., Stotts, A. L., Villarreal, Y. R., & Schmitz, J. M. (2017). Cognitive-behavioral therapies for depression and substance use disorders: An overview of traditional, third-wave, and transdiagnostic approaches. *American Journal of Drug and Alcohol Abuse, 43*(4), 402–415. doi:10.1080/00952990.2016.1199697
- Vujanovic, A. A., Smith, L. J., Green, C. E., Lane, S. D., & Schmitz, J. M. (2018). Development of a novel, integrated cognitive-behavioral therapy for co-occurring posttraumatic stress and substance use disorders: A pilot randomized clinical trial. *Contemporary Clinical Trials, 65*, 123–129. doi:10.1016/j.cct.2017.12.013
- Wakeman, S. E., Rigotti, N. A., Chang, Y., Herman, G. E., Erwin, A., Regan, S., & Metlay, J. P. (2019). Effect of integrating substance use disorder treatment into primary care on inpatient and emergency department utilization. *Journal of General Internal Medicine, 34*(6), 871–877. doi:10.1007/s11606-018-4807-x
- Walley, A. Y., Palmisano, J., Sorensen-Alawad, A., Chaisson, C., Raj, A., Samet, J. H., & Drainoni, M. L. (2015). Engagement and substance dependence in a primary care-based addiction treatment program for people infected with HIV and people at high-risk for HIV infection. *Journal of Substance Abuse Treatment, 59*, 59–66. doi:10.1016/j.jsat.2015.07.007
- Walsh, F. P. & Tickle, A. C. (2013). Working towards recovery: The role of employment in recovery from serious mental health problems: A qualitative meta-synthesis. *International Journal of Psychosocial Rehabilitation, 17*(2) 35–49.
- Walsh, K., McLaughlin, K. A., Hamilton, A., & Keyes, K. M. (2017). Trauma exposure, incident psychiatric disorders, and disorder transitions in a longitudinal population representative sample. *Journal of Psychiatric Research, 92*, 212–218. doi:10.1016/j.jpsychires.2017.05.001
- Walter, K. H., Levine, J. A., Highfill-McRoy, R. M., Navarro, M., & Thomsen, C. J. (2018). Prevalence of posttraumatic stress disorder and psychological comorbidities among U.S. active duty service members, 2006–2013. *Journal of Traumatic Stress, 31*(6), 837–844. doi:10.1002/jts.22337
- Walton, M. T., & Hall, M. T. (2016). The effects of employment interventions on addiction treatment outcomes: A review of the literature. *Journal of Social Work Practice in the Addictions, 16*(4), 358–384.
- Watkins, K. E., Hunter, S., Hepner, K., Paddock, S., Zhou, A., & de la Cruz, E. (2012). Group cognitive-behavioral therapy for clients with major depression in residential substance abuse treatment. *Psychiatric Services, 63*(6), 608–611. doi:10.1176/appi.ps.201100201
- Watkins, L. E., Sippel, L. M., Pietrzak, R. H., Hoff, R., & Harpaz-Rotem, I. (2017). Co-occurring aggression and suicide attempt among veterans entering residential treatment for PTSD: The role of PTSD symptom clusters and alcohol misuse. *Journal of Psychiatric Research, 87*, 8–14. doi:10.1016/j.jpsychires.2016.12.009
- Watson, D. P., Orwat, J., Wagner, D. E., Shuman, V., & Tolliver, R. (2013). The Housing First Model (HFM) fidelity index: Designing and testing a tool for measuring integrity of housing programs that serve active substance users. *Substance Abuse Treatment, Prevention, and Policy, 8*, 16. doi:10.1186/1747-597x-8-16



- Waye, K. M., Goyer, J., Dettor, D., Mahoney, L., Samuels, E. A., Yedinak, J. L., & Marshall, B. D. L. (2019). Implementing peer recovery services for overdose prevention in Rhode Island: An examination of two outreach-based approaches. *Addictive Behaviors, 89*, 85–91. doi:10.1016/j.addbeh.2018.09.027
- Weathers, F. W., Litz, B. T., Keane, T. M., Palmieri, P. A., Marx, B. P., & Schnurr, P. P. (2013). *The PTSD Checklist for DSM-5 (PCL-5) – Standard*. Retrieved October 15, 2019, from [www.ptsd.va.gov/professional/assessment/documents/PCL5\\_Standard\\_form.PDF](http://www.ptsd.va.gov/professional/assessment/documents/PCL5_Standard_form.PDF)
- Weaver, N., Coffey, M., & Hewitt, J. (2017). Concepts, models and measurement of continuity of care in mental health services: A systematic appraisal of the literature. *Journal of Psychiatric and Mental Health Nursing, 24*(6), 431–450. doi:10.1111/jpm.12387
- Weil, T. P. (2015). Insufficient dollars and qualified personnel to meet United States mental health needs. *Journal of Nervous and Mental Disease, 203*(4), 233–240.
- Weinstein, Z. M., Wakeman, S. E., & Nolan, S. (2018). Inpatient addiction consult service: Expertise for hospitalized patients with complex addiction problems. *Medical Clinics of North America, 102*(4), 587–601. doi:10.1016/j.mcna.2018.03.001
- Weiss, R. D., & Connery, H. S. (2001). *Integrated group therapy for bipolar disorder and substance abuse*. New York, NY: Guilford Press.
- Werner, F. M., & Covenas, R. (2017). Long-term administration of antipsychotic drugs in schizophrenia and influence of substance and drug abuse on the disease outcome. *Current Drug Abuse Reviews, 10*(1), 19–24. doi:10.2174/1874473710666171020104524
- Westmoreland, P., Krantz, M. J., & Mehler, P. S. (2016). Medical complications of anorexia nervosa and bulimia. *American Journal of Medicine, 129*(1), 30–37. doi:10.1016/j.amjmed.2015.06.031
- White, A. R. (2011). Characteristics of three consumer cohorts in vocational rehabilitation: A comparison of consumers with dual-diagnosis, psychiatric, or substance use related disorders. *Journal of Applied Rehabilitation Counseling, 42*(1), 15–24.
- White, L. M., McGrew, J. H., Salyers, M. P., & Firmin, R. L. (2014). Assertive community treatment for parents with serious mental illnesses: A comparison of “parent-sensitive” assertive community treatment teams versus other teams. *Psychiatric Rehabilitation Journal, 37*(3), 251–260. doi:10.1037/prj0000050
- WHO ASSIST Working Group. (2002). The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): Development, reliability and feasibility. *Addiction, 97*(9), 1183–1194.
- Wile, M., & Goodwin, K. (2018, February). *The costs and consequences of disparities in behavioral health care*. National Conference of State Legislatures. Retrieved from <http://www.ncsl.org/research/health/the-costs-and-consequences-of-disparities-in-behavioral-health-care.aspx>
- Wilens, T., Zulauf, C., Martelon, M., Morrison, N. R., Simon, A., Carrellas, N. W., . . . Anselmo, R. (2016). Nonmedical stimulant use in college students: Association with attention-deficit/hyperactivity disorder and other disorders. *Journal of Clinical Psychiatry, 77*(7), 940–947. doi:10.4088/JCP.14m09559
- Wilens, T. E., Adler, L. A., Tanaka, Y., Xiao, F., D’Souza, D. N., Gutkin, S. W., & Upadhyaya, H. P. (2011). Correlates of alcohol use in adults with ADHD and comorbid alcohol use disorders: Exploratory analysis of a placebo-controlled trial of atomoxetine. *Current Medical Research and Opinion, 27*(12), 2309–2320. doi:10.1185/03007995.2011.628648
- Wilens, T. E., & Morrison, N. R. (2011). The intersection of attention-deficit/hyperactivity disorder and substance abuse. *Current Opinion in Psychiatry, 24*(4), 280–285. doi:10.1097/YCO.0b013e328345c956
- Wilkerson, A. H., Hackman, C. L., Rush, S. E., Usdan, S. L., & Smith, C. S. (2017). “Drunkorexia”: Understanding eating and physical activity behaviors of weight conscious drinkers in a sample of college students. *Journal of American College Health, 65*(7), 492–501. doi:10.1080/07448481.2017.1344848
- Willison, C. (2017). Shelter from the storm: Roles, responsibilities, and challenges in United States housing policy governance. *Health Policy, 121*, 1113–1123.
- Wise, E. A. (2010). Evidence-based effectiveness of a private practice intensive outpatient program with dual diagnosis patients. *Journal of Dual Diagnosis, 6*(1), 25–45. doi:10.1080/15504260903498862
- Wisner, K. L., Sit, D. K. Y., McShea, M. C., Rizzo, D. M., Zoretich, R. A., Hughes, C. L., . . . Hanusa, B. H. (2013). Onset timing, thoughts of self-harm, and diagnoses in postpartum women with screen-positive depression findings. *JAMA Psychiatry, 70*, 490–498.
- Wittchen, H. U. (2010). Screening for serious mental illness: Methodological studies of the K6 screening scale. *International Journal of Methods in Psychiatric Research, 19*(Suppl. 1), 1–3. doi:10.1002/mpr.316
- Wittchen, H. U., Gloster, A. T., Beesdo-Baum, K., Fava, G. A., & Craske, M. G. (2010). Agoraphobia: A review of the diagnostic classificatory position and criteria. *Depression and Anxiety, 27*(2), 113–133. doi:10.1002/da.20646
- Wolff, N., Frueh, B., Shi, J., Gerardi, D., Fabrikant, N., & Schumann, B. (2011). Trauma exposure and mental health characteristics of incarcerated females self-referred to specialty PTSD treatment. *Psychiatric Services, 62*, 954–958.

- Wolff, N., Huening, J., Shi, J., & Frueh, B. C. (2014). Trauma exposure and posttraumatic stress disorder among incarcerated men. *Journal of Urban Health, 91*(4), 707–719. doi:10.1007/s11524-014-9871-x
- Wood, S. R. (2013). Dual severe mental and substance use disorders as predictors of federal inmate assaults. *Prison Journal, 93*(1), 34–56. doi:10.1177/0032885512467312
- Woodhead, E. L., Cowden Hindash, A., & Timko, C. (2013). Dual diagnosis, mutual-help use, and outcomes: A naturalistic follow-up. *Journal of Dual Diagnosis, 9*(2), 158–164. doi:10.1080/15504263.2013.777986
- World Health Organization. (WHO). (n.d.). Constitution. Retrieved from [www.who.int/about/who-we-are/constitution](http://www.who.int/about/who-we-are/constitution)
- World Health Organization. (2019). *Premature death among people with severe mental disorders*. Information Sheet. Retrieved from [www.who.int/mental\\_health/management/info\\_sheet.pdf](http://www.who.int/mental_health/management/info_sheet.pdf)
- Worley, M. J., Tate, S. R., & Brown, S. A. (2012). Mediation relations between 12-Step attendance, depression and substance use in patients with comorbid substance dependence and major depression. *Addiction, 107*(11), 1974–1983. doi:10.1111/j.1360-0443.2012.03943.x
- Worley, M. J., Trim, R. S., Tate, S. R., Hall, J. E., & Brown, S. A. (2010). Service utilization during and after outpatient treatment for comorbid substance use disorder and depression. *Journal of Substance Abuse Treatment, 39*(2), 124–131. doi:10.1016/j.jsat.2010.05.009
- Wu, L. T., McNeely, J., Subramaniam, G. A., Brady, K. T., Sharma, G., VanVeldhuisen, P., . . . Schwartz, R. P. (2017). DSM-5 substance use disorders among adult primary care patients: Results from a multisite study. *Drug and Alcohol Dependence, 179*, 42–46. doi:10.1016/j.drugalcdep.2017.05.048
- Xie, H., Drake, R. E., McHugo, G. J., Xie, L., & Mohandas, A. (2010). The 10-year course of remission, abstinence, and recovery in dual diagnosis. *Journal of Substance Abuse Treatment, 39*(2), 132–140. doi:10.1016/j.jsat.2010.05.011
- Yager, J., Devlin, M. J., Halmi, K. A., Herzog, D. B., Mitchell, J. E., Powers, P., & Zerbe, K. J. (June 2006). *Practice guideline for the treatment of patients with eating disorders* (3rd ed.). Retrieved from [https://psychiatryonline.org/pb/assets/raw/sitewide/practice\\_guidelines/guidelines/eatingdisorders.pdf](https://psychiatryonline.org/pb/assets/raw/sitewide/practice_guidelines/guidelines/eatingdisorders.pdf)
- Yager, J., & Feinstein, R. E. (2017). General psychiatric management for suicidal patients, with remarks on chronicity: Contending with the angel of death. *Journal of Nervous and Mental Disease, 205*(6), 419–426. doi:10.1097/nmd.0000000000000701
- Yanchus, N. J., Periard, D., & Osatuke, K. (2017). Further examination of predictors of turnover intention among mental health professionals. *Journal of Psychiatric and Mental Health Nursing, 24*(1), 41–56. doi:10.1111/jpm.12354
- Young, M. S., Barrett, B., Engelhardt, M. A., & Moore, K. A. (2014). Six-month outcomes of an integrated assertive community treatment team serving adults with complex behavioral health and housing needs. *Community Mental Health Journal, 50*(4), 474–479. doi:10.1007/s10597-013-9692-5
- Young, S. (2015). Understanding substance abuse counselor turnover due to burnout: A theoretical perspective. *Journal of Human Behavior in the Social Environment, 25*(6), 675–686. doi:10.1080/10911359.2015.1013658
- Young, S., & Sedgwick, O. (2015). Attention deficit hyperactivity disorder and substance misuse: An evaluation of causal hypotheses and treatment considerations. *Expert Review of Neurotherapeutics, 15*(9), 1005–1014. doi:10.1586/14737175.2015.1059756
- Yu, R., Geddes, J. R., & Fazel, S. (2012). Personality disorders, violence, and antisocial behavior: A systematic review and meta-regression analysis. *Journal of Personality Disorders, 26*(5), 775–792. doi:10.1521/pedi.2012.26.5.775
- Yudko, E., Lozhkina, O., & Fouts, A. (2007). A comprehensive review of the psychometric properties of the Drug Abuse Screening Test. *Journal of Substance Abuse Treatment, 32*(2), 189–198. doi:10.1016/j.jsat.2006.08.002
- Yuodelis-Flores, C., & Ries, R. K. (2015). Addiction and suicide: A review. *American Journal on Addictions, 24*(2), 98–104. doi:10.1111/ajad.12185
- Zetterqvist, M. (2015). The DSM-5 diagnosis of nonsuicidal self-injury disorder: A review of the empirical literature. *Child and Adolescent Psychiatry and Mental Health, 9*, 31. doi:10.1186/s13034-015-0062-7
- Zgierska, A., Amaza, I. P., Brown, R. L., Mundt, M., & Fleming, M. F. (2014). Unhealthy drug use: How to screen, when to intervene. *Journal of Family Practice, 63*(9), 524–530.
- Zhu, H., & Wu, L. T. (2018). National trends and characteristics of inpatient detoxification for drug use disorders in the United States. *BMC Public Health, 18*(1), 1073. doi:10.1186/s12889-018-5982-8
- Zilm, D. H., & Sellers, E. M. (1978). The quantitative assessment of physical dependence on opiates. *Drug and Alcohol Dependence, 3*(6), 419–428.
- Zubkoff, L., Shiner, B., & Watts, B. V. (2016). Staff perceptions of substance use disorder treatment in VA primary care-mental health integrated clinics. *Journal of Substance Abuse Treatment, 70*, 44–49. doi:10.1016/j.jsat.2016.07.011
- Zugai, J. S., Stein-Parbury, J., & Roche, M. (2015). Therapeutic alliance in mental health nursing: An evolutionary concept analysis. *Issues in Mental Health Nursing, 36*(4), 249–257. doi:10.3109/01612840.2014.969795



- Zukkoor, S. (2015). *The safety of stimulant medication use in cardiovascular and arrhythmia patients*. Retrieved from <https://www.acc.org/latest-in-cardiology/articles/2015/04/28/10/06/the-safety-of-stimulant-medication-use-in-cardiovascular-and-arrhythmia-patients>
- Zulauf, C. A., Sprich, S. E., Safren, S. A., & Wilens, T. E. (2014). The complicated relationship between attention deficit/hyperactivity disorder and substance use disorders. *Current Psychiatry Reports*, *16*(3), 436. doi:10.1007/s11920-013-0436-6
- Zur, J., & Mojtabai, R. (2013). Medicaid expansion initiative in Massachusetts: Enrollment among substance-abusing homeless adults. *American Journal of Public Health*, *103*(11), 2007–2013. doi:10.2105/ajph.2013.301283
- Zweben, J. E., & Ashbrook, S. (2012). Mutual-help groups for people with co-occurring disorders. *Journal of Groups in Addiction and Recovery*, *7*(2–4), 202–222. doi:10.1080/1556035X.2012.705700